AQUAMIX 546

Version Number 1.6 Revision Date 08/24/2016

vOne

Page 1 of 16 Print Date 08/26/2016

SAFETY DATA SHEET

AQUAMIX 546

Section 1. Identification	on	
GHS product identifier Chemical name CAS number Other means of identification Product type	:	AQUAMIX 546 Mixture Mixture FO00002918 liquid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 1675 Navarre Road SW, Massillon, Ohio USA 44646
		1 330 837 8679
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. Some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	CARCINOGENICITY - Category 2

GHS label elements

AQUAMIX 546

<u>PolyOne</u>

Version Numbe	er 1.6
Revision Date	08/24/2016

Page 2 of 16 Print Date 08/26/2016

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Suspected of causing cancer.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.
Response	:	IF exposed or concerned: Get medical attention.
Storage	:	Store in a well-ventilated place.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO00002918

CAS number/other identifiers

Ingredient name	%	CAS number
Oleic acid	1 - 5	112-80-1
Diethanolamine	0.1 - 1	111-42-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

AQUAMIX 546

Version Number 1.6 Revision Date 08/24/2016



Page 3 of 16 Print Date 08/26/2016

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms	·	
Eye contact	:	No specific data.
Inhalation	:	No specific data.
		3/16

AQUAMIX 546

Version Number 1.6 Revision Date 08/24/2016 PolyOne

Page 4 of 16

Print Date 08/26/2016

Skin contact Ingestion	:	No specific data. No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate

AQUAMIX 546



Version Number 1.6 Revision Date 08/24/2016	Page 5 of 16 Print Date 08/26/2016
For emergency responders	 ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands

AQUAMIX 546

Version Number 1.6 Revision Date 08/24/2016

PolyOne

6

6

imber 1.6	Page 6 of 10
ate 08/24/2016	Print Date 08/26/2010
	and face before eating, drinking and smoking. Remove contaminated

clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, : including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits
Diethanolamine		OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 15 mg/m3 3 ppm NIOSH REL (1994-06-01) Time Weighted Average (TWA) 15 mg/m3 3 ppm ACGIH TLV (2008-11-24) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 1 mg/m3 Form: Inhalable fraction and vapor
Appropriate engineering controls Environmental exposure controls	enclosures, local exhaust ventilation or othe keep worker exposure to airborne contamin recommended or statutory limits.	
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end

AQUAMIX 546



Version Number 1.6 Revision Date 08/24/2016	Page 7 of 16 Print Date 08/26/2016
	of the working period. Appropriate techniques should be used to

remove potentially contaminated clothing. Wash contaminated

Eye/face protection	 clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state Color	:	liquid [liquid] NO PIGMENT
Odor		Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.

AQUAMIX 546

Version Numbe	er 1.6
Revision Date	08/24/2016

PolyOne

Page 8 of 16 Print Date 08/26/2016

Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure



AQUAMIX 546

Version Number 1.6 Revision Date 08/24/2016

Page 9 of 16 Print Date 08/26/2016

Oleic acid				
	LD50 Oral	Rat	25,000 mg/kg	-
Diethanolamine				
Conclusion/Summary	: Mix	ture.Not fully tested.		

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Oleic acid	Eyes - Mild irritant	Rabbit			-
	Skin -	Human		72 hrs	-
	Moderate				
	irritant				
	Skin - Mild	Rabbit			-
	irritant				
Diethanolamine	Skin - Mild	Rabbit			-
	irritant				
	Eyes - Severe	Rabbit		24 hrs	-
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Skin - Mild	Rabbit		24 hrs	-
	irritant				
Conclusion/Summary					
Skin		ixture.Not fu			
Eyes		ixture.Not fu			
Respiratory	: M	ixture.Not fu	lly tested.		
Sensitization					
Conclusion/Summary					
Skin		ixture.Not fu			
Respiratory	: M	ixture.Not fu	lly tested.		
Mutagenicity					
Conclusion/Summary	: M	ixture.Not fu	lly tested.		
Carcinogenicity					
Conclusion/Summary Classification	: M	ixture.Not fu	lly tested.		

Product/ingredient	OSHA	IARC	NTP
name			
Diethanolamine		2B	

PolyOne.

AQUAMIX 546

Version Number 1.6				
Revision Date 08/24/2016				

Page 10 of 16 Print Date 08/26/2016

<u>Reproductive toxicity</u>			
Conclusion/Summary	:	Mixture.Not fully tested.	
Teratogenicity			
Conclusion/Summary	:	Mixture.Not fully tested.	
Specific target organ toxicity (single Not available.	e exp	<u>bosure)</u>	
Specific target organ toxicity (repeation Not available.	ted	exposure)	
Aspiration hazard Not available.			
Information on the likely routes of exposure	:	Not available.	
Potential acute health effects			
Eye contact	:	No known significant effects or critical hazards.	
Inhalation	:	No known significant effects or critical hazards.	
Skin contact	:	No known significant effects or critical hazards.	
Ingestion	:	No known significant effects or critical hazards.	
Symptoms related to the physical, cl	nemi	cal and toxicological characteristics	
Eye contact	:	No specific data.	
Inhalation	:	No specific data.	
Skin contact	-	No specific data.	
Ingestion	-	No specific data.	
Delayed and immediate effects and also chronic effects from short and long term exposure			
Short term exposure			
Potential immediate effects	:	Not available.	
Potential delayed effects	:	Not available.	
Long term exposure			
Potential immediate effects	:	Not available.	
Potential delayed effects	:	Not available.	
		10/16	

AQUAMIX 546

Version Number 1.6 Revision Date 08/24/2016

PolyOne

Page 11 of 16 Print Date 08/26/2016

Potential chronic health effects

Conclusion/Summary	: Mixture.Not fully tested.
General	: No known significant effects or critical hazards.
Carcinogenicity	: Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of toxicity	<u>r</u>

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Oleic acid	·		· -
	Acute LC50 205,000 µg/l Fresh	Fish - Fish	96 h
	water		
Diethanolamine			
	Acute LC50 1,480,000 µg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 1,370,000 µg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 775 mg/l Fresh water	Fish - Fish	96 h
	Acute LC50 1,550,000 µg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 1,400 mg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 55,000 µg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
	Acute LC50 77,500 µg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
	Acute LC50 109,000 µg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	



AQUAMIX 546

Version Numbe	er 1.6
Revision Date	08/24/2016

Page 12 of 16 Print Date 08/26/2016

	Acute LC50 2,640 µg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute LC50 2,150 µg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute EC50 72.92 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Crustaceans	
	Acute LC50 30,100 µg/l Fresh	Aquatic invertebrates.	48 h
	water	Crustaceans	
	Acute LC50 31,000 µg/l Fresh	Aquatic invertebrates.	48 h
	water	Crustaceans	
	Acute LC50 30,400 µg/l Fresh	Aquatic invertebrates.	48 h
	water	Crustaceans	
	Acute LC50 28,800 µg/l Fresh	Aquatic invertebrates.	48 h
	water	Crustaceans	
	Acute EC50 12 mg/l Fresh water	Aquatic plants - Algae	96 h
	Acute EC50 103,000 µg/l Marine	Aquatic plants - Algae	96 h
	water		
Conclusion/Summary	Not available.	•	•

Conclusion/Summary

Persistence and degradability

Conclusion/Summary

Not available.

:

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Oleic acid	7.73	-	high
Diethanolamine	-1.43	-	low

Mobility in soil

Disposal methods

Soil/water partition coefficient	:	Not available.
(KOC) Other adverse effects	:	No known significant effects or critical hazards.
		6

Section 13. Disposal considerations

The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be

AQUAMIX 546

Version Number 1.6 Revision Date 08/24/2016

Ine

disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Consult mode specific transport rules
IMO/IMDG (maritime)	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):

AQUAMIX 546

P	bly	One
_		

Version Number 1.6	Page 14 of 16
Revision Date 08/24/2016	Print Date 08/26/2016

Not listed

Not listed		
United States - TSCA 8(d) - Health and safety studies: Not listed		
United States - EPA Clean water act (CWA) section 307 - Priority		
pollutants: Not listed		
United States - EPA Clean water act (CWA) section 311 -		
Hazardous substances: Listed		
United States - EPA Clean air act (CAA) section 112 - Accidental		
release prevention - Flammable substances: Not listed		
United States - EPA Clean air act (CAA) section 112 - Accidental		
release prevention - Toxic substances: Not listed		
United States - Department of commerce - Precursor chemical:		
Listed Triethanolamine		

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor		Not listed
Chemicals)	•	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed
,		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	Classification
Oleic acid	1 - 5	АН
Diethanolamine	0.1 - 1	АН, СН

<u>SARA 313</u>

Not applicable.

State regulations

Massachusetts New York : None of the components are listed.

: The following components are listed:

AQUAMIX 546

PolyOne.

AQUAMIX 546		
Version Number 1.6 Revision Date 08/24/2016		Page 15 of 16 Print Date 08/26/2016
New Jersey	:	Diethanolamine The following components are listed: Diethanolamine
Pennsylvania	:	The following components are listed: Oleic acid
		Diethanolamine
California Prop. 65 WARNING: This product contains a chemical known to the State of California to cause cancer.		
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	 Australia inventory (AICS): Not determined. Taiwan inventory (CSNN): Not determined. Malaysia Inventory (EHS Register): Not determined. EINECS: Not determined. Japan inventory: Not determined. China inventory (IECSC): Not determined. Korea inventory: Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined.
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention List Schedule II Chemicals	:	Not listed
Chemical Weapons Convention List Schedule III Chemicals	:	Listed

Section 16. Other information

History		
Date of printing	:	08/26/2016
Date of issue/Date of revision	:	08/24/2016
Date of previous issue	:	05/29/2015
Version	:	1.6
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals

AQUAMIX 546

Version Number 1.6 Revision Date 08/24/2016

<u>PolyOne</u>

Page 16 of 16 Print Date 08/26/2016

IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.