# MATERIAL SAFETY DATA SHEET **DB2176 BLUE #1**

Version Number 1.5 Revision Date 02/18/2005

Page 1 of 6 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	DB2176 BLUE #1
Product code :	FO00003645
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Misc00032 - Miscellaneous Irritant	Not Available	1 - 5
Oxirane,	25085-99-8	1 - 5
2,2'-[(1-methylethylidene)bis(4,1-phenylene oxymethylene)]bis-, homopolymer		
Calcium carbonate	1317-65-3	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



# MATERIAL SAFETY DATA SHEET **DB2176 BLUE #1**

Version Number 1.5 Revision Date 02/18/2005 Page 2 of 6 Print Date 11/17/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide</li> </ul>
	of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.



# MATERIAL SAFETY DATA SHEET **DB2176 BLUE #1**

Version Number 1.5 Revision Date 02/18/2005 Page 3 of 6 Print Date 11/17/2011

	7.	HANDLING AND ST	ORAGE			
Handling	fu: Pe	eat only in areas with ap me condensates may co priodically clean hoods, cumulation of these ma	ntain combustible ducts, and other su	or toxic resi	due.	
Storage		eep containers dry and t d contamination. Store			e absorption	
8. F	EXPOSURE (	CONTROLS / PERSO	NAL PROTECT	ION		
Respiratory protection	: No	o personal respiratory p	rotective equipment	nt normally 1	required.	
Eye/Face Protection	: Sa	fety glasses with side-s	hields.			
Hand protection	: Pr	otective gloves.				
Skin and body protection	: Lo	ong sleeved clothing.				
Additional Protective Measures	: Sa	fety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practic Wash hands before breaks and at the end of workday.				
<b>-</b> · ·						
Engineering measures		eat only in areas with ap propriate exhaust ventil			Provide	
					Provide	
Exposure limit(s)	ap	propriate exhaust ventil	ation at machinery	<i>ў</i> .		
Exposure limit(s) Components	ap Value	propriate exhaust ventil Exposure time	ation at machinery	y. ire type	List:	
Exposure limit(s)	ap	propriate exhaust ventil	ation at machinery Expose Respirabl	<i>ў</i> .	List: OSHA Z	
Exposure limit(s) Components	ap Value 5 mg/m3 15 mg/m3	propriate exhaust ventil Exposure time PEL:	ation at machinery Expose Respirabl Tota	y. <u>ire type</u> e fraction.	List: OSHA Z	
Exposure limit(s) Components Calcium carbonate	ap Value 5 mg/m3 15 mg/m3 9. PHYSIC	Exposure time PEL: PEL: PEL:	Expose Respirabl Tota	y. Ire type e fraction. l dust.	List: OSHA Z OSHA Z	
Exposure limit(s) Components Calcium carbonate Form	ap Value 5 mg/m3 15 mg/m3 9. PHYSIC : liquid	Exposure time PEL: PEL: CAL AND CHEMICAI	Expose Respirabl Tota L PROPERTIES	y. ure type e fraction. l dust. : Not	List: OSHA Z OSHA Z established	
Exposure limit(s) Components Calcium carbonate Form Appearance	Value 5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco	Exposure time PEL: PEL: CAL AND CHEMICAI	Expose Respirabl Tota <b>Evaporation rate</b> Specific Gravity:	y. <u>ire type</u> e fraction. l dust. : Not : Not	List: OSHA Z OSHA Z established determined	
Exposure limit(s) Components Calcium carbonate Form Appearance Color	value 5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : BLUI	Exposure time PEL: PEL: CAL AND CHEMICAI	Expose Respirabl Tota L PROPERTIES Evaporation rate Specific Gravity: Bulk density	y. <u>ire type</u> e fraction. l dust. : Not : Not : Not : Not	List: OSHA Z OSHA Z established determined applicable	
Exposure limit(s) Components Calcium carbonate Form Appearance Color Odor	value 5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : BLUI : Very	Exposure time PEL: PEL: CAL AND CHEMICAI	Expose Respirabl Tota <b>PROPERTIES</b> Evaporation rate Specific Gravity: Bulk density Vapor pressure	y. <u>are type</u> <u>e fraction.</u> l dust. : Not : Not : Not : Not	List: OSHA Z OSHA Z established determined	
Exposure limit(s) Components Calcium carbonate Form Appearance Color Odor Melting point/range	value 5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : BLUI : Very : Not a	Exposure time PEL: PEL: AL AND CHEMICAI	Expose Respirabl Tota L PROPERTIES Evaporation rate Specific Gravity: Bulk density	y. ure type e fraction. l dust. : Not : Not : Not : Not : Not	List: OSHA Z OSHA Z established determined applicable determined	
Exposure limit(s) Components Calcium carbonate Form Appearance Color Odor Melting point/range Boiling Point:	value 5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : BLUI : Very : Not a	Exposure time PEL: PEL: AL AND CHEMICAI	Expose Respirabl Tota <b>C PROPERTIES</b> Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density	y. ure type e fraction. l dust. : Not : Not : Not : Not : Not	List: OSHA Z OSHA Z established determined applicable determined determined	
Exposure limit(s) Components Calcium carbonate Form Appearance Color Odor Melting point/range Boiling Point:	Value 5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : BLUI : Very : Not a : Not a : Inmit	Exposure time PEL: PEL: AL AND CHEMICAI	Expose Respirabl Tota <b>C PROPERTIES</b> Evaporation rate Specific Gravity: Bulk density Vapour density OH	y. ure type e fraction. l dust. : Not : Not : Not : Not : Not	List: OSHA Z OSHA Z established determined applicable determined determined	
	Value 5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : BLUH : Very : Not a : Inmit 10. S	Exposure time PEL: PEL: CAL AND CHEMICAI	Expose Respirabl Tota <b>C PROPERTIES</b> Evaporation rate Specific Gravity: Bulk density Vapour density OH	y. ure type e fraction. l dust. : Not : Not : Not : Not : Not	List: OSHA Z OSHA Z established determined applicable determined determined	



# MATERIAL SAFETY DATA SHEET **DB2176 BLUE #1**

Version Number 1.5 Revision Date 02/18/2005 Page 4 of 6 Print Date 11/17/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
Not Available	Misc00032 -	sensitizer	Skin.
	Miscellaneous Irritant		
		Irritant	Eyes, Skin.
25085-99-8	Oxirane, 2,2'-[(1-methylethylidene) bis(4,1-phenyleneoxymeth ylene)]bis-, homopolymer	sensitizer	Skin.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

#### **12. ECOLOGICAL INFORMATION**

Additional advice	:	No data available
<b>Bioaccumulation Potential</b>	:	No data available
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Persistence and degradability	:	Not readily biodegradable.

#### **13. DISPOSAL CONSIDERATIONS**

Product

: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste



# MATERIAL SAFETY DATA SHEET **DB2176 BLUE #1**

ion Number 1.5 sion Date 02/18/2005		Page 5 Print Date 11/17/
		classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification		Refer to specific regulation.
ICAO/IATA (air)		Refer to specific regulation.
	•	
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardo	us Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65		California to cause cancer.
SARA Title III Section 302 E Not applicable	Extrem	ely Hazardous Substance
SARA Title III Section 313 7	Coxic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Rel	ease Ir	
Chemical Name Phthalocyanine blue		CAS-No.         Weight %         NPRI ID#           147-14-8         0.11         71
misc00031 - Misc Zinc	Cpd's	Not Available 0.20 241
miscouosi - Mise Zine	opas	

POLYONE CORPORATION



# MATERIAL SAFETY DATA SHEET **DB2176 BLUE #1**

Version Number 1.5 Revision Date 02/18/2005 Page 6 of 6 Print Date 11/17/2011

	WHMIS Classification	:	D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National	l Inventories:		
1	Australia AICS	:	Not determined
(	China IECS	:	Not determined
I	Europe EINECS	:	Not determined
J	Japan ENCS	:	Not determined
1	Korea KECI	:	Not determined
I	Philippines PICCS	:	Not determined
			16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.