MATERIAL SAFETY DATA SHEET

14REDUCER #14

Version Number 1.1 Revision Date 06/28/2005 Page 1 of 5 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	14REDUCER #14
Product code	:	FO00008156
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This product has not been evaluated as a whole for health effects. Information provided on the health effects of this product is based on individual components. In addition, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:		:	Inhalation, Skin contact, Ingestion	
	Acute exposure			
	Inhalation	:	Inhalation of airborne droplets may cause irritation of the respiratory tract.	
	Ingestion	:	May be harmful if swallowed.	
	Eyes	:	Contact with eyes may cause irritation.	
	Skin	:	Experience shows no unusual dermatitis hazard from routine handling.	
	Chronic exposure	:	Refer to Section 11 for Toxicological Information.	
	Medical Conditions Aggravated by Exposure:	:	None known.	
			4. FIRST AID MEASURES	1



MATERIAL SAFETY DATA SHEET **14REDUCER #14**

ion Number 1.1 sion Date 06/28/2005	Page 2 Print Date 11/18/			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.			
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.			
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: No data available			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available No data available No data available Water spray can be used to cool fire exposed surfaces., dry powder, foam, carbon dioxide (CO2)Do NOT use water jet 			
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen 			
Hazards	(NOx), other hazardous materials, and smoke are all possible.			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.			
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Heat only in areas with appropriate exhaust ventilation.			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.			

PolyOne.

MATERIAL SAFETY DATA SHEET **14REDUCER #14**

Version Number 1.1 Revision Date 06/28/2005 Page 3 of 5 Print Date 11/18/2011

8. EXP	POSURE CONTROLS / PI	ERSONAL PROTECTION		
Respiratory protection	: Under normal hand	ing conditions a respirator may not be required.		
Eye/Face Protection	otection : Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothi	ng.		
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
9.	PHYSICAL AND CHEM	IICAL PROPERTIES		
Form	: liquid	Evaporation rate : Negligible		
Form Appearance	: Viscous, liquid	Specific Gravity: : Not determined		
	: Viscous, liquid : NOT APPLICABLE	Specific Gravity:: Not determinedBulk density: Not applicable		
Appearance Color Odor	: Viscous, liquid: NOT APPLICABLE: Very faint	Specific Gravity:: Not determinedBulk density: Not applicableVapor pressure: <2 mm Hg @ 25		
Appearance Color Odor Melting point/range	 : Viscous, liquid : NOT APPLICABLE : Very faint : Not applicable 	Specific Gravity::Not determinedBulk density:Not applicableVapor pressure:<2 mm Hg @ 25		
Appearance Color Odor Melting point/range Boiling Point:	 : Viscous, liquid : NOT APPLICABLE : Very faint : Not applicable : No data available 	Specific Gravity:: Not determinedBulk density: Not applicableVapor pressure: <2 mm Hg @ 25		
Appearance Color Odor Melting point/range	 : Viscous, liquid : NOT APPLICABLE : Very faint : Not applicable 	Specific Gravity::Not determinedBulk density:Not applicableVapor pressure:<2 mm Hg @ 25		
Appearance Color Odor Melting point/range Boiling Point:	 : Viscous, liquid : NOT APPLICABLE : Very faint : Not applicable : No data available 	Specific Gravity::Not determinedBulk density:Not applicableVapor pressure:<2 mm Hg @ 25		
Appearance Color Odor Melting point/range Boiling Point:	 : Viscous, liquid : NOT APPLICABLE : Very faint : Not applicable : No data available : No data available 	Specific Gravity::Not determinedBulk density:Not applicableVapor pressure:<2 mm Hg @ 25		
Appearance Color Odor Melting point/range Boiling Point: Water solubility	 : Viscous, liquid : NOT APPLICABLE : Very faint : Not applicable : No data available : No data available 10. STABILITY AND 	Specific Gravity::Not determinedBulk density:Not applicableVapor pressure:<2 mm Hg @ 25		
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 : Viscous, liquid : NOT APPLICABLE : Very faint : Not applicable : No data available : No data available 10. STABILITY AND : Stable. : Will not occur. 	Specific Gravity::Not determinedBulk density:Not applicableVapor pressure:<2 mm Hg @ 25		
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 : Viscous, liquid : NOT APPLICABLE : Very faint : Not applicable : No data available : No data available 10. STABILITY AND : Stable. : Will not occur. : Keep away from ox 	Specific Gravity: : Not determined Bulk density : Not applicable Vapor pressure : <2 mm Hg @ 25		
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 : Viscous, liquid : NOT APPLICABLE : Very faint : Not applicable : No data available : No data available 10. STABILITY AND : Stable. : Will not occur. : Keep away from ox : Incompatible with s : Carbon dioxide (CC) 	Specific Gravity: : Not determined Bulk density : Not applicable Vapor pressure : <2 mm Hg @ 25 Vapour density : Not determined pH : Not determined PREACTIVITY		

PolyOne.

MATERIAL SAFETY DATA SHEET 14REDUCER #14

Version Number 1.1 Revision Date 06/28/2005 Page 4 of 5 Print Date 11/18/2011

	12. ECOLOGICAL INFORMATION		
Persistence and degradability	: Readily biodegradable.		
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal		
Bioaccumulation Potential	: Does not bioaccumulate.		
Additional advice	: No data available		
	13. DISPOSAL CONSIDERATIONS		
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Refer to specific regulation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Substances (40 CFR 302)		
Not applicable			

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET 14REDUCER #14

14REDUCER #14				
Version Number 1.1 Revision Date 06/28/2005			Print Date	Page 5 of 11/18/201
65				
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substance		
SARA Title III Section 313 Tox	cic C	Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Relea	se Iı	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Ca Substances List (DSL) or are exempt.	nadian Domes	tic
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Not determined		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.