# MATERIAL SAFETY DATA SHEET

## 10490PC VENUS

Version Number 1.5 Revision Date 06/06/2005 Page 1 of 6 Print Date 11/18/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	10490PC VENUS
Product code	:	FO00011867
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Misc00039 - Miscellaneous Irritant	Not Available	1 - 5
Ethanol, 2-phenoxy-	122-99-6	1 - 5

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET **10490PC VENUS**

Version Number 1.5 Revision Date 06/06/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



# MATERIAL SAFETY DATA SHEET **10490PC VENUS**

Version Number 1.5 Revision Date 06/06/2005 Page 3 of 6 Print Date 11/18/2011

		and tightly closed to avo Store in a cool dry place.		
8. EXI	POSURE CONTROLS / PE	ERSONAL PROTECTI	ON	
Respiratory protection	: Under normal handl	ing conditions a respirato	or may not be required.	
Eye/Face Protection	: Safety glasses with s	side-shields.		
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothin	ng.		
Additional Protective Measures	: Safety shoes.	: Safety shoes.		
General Hygiene Considerations		e with good industrial hy breaks and at the end of v		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
-	. PHYSICAL AND CHEM	ICAL PROPERTIES		
9	. PHYSICAL AND CHEM		. Not optablished	
9 Form	: liquid	Evaporation rate	: Not established	
9	: liquid : liquid, Viscous liquid		: Not established : Not determined	
9 Form	: liquid	Evaporation rate Specific Gravity:	: Not determined	
9 Form Appearance	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> </ul>	Evaporation rate Specific Gravity: Bulk density		
9 Form Appearance Color	<ul><li>liquid</li><li>liquid, Viscous liquid</li><li>dispersion</li></ul>	Evaporation rate Specific Gravity:	<ul><li>Not determined</li><li>Not applicable</li></ul>	
9 Form Appearance Color Odor	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure	<ul><li>Not determined</li><li>Not applicable</li><li>Not determined</li></ul>	
9 Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>	
9 Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>	
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> 10. STABILITY AND	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>	
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH <b>REACTIVITY</b>	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>	
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxidecomposition, do not provide the statement of the statement o</li></ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH <b>REACTIVITY</b>	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>	

PolyOne

## MATERIAL SAFETY DATA SHEET 10490PC VENUS

### Version Number 1.5 Revision Date 06/06/2005

Page 4 of 6 Print Date 11/18/2011

## **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
122-99-6	Ethanol, 2-phenoxy-	Irritant	Eyes.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
122-99-6	Ethanol, 2-phenoxy-	Oral LD50	1,260 mg/kg	rat
		Dermal LD50	5 ml/kg	rabbit

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	<ul> <li>Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal.</li> </ul>
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.

4/6

PolyOne.

## MATERIAL SAFETY DATA SHEET 10490PC VENUS

Version Number 1.5 Revision Date 06/06/2005

\_\_\_\_

Page 5 of 6 Print Date 11/18/2011

	15. REGULATORY IN	FORMATION		
US Regulations:				
OSHA Status	: Classified as hazardo	ous based on compo	nents.	
TSCA Status				e TSCA
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)			
Not applicable				
California Proposition 65	: Not applicable			
SARA Title III Section 302 E Not applicable	xtremely Hazardous Substar	nce		
SARA Title III Section 313 To	oxic Chemicals:			
Chemical Name		CAS-No.	Weight %	
CERTAIN GLYCOL ETHE	ERS	104-68-7 122-99-6	-	
Canadian Regulations: National Pollutant Rele	ease Inventory (NPRI)			
Not applicable	• • •			
WHMIS Classification	1 : D2B			
WHMIS Ingredient Dis	sclosure List			
CAS-No. 122-99-6				
DSL	: DSL status has not b restricted by regulation		uantity use in Canada	may be
National Inventories:				
Australia AICS	: Not determined			
China IECS	: Not determined			

POLYONE CORPORA	PolyOne.		
MATERIAL SAFETY DATA SH 10490PC VENUS	IEET		
Version Number 1.5 Revision Date 06/06/2005		Page 6 of 6 Print Date <i>11/18/2011</i>	
Europe EINECS	: Listed		
Japan ENCS	: Not determined		
Korea KECI	: Not determined		
Philippines PICCS	: Not determined		
	16 OTHER INFORMATION		

`

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.