MATERIAL SAFETY DATA SHEET **VBX3558**

Version Number 1.3 Revision Date 06/20/2008 Page 1 of 6 Print Date <u>1/4/2012</u>

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
:	VBX3558
:	FO20002576
:	Mixture
:	Mixture
:	Industrial Applications
	: : : : :

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET **VBX3558**

sion Date 06/20/2008	Print Date 1/4/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of

PolyOne.

MATERIAL SAFETY DATA SHEET VBX3558

		Pag Print Date 1,			
Storage		y and tightly closed to avoid moisture absorption			
0 EVI	and contamination. Keep in a dry, cool place. POSURE CONTROLS/PERSONAL PROTECTION				
δ. ΕλΙ	2050RE CONTROLS/PI	ERSUNAL PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required. dusty conditions occur wear appropriate respiratory protection.				
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved cloth	ing			
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
	as components above regula	atory thresholds in this product.			
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	 Solid powder, granular GREY Very faint Not determined Not applicable Insoluble 	Evaporation rate:Not applicableSpecific Gravity:Not determineBulk density:Not determineVapour pressure:Not applicableVapour density:Not applicablepH:Not applicable			
Appearance Color Odour Melting point/range Boiling Point:	 powder, granular GREY Very faint Not determined Not applicable 	Specific Gravity: Not determineBulk density: Not determineVapour pressure: Not applicablVapour density: Not applicablpH: Not applicabl			
Appearance Color Odour Melting point/range Boiling Point:	 powder, granular GREY Very faint Not determined Not applicable Insoluble 	Specific Gravity: Not determineBulk density: Not determineVapour pressure: Not applicablVapour density: Not applicablpH: Not applicabl			
Appearance Color Odour Melting point/range Boiling Point: Water solubility	 powder, granular GREY Very faint Not determined Not applicable Insoluble 10. STABILITY ANI	Specific Gravity: Not determineBulk density: Not determineVapour pressure: Not applicablVapour density: Not applicablpH: Not applicabl			
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	 powder, granular GREY Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. 	Specific Gravity : Not determine Bulk density : Not determine Vapour pressure : Not applicabl Vapour density : Not applicabl pH : Not applicabl D REACTIVITY			
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 powder, granular GREY Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. To avoid thermal do oxidizing agents and Incompatible with statements 	Specific Gravity : Not determine Bulk density : Not determine Vapour pressure : Not applicabl Vapour density : Not applicabl pH : Not applicabl D REACTIVITY			



MATERIAL SAFETY DATA SHEET **VBX3558**

sion Number 1.3 ision Date 06/20/2008	Page 4 Print Date 1/4/2
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minute or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Not regulated for transportation.
IMO / IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.

PolyOne.

MATERIAL SAFETY DATA SHEET **VBX3558**

sion Number 1.3 ision Date 06/20/2008		Page 5 Print Date 1/4/2
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Unless specific chemicals are id	lenti	ified under this section, this product is Not Applicable under this regula
SARA Title III Section 313 Tox	tic (Chemicals:
Unless specific chemicals are id	enti	ified under this section, this product is Not Applicable under this regula
Canadian Regulations:		
National Pollutant Relea	se I	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

PolyOne

MATERIAL SAFETY DATA SHEET **VBX3558**

Version Number 1.3 Revision Date 06/20/2008 Page 6 of 6 Print Date 1/4/2012

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.