## MATERIAL SAFETY DATA SHEET STAN-TONE MB-23038 PEWTER

Version Number 1.1 Revision Date 01/25/2005

Page 1 of 6 Print Date 11/17/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	STAN-TONE MB-23038 PEWTER
Product code :	FO20008788
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	30 - 60

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE MB-23038 PEWTER**

Version Number 1.1 Revision Date 01/25/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE MB-23038 PEWTER**

Version Number 1.1 Revision Date 01/25/2005 Page 3 of 6 Print Date 11/17/2011

		nd contamination. Si		closed to avoid moistur cool dry place.	
8. I	EXPOSURE	CONTROLS / PER	SONAL	PROTECTION	
Respiratory protection	: U	: Under normal handling conditions a respirator may not be required.			
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure tin	ne	Exposure type	List:
Iron oxide	5 mg/m3	1		Dust and fume. as Fe	ACGIH
	10 mg/m3	Time Weighted A	verage		ACGIH
Titanium dioxide		(TWA):	U		
Titanium dioxide	15 mg/m3	•	6	Total dust.	OSHA Z1
Titanium dioxide	15 mg/m3	(TWA):			OSHA Z1
	15 mg/m3 9. PHYSIC	(TWA): PEL: CAL AND CHEMIC	CAL PRO	<b>DPERTIES</b>	
Form	15 mg/m3 9. PHYSIC : liquid	(TWA): PEL: CAL AND CHEMIC	CAL PRO Evapo	DPERTIES	t established
	15 mg/m3 9. PHYSIC : liquio : liquio	(TWA): PEL: CAL AND CHEMIC d d, Viscous liquid	CAL PRO Evapo	DPERTIES ration rate : No	
Form Appearance	15 mg/m3 9. PHYSIC : liquid : liquid dispe	(TWA): PEL: CAL AND CHEMIC d d, Viscous liquid ersion	CAL PRO Evapo Specif	DPERTIES ration rate : No ic Gravity: : No	ot established ot determined
Form	15 mg/m3 9. PHYSIC : liquid : liquid dispe : GRE	(TWA): PEL: CAL AND CHEMIC d d, Viscous liquid ersion Y	CAL PRO Evapo Specif Bulk d	DPERTIES ration rate : No ic Gravity: : No lensity : No	t established
Form Appearance Color	15 mg/m3 9. PHYSIC : liquid dispe : GRE : Very	(TWA): PEL: CAL AND CHEMIC d d, Viscous liquid ersion	CAL PRO Evapo Specif Bulk d Vapor	DPERTIES ration rate : No ic Gravity: : No lensity : No pressure : No	ot established ot determined ot applicable
Form Appearance Color Odor	15 mg/m3 9. PHYSIC : liquid dispe : GRE : Very : Not a	(TWA): PEL: CAL AND CHEMIC d, Viscous liquid ersion Y faint	CAL PRO Evapo Specif Bulk d Vapor	<b>DPERTIES</b> ration rate       : No         ic Gravity:       : No         lensity       : No         pressure       : No         ur density       : He	ot established ot determined ot applicable ot determined
Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSIC : liquid dispe : GRE : Very : Not a	(TWA): PEL: CAL AND CHEMIC d d, Viscous liquid ersion Y faint applicable applicable	CAL PRO Evapo Specif Bulk d Vapor Vapou	<b>DPERTIES</b> ration rate       : No         ic Gravity:       : No         lensity       : No         pressure       : No         ur density       : He	ot established ot determined ot applicable ot determined avier than air.
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : liquid dispec : GRE : Very : Not a : Not a : Imm	(TWA): PEL: CAL AND CHEMIC d d, Viscous liquid ersion Y faint applicable applicable	CAL PRO Evapo Specif Bulk d Vapor Vapou pH	DPERTIES ration rate : No ic Gravity: : No lensity : No pressure : No r density : He : No	ot established ot determined ot applicable ot determined avier than air.
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : liquid dispe : GRE : Very : Not a : Not a : Imm	(TWA): PEL: CAL AND CHEMIC d d, Viscous liquid ersion Y faint applicable applicable iscible	CAL PRO Evapo Specif Bulk d Vapor Vapou pH	DPERTIES ration rate : No ic Gravity: : No lensity : No pressure : No r density : He : No	ot established ot determined ot applicable ot determined avier than air.

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE MB-23038 PEWTER**

Version Number 1.1 Revision Date 01/25/2005 Page 4 of 6 Print Date 11/17/2011

		decomposition	n, do not overheat.			
Incompatible Materials		: Incompatible with strong acids and oxidizing agents.				
Hazardous decompo products	osition		: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	]	11. TOXICOLOG	ICAL INFORMATIO	DN		
health data for the in <u>Toxicity Overview</u>	ndividual co	mponents which co	omprise the mixture.	are effects listed are based on exi		
				have the following characteristic		
CAS-No.		hemical Name	Effect	Target Organ		
1309-37-1	Iron ox		Systemic effects	Respiratory system.		
13463-67-7	I itaniu	m dioxide	Systemic effects	Respiratory system.		
		12. ECOLOGIC	AL INFORMATION			
Bioaccumulation Potential Additional advice		<ul><li>No data available</li><li>No data available</li></ul>				
		13. DISPOSAL	CONSIDERATIONS			
Product				d to disposal or incineration. The		
		classification,		esponsibility for proper waste posal in accordance with nd local regulations.		
Contaminated packa	ıging	<ul> <li>classification, applicable fed</li> <li>Recycling is p has the respon</li> </ul>	transportation and disp leral, state/provincial as preferred when possible asibility for proper was n accordance with appl	posal in accordance with		
	iging	<ul> <li>classification, applicable fed</li> <li>Recycling is p has the respon and disposal in and local regu</li> </ul>	transportation and disp leral, state/provincial as preferred when possible asibility for proper was n accordance with appl	posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation		
		<ul> <li>classification, applicable fed</li> <li>Recycling is p has the respon and disposal in and local regu</li> </ul>	transportation and disp leral, state/provincial as preferred when possible asibility for proper was n accordance with appl lations.	posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation		
Contaminated packa		<ul> <li>classification, applicable fed</li> <li>Recycling is p has the respon and disposal in and local regu</li> </ul> 14. TRANSPOI	transportation and displeral, state/provincial as preferred when possible asibility for proper was n accordance with appl lations. <b>RT INFORMATION</b> fic regulation.	posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation		

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE MB-23038 PEWTER**

Version Number 1.1 Revision Date 01/25/2005 Page 5 of 6 Print Date 11/17/2011

US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substance
SARA Title III Section 313 Tox	cic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed

PolyOne

# MATERIAL SAFETY DATA SHEET STAN-TONE MB-23038 PEWTER

Version Number 1.1 Revision Date 01/25/2005 Page 6 of 6 Print Date 11/17/2011

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.