MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29764 RED (BS)

Version Number 1.0 Revision Date 12/03/2004

Page 1 of 6 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-29764 RED (BS)
Product code	:	FO20010393
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29764 RED (BS)

Version Number 1.0 Revision Date 12/03/2004 Page 2 of 6 Print Date 11/16/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29764 RED (BS)

Version Number 1.0 Revision Date 12/03/2004 Page 3 of 6 Print Date 11/16/2011

		Keep containers dry and not contamination. Sto		closed to avoid moisture ool dry place.	absorption
8. E	XPOSURE	CONTROLS / PERS	SONAL	PROTECTION	
Respiratory protection	: Under normal handling conditions a respirator may not be required.				e required.
Eye/Face Protection	: S	afety glasses with side	e-shields		
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	Long sleeved clothing.			
Additional Protective Measures	: S	Safety shoes.			
General Hygiene Considerations		Handle in accordance w Wash hands before brea		industrial hygiene and sa at the end of workday.	afety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			Provide	
Exposure limit(s) Components	Value	Exposure time		Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Av (TWA):	erage	Dust and fume. as Fe	ACGIH
	<u>9. PHYSIC</u>	CAL AND CHEMICA	AL PRU	PERTIES	
Form	: liqui : liqui	d d, Viscous liquid			established determined
Appearance				5	
Color	dispo : RED	ersion)	Bulk d	ensity : Not	applicable
Color Odor	dispo : RED : Very	ersion) y faint	Vapor	ensity : Not pressure : Not	applicable determined
Color Odor Melting point/range	dispe : RED : Very : Not	ersion) y faint applicable	Vapor Vapou	ensity : Not pressure : Not r density : Heav	applicable determined vier than air.
Color Odor Melting point/range	dispo : RED : Very : Not : Not	ersion) y faint	Vapor	ensity : Not pressure : Not r density : Heav	applicable determined
Color Odor Melting point/range Boiling Point:	disp : RED : Very : Not : Not : Imm	ersion) y faint applicable applicable	Vapor Vapou pH	ensity : Not pressure : Not r density : Heav : Not	applicable determined vier than air.
Color Odor Melting point/range Boiling Point:	dispo : RED : Very : Not : Not : Imm 10. S	ersion) y faint applicable applicable iiscible	Vapor Vapou pH	ensity : Not pressure : Not r density : Heav : Not	applicable determined vier than air.
Color Odor Melting point/range Boiling Point: Water solubility	dispu : RED : Very : Not : Not : Imm 10. § : S	ersion) y faint applicable applicable hiscible STABILITY AND RE	Vapor Vapou pH	ensity : Not pressure : Not r density : Heav : Not	applicable determined vier than air.
Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	dispo : RED : Very : Not : Not : Imm 10. § : S	ersion) y faint applicable applicable iiscible STABILITY AND RE Stable. Will not occur.	Vapor Vapou pH EACTIV	ensity : Not pressure : Not r density : Heav : Not TTY ts and open flame. To av	applicable determined vier than air. determined
Color Odor Melting point/range Boiling Point: Water solubility Stability	dispu : RED : Very : Not : Not : Imm 10. 9 : S	ersion) y faint applicable applicable iiscible STABILITY AND RH Stable. Will not occur. Keep away from oxidiz	Vapor Vapou pH EACTIV	ensity : Not pressure : Not r density : Heav : Not TTY ts and open flame. To av	applicable determined vier than air. determined

3/6

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29764 RED (BS)

Version Number 1.0 Revision Date 12/03/2004 Page 4 of 6 Print Date 11/16/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	

4/6

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29764 RED (BS)

Version Number 1.0 Revision Date 12/03/2004 Page 5 of 6 Print Date 11/16/2011

OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extr Not applicable	remely Hazardous Substance
SARA Title III Section 313 Tox	ic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Releas	se Inventory (NPRI)
Not applicable	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Listed
Korea KECI	: Listed
Philippines PICCS	: Listed
	16. OTHER INFORMATION
	5/6

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29764 RED (BS)

Version Number 1.0 Revision Date 12/03/2004 Page 6 of 6 Print Date 11/16/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.