## MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29795 YELLOW**

Version Number 1.0 Revision Date 01/13/2005

Page 1 of 6 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	STAN-TONE HCC-29795 YELLOW
Product code :	FO20010627
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29795 YELLOW**

Version Number 1.0 Revision Date 01/13/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.

**POLYONE CORPORATION** 



# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29795 YELLOW**

#### Version Number 1.0 Revision Date 01/13/2005

Hazardous Polymerization

Page 3 of 6 Print Date 11/17/2011

Storage		eep containers dry and dontamination. Stor			noisture	e absorption
8. I	XPOSURE	CONTROLS / PERS	ONAL P	ROTECTION		
Respiratory protection	: U	nder normal handling	condition	s a respirator ma	ay not l	be required.
Eye/Face Protection	: Sa	afety glasses with side-	shields.			
Hand protection	: P1	rotective gloves.				
Skin and body protection	: Lo	ong sleeved clothing.				
Additional Protective Measures	: Sa	afety shoes.				
General Hygiene Considerations		andle in accordance wi ash hands before brea				afety practice.
Engineering measures		eat only in areas with a propriate exhaust vent			lation.	Provide
Exposure limit(s)	X7.1			E		<b>T</b>
Components	Value	Exposure time		Exposure typ		List:
Silica, amorphous	20 mppcf 20 mppcf	PEL: PEL:		Total dust. Total dust.		OSHA Z3
	10 mg/m3	Time Weighted Ave (TWA):	rage	Total dust.		ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Ave	erage			ACGIH
Titanium dioxide	10 mg/m3 15 mg/m3		erage	Total dust.		ACGIH OSHA Z1
Titanium dioxide	15 mg/m3	Time Weighted Ave (TWA):				
Titanium dioxide	15 mg/m3 9. PHYSIC : liquic	Time Weighted Ave (TWA): PEL: CAL AND CHEMICA	AL PROP Evapora	PERTIES	: Not	
Form Appearance Color	15 mg/m3 9. PHYSIC : liquic : liquic dispe : BRO	Time Weighted Ave (TWA): PEL: CAL AND CHEMICA d, Viscous liquid rrsion WN	L PROF Evapora Specific Bulk der	PERTIES tion rate Gravity: nsity	: Not : Not : Not	OSHA Z1 established determined applicable
Form Appearance Color Odor	15 mg/m3 9. PHYSIC : liquic : liquic dispe : BRO : Very	Time Weighted Ave (TWA): PEL: CAL AND CHEMICA d, Viscous liquid ersion WN faint	L PROF Evapora Specific Bulk der Vapor p	PERTIES tion rate Gravity: nsity ressure	: Not : Not : Not : Not	established determined applicable determined
Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSIC : liquic dispe : BRO : Very : Not a	Time Weighted Ave (TWA): PEL: CAL AND CHEMICA d d, Viscous liquid orsion WN faint upplicable	L PROF Evapora Specific Bulk der Vapor p Vapour	PERTIES tion rate Gravity: nsity ressure	: Not : Not : Not : Not : Hea	OSHA Z1 established determined applicable determined wier than air.
Form Appearance Color Odor	15 mg/m3 9. PHYSIC : liquid dispe : BRO : Very : Not a : Not a	Time Weighted Ave (TWA): PEL: CAL AND CHEMICA d, Viscous liquid ersion WN faint	L PROF Evapora Specific Bulk der Vapor p	PERTIES tion rate Gravity: nsity ressure	: Not : Not : Not : Not : Hea	established determined applicable determined

: Will not occur.

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29795 YELLOW

Version Number 1.0 Revision Date 01/13/2005 Page 4 of 6 Print Date 11/17/2011

Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Not readily biodegradable. Environmental toxicity has not been established for this mixture as a whole. No data available No data available DISPOSAL CONSIDERATIONS Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia
whole. No data available No data available <b>DISPOSAL CONSIDERATIONS</b> Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
No data available <b>DISPOSAL CONSIDERATIONS</b> Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
<b>DISPOSAL CONSIDERATIONS</b> Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
TRANSPORT INFORMATION
Refer to specific regulation.
Refer to specific regulation.

PolyOne

## MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29795 YELLOW**

Version Number 1.0 Revision Date 01/13/2005 Page 5 of 6 Print Date 11/17/2011

IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext Not applicable	reme	ely Hazardous Substance
SARA Title III Section 313 Tox	xic C	Chemicals:
Not applicable		
Canadian Regulations:		
Canadian Regulations: National Pollutant Release	se In	nventory (NPRI)
-	.se Ir	iventory (NPRI)
National Pollutant Release		nventory (NPRI) Not controlled.
National Pollutant Releas		
National Pollutant Releas Not applicable WHMIS Classification	:	Not controlled. All components of this product are on the Canadian Domestic
National Pollutant Release Not applicable WHMIS Classification DSL	:	Not controlled. All components of this product are on the Canadian Domestic
National Pollutant Release Not applicable WHMIS Classification DSL National Inventories:	:	Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS	:	Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed
National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	: : :	Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed Listed

PolyOne.

## MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29795 YELLOW**

Version Number 1.0 Revision Date 01/13/2005 Page 6 of 6 Print Date 11/17/2011

Philippines PICCS : Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.