# MATERIAL SAFETY DATA SHEET **8370 842C RED HOT DIP**

Version Number 1.0 Revision Date 06/03/2005

Page 1 of 7 Print Date 11/18/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number		Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	8370 842C RED HOT DIP
Product code	:	FO20010775
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Di(2-ethylhexyl)phthalate	117-81-7	0.1 - 1

### 3. HAZARDS IDENTIFICATION

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

# MATERIAL SAFETY DATA SHEET **8370 842C RED HOT DIP**

Version Number 1.0 Revision Date 06/03/2005 Page 2 of 7 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide:</li> </ul>
	of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing

PolyOne.

## MATERIAL SAFETY DATA SHEET 8370 842C RED HOT DIP

sion Date 06/03/2005			Prin	Page 3 nt Date 11/18/
			ntain combustible or toxic	
		eriodically clean hoods, o ccumulation of these mat	lucts, and other surfaces to erials.	o minimize
Storage		eep containers dry and tind contamination. Store	ghtly closed to avoid mois in a cool dry place.	ture absorption
8. E	XPOSURE	CONTROLS / PERSO	NAL PROTECTION	
Respiratory protection	: N	o personal respiratory pr	otective equipment normal	lly required.
Eye/Face Protection	: S	afety glasses with side-sh	iields.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations			good industrial hygiene ar and at the end of workday	
Engineering measures		eat only in areas with appropriate exhaust ventila	propriate exhaust ventilation at machinery.	on. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Components Di(2-ethylhexyl)phthal ate	Value 5 mg/m3	Exposure time PEL:	Exposure type Vapor.	
Di(2-ethylhexyl)phthal	5 mg/m3		Vapor.	
Di(2-ethylhexyl)phthal	5 mg/m3	PEL: CAL AND CHEMICAL	Vapor. PROPERTIES	
Di(2-ethylhexyl)phthal ate Form Appearance	5 mg/m3 9. PHYSIC : liquid : Visco	PEL: CAL AND CHEMICAL d E bus, liquid S	Vapor.         PROPERTIES         vaporation rate       : 1         pecific Gravity:       : 1	OSHA Z Not established Not determined
Di(2-ethylhexyl)phthal ate Form Appearance Color	5 mg/m3 9. PHYSIC : liquid : Visco : RED	PEL: CAL AND CHEMICAL d E bus, liquid S B	Vapor.         PROPERTIES         Evaporation rate       : 1         pecific Gravity:       : 1         Sulk density       : 1	OSHA Z Not established Not determined Not applicable
Di(2-ethylhexyl)phthal ate Form Appearance Color Odor	5 mg/m3 9. PHYSIC : liquid : Visco : RED : Very	PEL: CAL AND CHEMICAL d E bus, liquid S B faint V	Vapor.         PROPERTIES         vaporation rate       : 1         pecific Gravity:       : 1         valk density       : 1         vapor pressure       : 1	OSHA Z Not established Not determined Not applicable Not determined
Di(2-ethylhexyl)phthal ate Form Appearance Color Odor Melting point/range	5 mg/m3 9. PHYSIC : liquid : Visco : RED : Very : Not a	PEL: CAL AND CHEMICAL d E bus, liquid S faint V applicable V	Vapor.         PROPERTIES         Evaporation rate       : I         pecific Gravity:       : I         Sulk density       : I         Yapor pressure       : I         Yapour density       : I	OSHA Z Not established Not determined Not applicable Not determined Not determined
Di(2-ethylhexyl)phthal ate Form Appearance Color Odor	5 mg/m3 9. PHYSIC : liquid : Visco : RED : Very : Not a : Not a	PEL: CAL AND CHEMICAL d E bus, liquid S faint V applicable V	Vapor.         PROPERTIES         Evaporation rate       : I         pecific Gravity:       : I         Sulk density       : I         Yapor pressure       : I         Yapour density       : I	OSHA Z Not established Not determined Not applicable Not determined
Di(2-ethylhexyl)phthal ate Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 9. PHYSIC : liquid : Visco : RED : Very : Not a : Not a : Imm	PEL: CAL AND CHEMICAL d E bus, liquid S faint V applicable V applicable p	Vapor. <b>PROPERTIES</b> Evaporation rate       :         pecific Gravity:       :         yulk density       :         Yapor pressure       :         Yapour density       :         H       :	OSHA Z Not established Not determined Not applicable Not determined Not determined
Di(2-ethylhexyl)phthal ate Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 9. PHYSIC : liquid : Visco : RED : Very : Not a : Imm 10. S	PEL: CAL AND CHEMICAL d E bus, liquid S faint V applicable V applicable p iscible	Vapor.       PROPERTIES       Evaporation rate     :       pecific Gravity:     :       julk density     :       vapor pressure     :       vapour density     :       H     :	OSHA Z Not established Not determined Not applicable Not determined Not determined
Di(2-ethylhexyl)phthal ate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	5 mg/m3 9. PHYSIC : liquid : Visco : RED : Very : Not a : Not a : Imm 10. S : Si	PEL: CAL AND CHEMICAL d E bus, liquid S faint V applicable V applicable p iscible TABILITY AND REA	Vapor.       PROPERTIES       Evaporation rate     :       pecific Gravity:     :       julk density     :       vapor pressure     :       vapour density     :       H     :	OSHA Z Not established Not determined Not applicable Not determined Not determined
Di(2-ethylhexyl)phthal ate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	5 mg/m3 9. PHYSIC : liquid : Visca : RED : Very : Not a : Not a : Immi 10. S : Sin : We	PEL: CAL AND CHEMICAL d E bus, liquid S faint V applicable V applicable p iscible CTABILITY AND REAC table. 7ill not occur.	Vapor.       PROPERTIES       Evaporation rate     :       pecific Gravity:     :       julk density     :       vapor pressure     :       vapour density     :       H     :	OSHA Z Not established Not determined Not applicable Not determined Not determined Not applicable
Di(2-ethylhexyl)phthal ate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerizatior	5 mg/m3 9. PHYSIC : liquid : Visca : RED : Very : Not a : Not a : Immi 10. S : Sin : We	PEL: CAL AND CHEMICAL d E bus, liquid S faint V applicable V applicable p iscible CTABILITY AND REAC table. 7ill not occur.	Vapor.       PROPERTIES       Evaporation rate     :       pecific Gravity:     :       pulk density     :       'apor pressure     :       'apour density     :       H     :       CTIVITY	OSHA Z Not established Not determined Not applicable Not determined Not determined

# MATERIAL SAFETY DATA SHEET **8370 842C RED HOT DIP**

Version Number 1.0 Page 4 of 7 Revision Date 06/03/2005 Print Date 11/18/2011 decomposition, do not overheat. **Incompatible Materials** : Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing. Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen : products (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
117-81-7	Di(2-ethylhexyl)phthalate	Systemic effects	Eyes, Respiratory system, Liver, central nervous system (CNS), Skin, digestive system.

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
117-81-7	Di(2-ethylhexyl)phthalate	Oral LD50	30 gm/kg	rat
		Dermal LD50	25 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No. Chemical Name OSHA IARC NTP	CAS-No.	Chemical Name	OSHA		NTP
-------------------------------------	---------	---------------	------	--	-----

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:

PolyOne.

## MATERIAL SAFETY DATA SHEET 8370 842C RED HOT DIP

Version Number 1.0 Revision Date 06/03/2005

Page 5 of 7 Print Date 11/18/2011

Di(2-ethylhexyl)phthalate 117-81-7 There is sufficient evidence for the carcinogenicity of di (2-ethylhexyl) phthalate in experimental animals. Administered in the feed this chemical caused an increase incidence of liver cancer in male and female rats and mice. The relevance of this finding to humans is uncertain.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSC. Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

## MATERIAL SAFETY DATA SHEET **8370 842C RED HOT DIP**

Version Number 1.0 Revision Date 06/03/2005 Page 6 of 7 Print Date 11/18/2011

California Proposition : WARNING! This product contains a chemical known to the State of 65 California to cause cancer., WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Weight % Chemical Name CAS-No. DI(2-ETHYLHEXYL)PHTHALATE (DEHP) 117-81-7 \_ Canadian Regulations: National Pollutant Release Inventory (NPRI) Weight % Chemical Name CAS-No. NPRI ID# 0.10 - 1.00 117-81-7 25 Di(2-ethylhexyl)phthalate WHMIS Classification : D2A WHMIS Ingredient Disclosure List CAS-No. 117-81-7 DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS Not determined : China IECS Not determined : Europe EINECS Not determined : Japan ENCS : Not determined Korea KECI · Not determined **Philippines PICCS** Not determined : **16. OTHER INFORMATION** 



## MATERIAL SAFETY DATA SHEET **8370 842C RED HOT DIP**

Version Number 1.0 Revision Date 06/03/2005 Page 7 of 7 Print Date 11/18/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.