MATERIAL SAFETY DATA SHEET STAN-TONE MB-12053 GREEN

Version Number 1.0 Revision Date 02/15/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE MB-12053 GREEN
Product code	:	FO20010935
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Stearic acid	57-11-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves. 			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE MB-12053 GREEN

Version Number 1.0 Revision Date 02/15/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.	el
	5. FIRE-FIGHTING MEASURES	_
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not relevant	
Suitable extinguishing media	: water spray, dry powder, foam, carbon dioxide (CO2).	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.	Э
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	l

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE MB-12053 GREEN

Version Number 1.0 Revision Date 02/15/2005 Page 3 of 6 Print Date 11/17/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	h t	No personal respiratory protect andling the product itself. Se below for precautions to be tak naterial.	e "Engineering Measures"	" section
Eye/Face Protection	: 5	Safety glasses with side-shield	5.	
Hand protection	: H	Protective gloves.		
Skin and body protection	: I	long sleeved clothing.		
Additional Protective Measures	: 5	Safety shoes.		
General Hygiene Considerations		Handle in accordance with goo Wash hands before breaks and		afety practice.
Engineering measures		Heat only in areas with approp ventilation and/or appropriate 1		
Exposure limit(s)		necessary to minimize employe		
	r	necessary to minimize employe	ee exposure to processing	vapors.
Exposure limit(s) Components Stearic acid				
Components	r Value 10 mg/m3	Exposure time Time Weighted Average	Exposure to processing Exposure type Total dust. as stearates	vapors.
Components	Value 10 mg/m3 9. PHYSI : Soli : Pelle : GRI : Cha : Not : Not	Exposure time Time Weighted Average (TWA): CAL AND CHEMICAL PRO d Evapo ets, Slabs, sheets Speci EEN Bulk racteristic rubber odor Vapo	Exposure to processing Exposure type Total dust. as stearates OPERTIES oration rate : Not fic Gravity: : Not density : Not r pressure : Not ur density : Not	vapors.
Components Stearic acid Form Appearance Color Odor Melting point/range Boiling Point:	Value 10 mg/m3 9. PHYSI : Soli : Pellu : GRI : Cha : Not : Not : Inso	Exposure time Time Weighted Average (TWA): CAL AND CHEMICAL PR d Evapo ets, Slabs, sheets Speci EEN Bulk racteristic rubber odor Vapo determined Vapo applicable pH	Exposure to processing Exposure type Total dust. as stearates OPERTIES oration rate : Not fic Gravity: : Not density : Not ur density : Not : Not	applicable determined established applicable applicable
Components Stearic acid Form Appearance Color Odor Melting point/range Boiling Point:	Value 10 mg/m3 9. PHYSI : Soli : Pell : GRH : Cha : Not : Not : Not : Inso	Exposure time Time Weighted Average (TWA): CAL AND CHEMICAL PRODUCTION d Evapo ets, Slabs, sheets Speci EEN Bulk racteristic rubber odor Vapo determined Vapo applicable pH	Exposure to processing Exposure type Total dust. as stearates OPERTIES oration rate : Not fic Gravity: : Not density : Not ur density : Not : Not	applicable determined established applicable applicable

decomposition, do not overheat.

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE MB-12053 GREEN

Version Number 1.0 Revision Date 02/15/2005 Page 4 of 6 Print Date 11/17/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
57-11-4	Stearic acid	Irritant	Eyes, Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
57-11-4	Stearic acid			
		Dermal LD50	> 5 gm/kg	rabbit

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE MB-12053 GREEN

Version Number 1.0 Revision Date 02/15/2005 Page 5 of 6 Print Date 11/17/2011

U.S. DOT Classification	:	Not regulated for trans	portation.		
ICAO/IATA (air)	:	Not regulated for trans	portation.		
IMO / IMDG (maritime)	:	: Not regulated for transportation.			
	15	. REGULATORY INI	ORMATION		
US Regulations:					
OSHA Status	:	Classified as hazardou	s based on com	ponents.	
TSCA Status	:	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardou	is Sub	stances (40 CFR 302)			
Not applicable					
California Propositior 65	n :	This product does not	contain a substa	nce listed by Ca	alifornia Prop
SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Not applicable			e		
Canadian Regulations:					
National Pollutant Rel	ease Ir	ventory (NPRI)	CAC M	XX : 1 : 0/	
Chemical Name Phthalocyanine green			CAS-No. 1328-53-6	Weight % 46.99	NPRI ID# 71
WHMIS Classificatio	n : :	Not controlled. All components of the Substances List (DSL)			Domestic
DSL					
DSL National Inventories: Australia AICS	:	Listed			

Pol	vOne.

MATERIAL SAFETY DATA SHEET STAN-TONE MB-12053 GREEN

Version Number 1.0 Revision Date 02/15/2005 Page 6 of 6 Print Date 11/17/2011

Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.