## MATERIAL SAFETY DATA SHEET

## STAN-TONE HCC-27305 GRANDVIEW OLIVE

Version Number 1.0 Revision Date 02/15/2005 Page 1 of 6 Print Date 11/17/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

## POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-27305 GRANDVIEW OLIVE
Product code	:	FO20010941
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5
Titanium dioxide	13463-67-7	10 - 30

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-27305 GRANDVIEW OLIVE**

Version Number 1.0 Revision Date 02/15/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27305 GRANDVIEW OLIVE

### Version Number 1.0 Revision Date 02/15/2005

Page 3 of 6 Print Date 11/17/2011

Storage		eep containers dry and tight do contamination. Store in a		absorption
8. 1	EXPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection	: U	nder normal handling condi	tions a respirator may not b	e required.
Eye/Face Protection	: Sa	afety glasses with side-shiel	ds.	
Hand protection	: Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations		andle in accordance with go ash hands before breaks and		afety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Components Carbon black	Value 3.5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust. as carbon black	List: ACGIH
-		Time Weighted Average	Total dust. as carbon	
-	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon blackTotal dust. as carbon	ACGIH
Carbon black	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average	Total dust. as carbon blackTotal dust. as carbon	ACGIH OSHA Z1
Carbon black	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL:	Total dust. as carbon black Total dust. as carbon black Total dust.	ACGIH OSHA Z1 ACGIH
Carbon black	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Total dust. as carbon black Total dust. as carbon black Total dust.	ACGIH OSHA Z1 ACGIH
Carbon black	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : liquid : liquid	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PH I Evag I, Viscous liquid Spec	Total dust. as carbon         black         Total dust. as carbon         black         Total dust. as carbon         black         Total dust.	ACGIH OSHA Z1 ACGIH
Carbon black Titanium dioxide Form Appearance Color	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : GRE	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PH I Evap I, Viscous liquid Spec rsion EN Bulk	Total dust. as carbon black         Total dust. as carbon black         Total dust. as carbon black         Total dust.         Total dust.         ROPERTIES         poration rate       : Not         ific Gravity:       : Not         idensity       : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 established determined applicable
Carbon black Titanium dioxide Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : GRE : Very	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PI I Evan I, Viscous liquid Spect rsion EN Bulk faint Vapo	Total dust. as carbon black         Total dust. as carbon black         Total dust. as carbon black         Total dust.         ROPERTIES         poration rate       : Not         ific Gravity:       : Not         : density       : Not         or pressure       : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 established determined applicable determined
Carbon black Titanium dioxide Form Appearance Color Odor Melting point/range	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : GRE : Very : Not a	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PI I Evap I, Viscous liquid Spect rsion EN Bulk faint Vapupplicable Vapu	Total dust. as carbon black         Total dust. as carbon black         Total dust. as carbon black         Total dust.         Total dust.         ROPERTIES         poration rate       : Not         ific Gravity:       : Not         c density       : Not         por pressure       : Not         por density       : Heav	ACGIH OSHA Z1 ACGIH OSHA Z1 established determined applicable determined vier than air.
Carbon black Titanium dioxide Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : GRE : Very : Not a : Not a	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PI I Evan I, Viscous liquid Spect rsion EN Bulk faint Vapo	Total dust. as carbon black         Total dust. as carbon black         Total dust. as carbon black         Total dust.         Total dust.         ROPERTIES         poration rate       : Not         ific Gravity:       : Not         c density       : Not         por pressure       : Not         por density       : Heav	ACGIH OSHA Z1 ACGIH OSHA Z1 established determined applicable determined
Carbon black Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : GRE : Very : Not a : Inmi	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PI I Evap I, Viscous liquid Spec rsion EN Bulk faint Vap pplicable Vap-	Total dust. as carbon black         Total dust. as carbon black         Total dust. as carbon black         Total dust.         ROPERTIES         poration rate       : Not         ific Gravity:       : Not         cdensity       : Not         pour density       : Heav         : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 established determined applicable determined vier than air.



# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27305 GRANDVIEW OLIVE

Version Number 1.0Page 4 of 6Revision Date 02/15/2005Print Date 11/17/2011

Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

## Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

## **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
<b>Bioaccumulation Potential</b>	:	No data available



# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-27305 GRANDVIEW OLIVE**

Version Number 1.0 Revision Date 02/15/2005 Page 5 of 6 Print Date 11/17/2011

	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
Not applicable	
California Proposition 65	This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 F Not applicable	Extremely Hazardous Substance
SARA Title III Section 313 7	Toxic Chemicals:
Not applicable Canadian Regulations:	

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27305 GRANDVIEW OLIVE

Version Number 1.0 Revision Date 02/15/2005 Page 6 of 6 Print Date 11/17/2011

National Pollutant Release	National Pollutant Release Inventory (NPRI)				
Not applicable					
WHMIS Classification :	D2A				
WHMIS Ingredient Disclos	WHMIS Ingredient Disclosure List				
CAS-No. 1333-86-4					
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:					
Australia AICS :	Listed				
China IECS :	Listed				
Europe EINECS :	Listed				
Japan ENCS :	Listed				
Korea KECI :	Listed				
Philippines PICCS :	Listed				
	16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.