## MATERIAL SAFETY DATA SHEET

## STAN-TONE HCC-23957 DARK BROWN

Version Number 1.0 Revision Date 03/01/2005 Page 1 of 6 Print Date 11/17/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	STAN-TONE HCC-23957 DARK BROWN
Product code :	FO20011058
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Manganese trioxide	1317-34-6	1 - 5
Calcium carbonate	1317-65-3	10 - 30

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion				
Acute exposure					
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.				
Ingestion	: May be harmful if swallowed.				
Eyes	: May cause eye/skin irritation.				
Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				
Medical Conditions Aggravated by Exposure:	: None known.				

PolyOne

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-23957 DARK BROWN

Version Number 1.0 Revision Date 03/01/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-23957 DARK BROWN**

#### Version Number 1.0 Revision Date 03/01/2005

Page 3 of 6 Print Date 11/17/2011

Storage		Leep containers dry and tightly closed to avoid moisture absorption nd contamination. Store in a cool dry place.				
8. I	EXPOSURE	CONTROLS / PER	RSONAL	PROTECTION		
Respiratory protection	: U	Under normal handling conditions a respirator may not be required.				
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		landle in accordance Vash hands before br				fety practice.
Engineering measures		leat only in areas wit ppropriate exhaust ve			tion.	Provide
Exposure limit(s)						
<u> </u>						
	Value	Exposure tin	ne	Exposure typ	e	List:
Components Calcium carbonate	Value 5 mg/m3	Exposure tin PEL:	ne	Exposure typ Respirable fract		List: OSHA Z1
Components	5 mg/m3	· · · ·	ne	Exposure typ Respirable fract Total dust.		
Components Calcium carbonate	5 mg/m3 15 mg/m3	PEL: PEL:		Respirable fract		OSHA Z1 OSHA Z1
Components	5 mg/m3	PEL:	alue:	Respirable fract Total dust.		OSHA Z1
Components Calcium carbonate	5 mg/m3 15 mg/m3 5 mg/m3 0.2 mg/m3	PEL: PEL: Ceiling Limit V Time Weighted A	alue: verage	Respirable fract Total dust. as Mn as Mn		OSHA Z1 OSHA Z1 OSHA Z1
Components Calcium carbonate Manganese trioxide	5 mg/m3 15 mg/m3 5 mg/m3 0.2 mg/m3 9. PHYSIC	PEL: PEL: Ceiling Limit V Time Weighted A (TWA): CAL AND CHEMIC	falue: werage CAL PRC	Respirable fract Total dust. as Mn as Mn	ion.	OSHA Z1 OSHA Z1 OSHA Z1 ACGIH
Components Calcium carbonate Manganese trioxide	5 mg/m3 15 mg/m3 5 mg/m3 0.2 mg/m3 9. PHYSIC : liquio	PEL: PEL: Ceiling Limit V Time Weighted A (TWA): CAL AND CHEMIC	falue: werage CAL PRC Evapor	Respirable fract Total dust. as Mn as Mn DPERTIES ration rate :	Not o	OSHA Z1 OSHA Z1 OSHA Z1 ACGIH established
Components Calcium carbonate Manganese trioxide	5 mg/m3 15 mg/m3 5 mg/m3 0.2 mg/m3 9. PHYSIC : liqui : liqui	PEL: PEL: Ceiling Limit V Time Weighted A (TWA): CAL AND CHEMIC d d, Viscous liquid	falue: werage CAL PRC Evapor	Respirable fract Total dust. as Mn as Mn	Not o	OSHA Z1 OSHA Z1 OSHA Z1 ACGIH
Components Calcium carbonate Manganese trioxide Form Appearance	5 mg/m3 15 mg/m3 5 mg/m3 0.2 mg/m3 9. PHYSIC : liqui : liqui dispe	PEL: PEL: Ceiling Limit V Time Weighted A (TWA): CAL AND CHEMIC d d, Viscous liquid ersion	Talue: Verage CAL PRO Evapor Specifi	Respirable fract         Total dust.         as Mn         as Mn         OPERTIES         ration rate       :         ic Gravity:       :	Not o	OSHA Z1 OSHA Z1 OSHA Z1 ACGIH established determined
Components Calcium carbonate Manganese trioxide Form Appearance Color	5 mg/m3 15 mg/m3 5 mg/m3 0.2 mg/m3 9. PHYSIC : liqui : liqui dispe : BRC	PEL: PEL: Ceiling Limit V Time Weighted A (TWA): CAL AND CHEMIC d d, Viscous liquid ersion	<u>alue:</u> verage CAL PRO Evapor Specifi Bulk d	Respirable fract         Total dust.         as Mn         as Mn         operation rate         ic Gravity:         ensity	Not of Not a	OSHA Z1 OSHA Z1 OSHA Z1 ACGIH established determined applicable
Components Calcium carbonate Manganese trioxide Form Appearance Color Odor	5 mg/m3 15 mg/m3 5 mg/m3 0.2 mg/m3 9. PHYSIC : liquid : liquid dispertion : BRC : Very	PEL: PEL: Ceiling Limit V Time Weighted A (TWA): CAL AND CHEMIC d d, Viscous liquid ersion WN	Talue: verage CAL PRO Evapor Specifi Bulk d Vapor	Respirable fract         Total dust.         as Mn         as Mn         operation rate         ic Gravity:         ensity         pressure	Not of Not Not of Not	OSHA Z1 OSHA Z1 OSHA Z1 ACGIH established determined applicable determined
Components Calcium carbonate Manganese trioxide Form Appearance Color	5 mg/m3 15 mg/m3 5 mg/m3 0.2 mg/m3 9. PHYSIC : liquid : liquid dispection : BRC : Very : Not a	PEL: PEL: Ceiling Limit V Time Weighted A (TWA): CAL AND CHEMIC d d, Viscous liquid ersion	Talue: verage CAL PRO Evapor Specifi Bulk d Vapor	Respirable fract         Total dust.         as Mn         as Mn         operation rate         ic Gravity:         ensity	Not of Not of Not of Heav	OSHA Z1 OSHA Z1 OSHA Z1 ACGIH established determined applicable

## **10. STABILITY AND REACTIVITY**

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-23957 DARK BROWN**

Version Number 1.0 Revision Date 03/01/2005 Page 4 of 6 Print Date 11/17/2011

	decompo	osition, do not overheat.			
Incompatible Materials : Incompatib		atible with strong acids an	ble with strong acids and oxidizing agents.		
Hazardous decompos products			noxide (CO), oxides of nitrogen and smoke are all possible.		
	11. TOXICO	LOGICAL INFORMAT	TION		
health data for the inc Toxicity Overview	lividual components wh	ich comprise the mixture.	osure effects listed are based on exi		
CAS-No.	Chemical Name		Target Organ		
1317-34-6	Manganese trioxide	Irritant	Eyes, Skin.		
1317-65-3	Calcium carbonate	Irritant Systemic effects	Eyes, Skin. Eyes, Skin, Respiratory system		
		Systemic effects	Eyes, Skin, Respiratory system		
	12. ECOLO	OGICAL INFORMATIO	ON		
whole.Bioaccumulation Potential:Additional advice:No data avail					
	13. DISPO	SAL CONSIDERATIO	NS		
Product	generato classific	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging : Rec has and		Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packag	and disp	osal in accordance with a			
Contaminated packag	and disp and loca	osal in accordance with a	pplicable federal, state/provincial		
	and disp and loca 14. TRAN	osal in accordance with a l regulations.	pplicable federal, state/provincial		
Contaminated packag	and disp and loca 14. TRAN	osal in accordance with a l regulations.	pplicable federal, state/provincial		

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-23957 DARK BROWN**

Version Number 1.0 Revision Date 03/01/2005 Page 5 of 6 Print Date 11/17/2011

US Reg	gulations:				
-					
	OSHA Status	: Classified as hazar	dous based on comp	oonents.	
	TSCA Status	: All components of Inventory.	f this product are liste	ed on or exempt from the T	SCA
US. EP	A CERCLA Hazardous	Substances (40 CFR 302	2)		
	Not applicable				
	California Proposition	: WARNING! This	product contains a c	chemical known to the Stat	te of
	65	California to cause	e cancer.		
SARA '	65 Title III Section 302 Ext	California to cause			
SARA '	65	California to cause			
SARA ' Not	65 Title III Section 302 Ext	California to cause tremely Hazardous Subs			
SARA ' Not	65 Title III Section 302 Ext applicable Title III Section 313 To:	California to cause tremely Hazardous Subs	tance	Weight %	
SARA ' Not	65 Title III Section 302 Ext applicable	California to cause tremely Hazardous Subs xic Chemicals:		Weight %	
SARA <sup>7</sup> Not SARA <sup>7</sup>	65 Title III Section 302 Ext applicable Title III Section 313 Tos Chemical Name MANGANESE COMP	California to cause tremely Hazardous Subs xic Chemicals:	tance CAS-No.		
SARA <sup>7</sup> Not SARA <sup>7</sup>	65 Title III Section 302 Ext applicable Title III Section 313 To Chemical Name	California to cause tremely Hazardous Subs xic Chemicals:	tance CAS-No.		
SARA ' Not SARA ' Canadia	65 Title III Section 302 Ext applicable Title III Section 313 Tos Chemical Name MANGANESE COMP	California to cause tremely Hazardous Subs xic Chemicals: OUNDS	tance CAS-No.		
SARA ' Not SARA ' Canadia	65 Title III Section 302 Ext applicable Title III Section 313 Tor <u>Chemical Name</u> <u>MANGANESE COMP</u> an Regulations: <u>National Pollutant Relea</u> emical Name	California to cause tremely Hazardous Subs xic Chemicals: OUNDS	tance CAS-No. 1317-34-6 CAS-No.	1.00       Weight %       NPRI ID#	]
SARA ' Not SARA ' Canadia	65 Title III Section 302 Ext applicable Title III Section 313 Tox Chemical Name MANGANESE COMP an Regulations: National Pollutant Relea	California to cause tremely Hazardous Subs xic Chemicals: OUNDS	tance CAS-No. 1317-34-6	1.00	]
SARA ' Not SARA ' Canadia	65 Title III Section 302 Ext applicable Title III Section 313 Tor <u>Chemical Name</u> <u>MANGANESE COMP</u> an Regulations: <u>National Pollutant Relea</u> emical Name	California to cause tremely Hazardous Subs xic Chemicals: OUNDS	tance CAS-No. 1317-34-6 CAS-No.	1.00       Weight %       NPRI ID#	
SARA ' Not SARA ' Canadia I Ch Ma	65 Title III Section 302 Ext applicable Title III Section 313 Tox <u>Chemical Name</u> <u>MANGANESE COMP</u> an Regulations: <u>National Pollutant Relea</u> <u>emical Name</u> anganese trioxide	California to cause tremely Hazardous Subs xic Chemicals: OUNDS	tance CAS-No. 1317-34-6 CAS-No.	1.00       Weight %       NPRI ID#	]
SARA ' Not SARA ' Canadia I Ch Ma	65 Title III Section 302 Ext applicable Title III Section 313 Tor <u>Chemical Name</u> <u>MANGANESE COMP</u> an Regulations: <u>National Pollutant Relea</u> emical Name	California to cause tremely Hazardous Subs xic Chemicals: OUNDS	tance CAS-No. 1317-34-6 CAS-No.	1.00       Weight %       NPRI ID#	]
SARA ' Not SARA ' Canadia	65 Title III Section 302 Ext applicable Title III Section 313 Tox <u>Chemical Name</u> <u>MANGANESE COMP</u> an Regulations: <u>National Pollutant Relea</u> <u>emical Name</u> anganese trioxide	California to cause tremely Hazardous Subs xic Chemicals: OUNDS tse Inventory (NPRI) : D2B	tance CAS-No. 1317-34-6 CAS-No.	1.00       Weight %       NPRI ID#	]
SARA ' Not SARA ' Canadia	65 Title III Section 302 Ext applicable Title III Section 313 Toz <u>Chemical Name</u> <u>MANGANESE COMP</u> an Regulations: <u>National Pollutant Relea</u> emical Name anganese trioxide WHMIS Classification WHMIS Ingredient Disc	California to cause tremely Hazardous Subs xic Chemicals: OUNDS tse Inventory (NPRI) : D2B	tance CAS-No. 1317-34-6 CAS-No.	1.00       Weight %       NPRI ID#	]
SARA <sup>7</sup> Not SARA <sup>7</sup> Canadia	65 Title III Section 302 Ext applicable Title III Section 313 Tor <u>Chemical Name</u> <u>MANGANESE COMP</u> an Regulations: <u>National Pollutant Relea</u> <u>emical Name</u> anganese trioxide WHMIS Classification WHMIS Ingredient Disc <u>CAS-No.</u>	California to cause tremely Hazardous Subs xic Chemicals: OUNDS tse Inventory (NPRI) : D2B	tance CAS-No. 1317-34-6 CAS-No.	1.00       Weight %       NPRI ID#	]
SARA <sup>7</sup> Not SARA <sup>7</sup> Canadia	65 Title III Section 302 Ext applicable Title III Section 313 Tor <u>Chemical Name</u> <u>MANGANESE COMP</u> an Regulations: <u>National Pollutant Relea</u> <u>emical Name</u> anganese trioxide WHMIS Classification WHMIS Ingredient Disc <u>CAS-No.</u> <u>1317-34-6</u>	California to cause tremely Hazardous Subs xic Chemicals: OUNDS tse Inventory (NPRI) : D2B	tance CAS-No. 1317-34-6 CAS-No.	1.00       Weight %       NPRI ID#	]
SARA <sup>7</sup> Not SARA <sup>7</sup> Canadia	65 Title III Section 302 Ext applicable Title III Section 313 Tor <u>Chemical Name</u> <u>MANGANESE COMP</u> an Regulations: <u>National Pollutant Relea</u> <u>emical Name</u> anganese trioxide WHMIS Classification WHMIS Ingredient Disc <u>CAS-No.</u>	California to cause tremely Hazardous Subs xic Chemicals: OUNDS use Inventory (NPRI) : D2B closure List : All components o	tance CAS-No. 1317-34-6 CAS-No. 1317-34-6	1.00       Weight %       NPRI ID#	
SARA <sup>7</sup> Not SARA <sup>7</sup> Canadia	65 Title III Section 302 Ext applicable Title III Section 313 Tor <u>Chemical Name</u> <u>MANGANESE COMP</u> an Regulations: <u>National Pollutant Relea</u> <u>emical Name</u> anganese trioxide WHMIS Classification WHMIS Ingredient Disc <u>CAS-No.</u> <u>1317-34-6</u>	California to cause tremely Hazardous Subs xic Chemicals: OUNDS use Inventory (NPRI) : D2B closure List : All components o	tance CAS-No. 1317-34-6 CAS-No. 1317-34-6 f this product are on	Weight %         NPRI ID#           1.00         147	

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-23957 DARK BROWN

Version Number 1.0 Revision Date 03/01/2005

Page 6 of 6 Print Date 11/17/2011

China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.