## MATERIAL SAFETY DATA SHEET STAN-TONE VCP-29819 YELLOW

Version Number 1.0 Revision Date 03/01/2005

Page 1 of 6 Print Date 11/17/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE VCP-29819 YELLOW
Product code	:	FO20011065
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



# MATERIAL SAFETY DATA SHEET **STAN-TONE VCP-29819 YELLOW**

doubt seek medical advice.         Ingestion       : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.         Eyes       : Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists semedical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists semedical attention.         Flash point       : Not applicable         Flammable Limits       Upper explosion limit         Lower explosion limit       : Not applicable         Suitable extinguishing media       : Carbon dioxide blanket, water spray, dry powder, foam.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positit pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : May emit Hydrogen Chloride (HCI) or Carbon Monoxide (CO), ox of nitrogen (NOx), other hazardous materials, and smoke are all possible.         Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material i plast	ber 1.0 e 03/01/2005	Page 2 Print Date 11/17/2
overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.           Ingestion         :         Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.           Eyes         :         Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.           Skin         :         Wash off with soap and plenty of water. If skin irritation persists s medical attention.           Skin         :         Not applicable           Flash point         :         Not applicable           Flammable Limits         Upper explosion limit         :           Lower explosion limit         :         Not applicable           Autoignition temperature         :         Not relevant           Special Fire Fighting         :         Fulface self-contained breathing apparatus (SCBA) used in positi- pressure mode should be worn to prevent inhalation of airborne contaminants.           Unusual Fire/Explosion         :         May emit Hydrogen Chloride (HCI) or Carbon Monoxide (CO) on fire conditions. Carbon dioxide (CO2), carbon monoxide (CO) on fire conditions. Carbon dioxide (CO2), carbon monoxide (CO) on of fire conditions. Carbon dioxide (CO2), carbon monoxide is be allowed to enter drains, water courses or the soil.           Environmental precautions         :         Should not be released into the environment. The product should i be allowed to enter drains, water		
Eyes       :       Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.         Skin       :       Wash off with soap and plenty of water. If skin irritation persists s medical attention.         Skin       :       Wash off with soap and plenty of water. If skin irritation persists s medical attention.         Skin       :       Wash off with soap and plenty of water. If skin irritation persists s medical attention.         Skin       :       Not applicable         Flash point       :       Not applicable         Jupper explosion limit       :       Not applicable         Autoignition temperature       :       Not applicable         Suitable extinguishing media       :       Carbon dioxide blanket, water spray, dry powder, foam.         Special Fire Fighting       :       Fullface self-contained breathing apparatus (SCBA) used in positir pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       :       May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) un fire conditions. Carbon dioxide (CO2), earbon monoxide (CO) un fire conditions.         Environmental precautions       :       Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       :       Should not be released into the environment. The product should the allowed	L	overheating or combustion. When symptoms persist or in all cases of
least 15 minutes. If eye irritation persists, seek medical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists s medical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists s medical attention.         Flash point       : Not applicable         Flammable Limits       Upper explosion limit         Lower explosion limit       : Not applicable         Autoignition temperature       : Not applicable         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) un fire conditions. Carbon dioxide (CO2), carbon monoxide (CO) un fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), ox of nitrogen (NOx), other hazardous materials, and smoke are all possible.         Environmental precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         THANDLING AND STORAGE       : Take measures to prevent the build up of electrostatic charg		: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
medical attention.         5. FIRE-FIGHTING MEASURES         Flash point         FIRE-FIGHTING MEASURES         Flash point         FIRE-FIGHTING MEASURES         Flash point         FIRE-FIGHTING MEASURES         Flash point         For applicable         Autoignition temperature         Suitable extinguishing media         Suitable extinguishing media         Suitable extinguishing media         Fullface self-contained breathing apparatus (SCBA) used in positipressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion         Hay emit Hydrogen Chloride (HCI) or Carbon Monoxide (CO) un fire conditions. Carbon dioxide (CO2, carbon monoxide (CO) un fire conditions. Carbon dioxide (CO2, carbon monoxide (CO), or of nitrogen (NOx), other hazardous materials, and smoke are all possible.         Determent         Bersonal precautions         Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions         Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.         M		: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Flash point       : Not applicable         Flammable Limits       Upper explosion limit       : Not applicable         Autoignition temperature       : Not relevant         Suitable extinguishing media       : Carbon dioxide blanket, water spray, dry powder, foam.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positir pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : May emit Hydrogen Chloride (HCI) or Carbon Monoxide (CO) un fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), ox of nitrogen (NOX), other hazardous materials, and smoke are all possible. <b>6.</b> ACCIDENTAL RELEASE MEASURES         Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         Handling       : Take measures to prevent the build up of electrostatic charge. Here only in areas with appropriate exhaust ventilation. Processing fur condensates may contain combustible or toxic residue. Periodical clean hoods, ducts, and other surfaces to minimize accumulation of the surfaces to minimize accumulation of the surfaces to minimize accumulation on condensates may contain combustible or tox		: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
Flammable Limits       Upper explosion limit       : Not applicable         Autoignition temperature       : Not applicable         Suitable extinguishing media       : Carbon dioxide blanket, water spray, dry powder, foam.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positip pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) un fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), ox of nitrogen (NOx), other hazardous materials, and smoke are all possible. <b>6. ACCIDENTAL RELEASE MEASURES</b> Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         Handling       : Take measures to prevent the build up of electrostatic charge. Here only in areas with appropriate exhaust ventilation. Processing fur codensates may contain combustible or toxic residue. Periodicall clean hoods, ducts, and other surfaces to minimize accumulation of the surfaces to minimize accumulatio		5. FIRE-FIGHTING MEASURES
Upper explosion limit       : Not applicable         Lower explosion limit       : Not applicable         Autoignition temperature       : Not relevant         Suitable extinguishing media       : Carbon dioxide blanket, water spray, dry powder, foam.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : May emit Hydrogen Chloride (HCI) or Carbon Monoxide (CO) un fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), ox of nitrogen (NOx), other hazardous materials, and smoke are all possible.         Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should is be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         Handling       : Take measures to prevent the build up of electrostatic charge. Here only in areas with appropriate exhaust ventilation. Processing fur conducts and with appropriate exhaust ventilation. Processing fur conducts and other surfaces to minimize accounduation	nt	: Not applicable
Procedures       pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) un fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), ox of nitrogen (NOx), other hazardous materials, and smoke are all possible. <b>6. ACCIDENTAL RELEASE MEASURES</b> Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         Handling       : Take measures to prevent the build up of electrostatic charge. Hea only in areas with appropriate exhaust ventilation. Processing fur condensates may contain combustible or toxic residue. Periodicall clean hoods, ducts, and other surfaces to minimize accumulation or fusion of the surfaces to minimize accumulation or fusion or fusion or fusion of the surfaces to minimize accumulation or fusion or fusion of the surfaces to minimize accumulation or fusion or fusion.	per explosion limit ver explosion limit ion temperature	<ul><li>Not applicable</li><li>Not relevant</li></ul>
Hazards       fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), ox of nitrogen (NOx), other hazardous materials, and smoke are all possible.         6. ACCIDENTAL RELEASE MEASURES         Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should a be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         Handling       : Take measures to prevent the build up of electrostatic charge. Hea only in areas with appropriate exhaust ventilation. Processing fur condensates may contain combustible or toxic residue. Periodical clean hoods, ducts, and other surfaces to minimize accumulation o		
Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should a be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         Handling       : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fur condensates may contain combustible or toxic residue. Periodicall clean hoods, ducts, and other surfaces to minimize accumulation or provide the surfaces to minimize accumulation.	ire/Explosion	
impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should is be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material is plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         Handling       : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fur condensates may contain combustible or toxic residue. Periodicall clean hoods, ducts, and other surfaces to minimize accumulation or surfaces to minimize accumulation or surfaces to minimize accumulation.	6.	ACCIDENTAL RELEASE MEASURES
Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. <b>7. HANDLING AND STORAGE</b> Handling       : Take measures to prevent the build up of electrostatic charge. Hea only in areas with appropriate exhaust ventilation. Processing fur condensates may contain combustible or toxic residue. Periodical clean hoods, ducts, and other surfaces to minimize accumulation or processing fur condensates may contain combustible or toxic residue.	precautions	
plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         7. HANDLING AND STORAGE         Handling       : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fum condensates may contain combustible or toxic residue. Periodicall clean hoods, ducts, and other surfaces to minimize accumulation or processing function.	ental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fum condensates may contain combustible or toxic residue. Periodicall clean hoods, ducts, and other surfaces to minimize accumulation of	for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
only in areas with appropriate exhaust ventilation. Processing fur condensates may contain combustible or toxic residue. Periodical clean hoods, ducts, and other surfaces to minimize accumulation o		7. HANDLING AND STORAGE
		: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET STAN-TONE VCP-29819 YELLOW

Version Number 1.0 Revision Date 03/01/2005 Page 3 of 6 Print Date 11/17/2011

Keep containers dry and tightly closed to avoid moisture absorption Storage and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection. Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. · Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. ÷ Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Wash hands before breaks and at the end of workday. Considerations Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) There are no known hazardous components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES Evaporation rate Not applicable Form : Solid : Appearance powder, granular Specific Gravity: Not determined : : Color YELLOW Bulk density : Not determined • : Very faint Odor Vapor pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable : Not applicable pН Water solubility : Insoluble **10. STABILITY AND REACTIVITY** Stability Stable. : Hazardous Polymerization Will not occur. : Conditions to avoid : To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame.

PolvOne

## MATERIAL SAFETY DATA SHEET **STAN-TONE VCP-29819 YELLOW**

Version Number 1.0 Revision Date 03/01/2005 Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products
Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

### 11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.

Persistence and degradability	
- cressence and degraduomity	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal us
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Not regulated for transportation.
IMO / IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSC

PolyOne.

## MATERIAL SAFETY DATA SHEET STAN-TONE VCP-29819 YELLOW

Version Number 1.0 Revision Date 03/01/2005 Page 5 of 6 Print Date 11/17/2011

US. EPA CERCLA Hazardous S	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extr Not applicable	remely Hazardous Substance
SARA Title III Section 313 Tox	tic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Releas	se Inventory (NPRI)
Tranonal I Onutant Keleas	
Not applicable	
Not applicable	: Not controlled.
Not applicable	
Not applicable WHMIS Classification DSL	<ul><li>Not controlled.</li><li>All components of this product are on the Canadian Domestic</li></ul>
Not applicable WHMIS Classification DSL	<ul><li>Not controlled.</li><li>All components of this product are on the Canadian Domestic</li></ul>
Not applicable WHMIS Classification DSL National Inventories:	<ul> <li>Not controlled.</li> <li>All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.</li> </ul>
Not applicable WHMIS Classification DSL National Inventories: Australia AICS	<ul> <li>Not controlled.</li> <li>All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.</li> <li>Not determined</li> </ul>
Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	<ul> <li>Not controlled.</li> <li>All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.</li> <li>Not determined</li> <li>Not determined</li> </ul>
Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	<ul> <li>Not controlled.</li> <li>All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.</li> <li>Not determined</li> <li>Not determined</li> <li>Listed</li> </ul>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE VCP-29819 YELLOW** 

Version Number 1.0 Revision Date 03/01/2005 Page 6 of 6 Print Date 11/17/2011