## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29832 GREEN

Version Number 1.0 Revision Date 03/17/2005

Page 1 of 6 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone : Emergency telephone : number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-29832 GREEN
Product code	:	FO20011182
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29832 GREEN**

Version Number 1.0 Revision Date 03/17/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29832 GREEN**

Version Number 1.0 Revision Date 03/17/2005 Page 3 of 6 Print Date 11/17/2011

Storage		eep containers dry and dontamination. Stor			moisture	e absorption
8. 1	EXPOSURE	CONTROLS / PERS	ONAL	PROTECTIO	N	
Respiratory protection	: U	nder normal handling	conditio	ns a respirator	may not	be required.
Eye/Face Protection	: S	afety glasses with side-	-shields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance wi /ash hands before brea				afety practice
Engineering measures		eat only in areas with a ppropriate exhaust vent			tilation.	Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposure	tvne	List:
Calcium carbonate	5 mg/m3	PEL:		Respirable fr		OSHA Z1
	15 mg/m3	PEL:		Total du		OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Ave (TWA):	erage			ACGIH
	15 mg/m3	PEL:		Total du	st.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICA	L PRC	PERTIES		
<b>D</b>	1	1	E		. N.	
Form	: liqui	d, Viscous liquid		ration rate c Gravity:		established determined
Appearance	-	ersion	specifi	c Glavity.	. 1101	uetermineu
Color	: GRE		Bulk d	ensity	· Not	applicable
Odor		faint		pressure		determined
Melting point/range	•	applicable		r density		vier than air.
		applicable	pH	i density		determined
61 6			P			
Boiling Point: Water solubility	: Imm	iscible				
Boiling Point:	: Imm	iscible	ACTIV	ITY		
Boiling Point:	: Imm 10. S		ACTIV	ITY		

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29832 GREEN**

Version Number 1.0 Revision Date 03/17/2005 Page 4 of 6 Print Date 11/17/2011

Incompatible Materials	s · Incompatible	with strong acids and	ovidizing agents
	s . incompatible	with strong acros and	oxidizing agents.
Hazardous decomposit products			oxide (CO), oxides of nitrogen nd smoke are all possible.
	11. TOXICOLOO	GICAL INFORMATI	ON
health data for the indi- Toxicity Overview	vidual components which c	comprise the mixture.	ure effects listed are based on exi
CAS-No.	Chemical Name	Effect	Targat Organ
1317-65-3	Calcium carbonate	Irritant	Target OrganEyes, Skin.
1011 00 0		Systemic effects	Eyes, Skin, Respiratory system
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
		~~~	-
	12. ECOLOGI	CAL INFORMATION	
Environmental Toxicit Bioaccumulation Poter Additional advice	whole.	lable	established for this mixture as a
	13. DISPOSAL	CONSIDERATIONS	5
Product	generator of classification	waste material has the 1	ed to disposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations.
Contaminated packagin	has the respo	onsibility for proper was in accordance with app	e. The generator of waste materia ste classification, transportation licable federal, state/provincial
	14. TRANSPO	ORT INFORMATION	
		regulation	
U.S. DOT Classificatio	on : Refer to spec	line regulation.	

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29832 GREEN**

Version Number 1.0 Revision Date 03/17/2005 Page 5 of 6 Print Date 11/17/2011

	15	. REGULATORY I	NFORMATION		
US Regulations:					
OSHA Status	:	Classified as hazard	ous based on com	ponents.	
TSCA Status	:	All components of t Inventory.	his product are list	ed on or exemp	pt from the TSCA
US. EPA CERCLA Hazardou	s Subs	stances (40 CFR 302)	1		
Not applicable					
California Proposition 65	:	This product does no	ot contain a substa	nce listed by C	alifornia Prop 65
SARA Title III Section 302 E	xtreme	ely Hazardous Substa	nce		
		· · · · · · · · · · · · · · · · · · ·			
Not applicable					
	oxic C	hemicals:			
Not applicable	oxic C	Chemicals:			
	oxic C	Chemicals:			
SARA Title III Section 313 To	oxic C	Chemicals:			
SARA Title III Section 313 To Not applicable Canadian Regulations:					
SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Rele			CAS-No	Weight %	NPRI ID#
SARA Title III Section 313 To Not applicable Canadian Regulations:			CAS-No. 14302-13-7	Weight % 1.86	NPRI ID# 71
SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Rele Chemical Name Pigment green 36 WHMIS Classification	ease In	nventory (NPRI)	14302-13-7	1.86	71
SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Rele Chemical Name Pigment green 36	ease In	ventory (NPRI)	14302-13-7 this product are or	1.86	71
SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Rele Chemical Name Pigment green 36 WHMIS Classification	ease In	Not controlled.	14302-13-7 this product are or	1.86	71
SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Pigment green 36</u> WHMIS Classification DSL	ease In	Not controlled.	14302-13-7 this product are or	1.86	71
SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Pigment green 36</u> WHMIS Classification DSL National Inventories:	n :	Not controlled. All components of Substances List (DS	14302-13-7 this product are or	1.86	71
SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Pigment green 36</u> WHMIS Classification DSL National Inventories: Australia AICS	n :	Not controlled. All components of Substances List (DS	14302-13-7 this product are or	1.86	71
SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Pigment green 36</u> WHMIS Classification DSL National Inventories: Australia AICS China IECS	n : :	Not controlled. All components of t Substances List (DS Listed Listed	14302-13-7 this product are or	1.86	71

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29832 GREEN

Version Number 1.0 Revision Date 03/17/2005

Page 6 of 6 Print Date 11/17/2011

Philippines PICCS

: Listed

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.