MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29871 YELLOW**

Version Number 1.0 Revision Date 05/19/2005

Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
:	STAN-TONE HCC-29871 YELLOW
:	FO20011667
:	Mixture
:	Mixture
:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Petroleum distillates, hydrotreated light	64742-53-6	10 - 30
naphthenic		
Titanium dioxide	13463-67-7	10 - 30
Petroleum distillates, hydrotreated heavy	64742-52-5	60 - 100
naphthenic		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes Skin	 May cause eye/skin irritation. Experience shows no unusual dermatitis hazard from routine handling. 	
	·	

PolyOne

MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29871 YELLOW**

Version Number 1.0 Revision Date 05/19/2005 Page 2 of 6 Print Date 11/18/2011

Medical Conditions : None known. Aggravated by Exposure: :				
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.			
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: No data available			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne 			
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.			
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			

<u>PolyOne</u>.

MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29871 YELLOW**

Version Number 1.0 Revision Date 05/19/2005 Page 3 of 6 Print Date 11/18/2011

Handling Storage	:	Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXI	POSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	Under normal handling conditions a respirator may not be required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Petroleum distillates,	500 ppm	PEL:	Vapor.	OSHA Z1
hydrotreated heavy	2,000			
naphthenic	mg/m3			
Petroleum distillates,	500 ppm	PEL:	Vapor.	OSHA Z1
hydrotreated light	2,000			
naphthenic	mg/m3			
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	0.8 mg/m3	Time Weighted Average		Z3
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : liquid: liquid, Viscous liquid

Evaporation rate Specific Gravity: Not establishedNot determined

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29871 YELLOW

Version Number 1.0 Revision Date 05/19/2005

Page 4 of 6 Print Date 11/18/2011

Color Odor Melting point/range Boiling Point: Water solubility	dispersion : YELLOW : Very faint : Not applicable : Not applicable : Immiscible	Bulk density Vapor pressure Vapour density pH	
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	xidizing agents and open f not overheat.	lame. To avoid thermal
Incompatible Materials	: Incompatible with	strong acids and oxidizing	g agents.
Hazardous decomposition products		O2), carbon monoxide (C0 rdous materials, and smoke	· ·

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
64742-53-6	Petroleum distillates, hydrotreated light naphthenic	Irritant	Eyes, Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
64742-52-5	Petroleum distillates, hydrotreated heavy naphthenic	Irritant	Eyes, Skin.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	No data available
Additional advice	:	No data available

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29871 YELLOW**

Version Number 1.0 Revision Date 05/19/2005 Page 5 of 6 Print Date 11/18/2011

AO/IATA (air) O / IMDG (maritime)	 Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 14. TRANSPORT INFORMATION Refer to specific regulation. Refer to specific regulation. Refer to specific regulation.
S. DOT Classification AO/IATA (air) O / IMDG (maritime)	 has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 14. TRANSPORT INFORMATION : Refer to specific regulation. : Refer to specific regulation. : Refer to specific regulation.
AO/IATA (air) O / IMDG (maritime)	 Refer to specific regulation. Refer to specific regulation. Refer to specific regulation.
AO/IATA (air) O / IMDG (maritime)	Refer to specific regulation.Refer to specific regulation.
O / IMDG (maritime)	: Refer to specific regulation.
1	
	15. REGULATORY INFORMATION
Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
. EPA CERCLA Hazardous Su	ubstances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
RA Title III Section 302 Extrementation 302 Extrementation applicable	mely Hazardous Substance
RA Title III Section 313 Toxic	c Chemicals:
Not applicable nadian Regulations:	
National Pollutant Release	Inventory (NPRI)

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29871 YELLOW

Version Number 1.0 Revision Date 05/19/2005 Page 6 of 6 Print Date 11/18/2011

Ν	Not applicable				
	WHMIS Classification	:	D2B		
	WHMIS Ingredient Disclosure List				
	CAS-No. 7631-86-9				
	DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
Nati	onal Inventories:				
	Australia AICS	:	Listed		
	China IECS	:	Listed		
	Europe EINECS	:	Listed		
	Japan ENCS	:	Not determined		
	Korea KECI	:	Listed		
	Philippines PICCS	:	Listed		
			16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.