## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29878 BLACK

Version Number 1.0 Revision Date 05/25/2005

Page 1 of 6 Print Date 11/18/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

## POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone<br>Emergency telephone<br>number | : | Product Stewardship (770) 590-3500 x.3563<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|--|---|--|
| Product name                               | : | STAN-TONE HCC-29878 BLACK  |
| Product code                               | : | FO20011693   |
| Chemical Name                              | : | Mixture  |
| CAS-No.                                    | : | Mixture  |
| Product Use                                | : | Industrial Applications  |

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components          | CAS-No.   | Weight % |
|---------------------|-----------|----------|
| Carbon black        | 1333-86-4 | 10 - 30  |
| Triphenyl phosphate | 115-86-6  | 30 - 60  |

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b>                    | : Inhalation, Skin contact, Ingestion  |
|---|--|
| Acute exposure                                |  |
| Inhalation                                    | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |
| Ingestion                                     | : May be harmful if swallowed.   |
| Eyes  | : May cause eye/skin irritation.   |
| Skin  | : Experience shows no unusual dermatitis hazard from routine handling.           |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.                             |
| Medical Conditions<br>Aggravated by Exposure: | : None known.  |

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29878 BLACK**

Version Number 1.0 Revision Date 05/25/2005 Page 2 of 6 Print Date 11/18/2011

|  | 4. FIRST AID MEASURES  |
|--|--|
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.  |
| Ingestion  | : Do not induce vomiting without medical advice. Seek medical attention if necessary.  |
| Eyes   | : Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists see medical attention.   |
|  | 5. FIRE-FIGHTING MEASURES  |
| Flash point  | : No data available  |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media | <ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>   |
| Special Fire Fighting<br>Procedures<br>Unusual Fire/Explosion<br>Hazards   | <ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul> |
|  | 6. ACCIDENTAL RELEASE MEASURES   |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |
| Environmental precautions  | : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.   |
| Methods for cleaning up  | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder<br>universal binder, sawdust). Package all material in appropriate<br>container for disposal. Refer to Section 13 of this MSDS for proper<br>disposal methods.   |
|  | 7. HANDLING AND STORAGE  |
| Handling   | : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.  |

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29878 BLACK**

Version Number 1.0 Revision Date 05/25/2005

Page 3 of 6 Print Date 11/18/2011

| Storage                                   |                 | Leep containers dry and nd contamination. Stor       |          |                               | ure absorption                    |
|---|-----------------|--|----------|-------------------------------|-----------------------------------|
| 8. H                                      | XPOSURE         | CONTROLS / PERS                                      | ONAL     | PROTECTION                    |                                   |
| Respiratory protection                    | : U             | Inder normal handling of                             | conditio | ons a respirator may no       | ot be required.                   |
| Eye/Face Protection                       | : S             | afety glasses with side-                             | shields  |                               |                                   |
| Hand protection                           | : P             | rotective gloves.                                    |          |                               |                                   |
| Skin and body protection                  | : L             | ong sleeved clothing.                                |          |                               |                                   |
| Additional Protective<br>Measures         | : S             | afety shoes.   |          |                               |                                   |
| General Hygiene<br>Considerations         |                 | landle in accordance wi<br>Vash hands before brea    |          |                               |                                   |
| Engineering measures<br>Exposure limit(s) |                 | leat only in areas with a<br>ppropriate exhaust vent |          |                               | n. Provide                        |
| Components                                | Value           | Exposure time  |          | Exposure type                 | List:                             |
| Carbon black                              | 3.5 mg/m3       | Time Weighted Ave<br>(TWA):                          | erage    | Total dust. as carbo<br>black | n ACGIH                           |
|   | 3.5 mg/m3       | PEL:   |          | Total dust. as carbo<br>black | n OSHA Z1                         |
| Triphenyl phosphate                       | 3 mg/m3         | Time Weighted Ave<br>(TWA):                          | erage    |                               | ACGIH                             |
|   | 3 mg/m3         | PEL:   |          | Dust.                         | OSHA Z1                           |
|   | 9. PHYSIC       | CAL AND CHEMICA                                      | L PRC    | PERTIES                       |                                   |
| Form<br>Appearance                        |                 | d<br>d, Viscous liquid<br>ersion                     |          |                               | lot established<br>lot determined |
| Color<br>Odor                             | : BLA<br>: Very | CK   | Bulk d   | •                             | lot applicable                    |
| UICIOF                                    |                 |  |          |                               |                                   |

Melting point/range Boiling Point: Water solubility

# : Immiscible **10. STABILITY AND REACTIVITY**

Vapour density

pН

: Heavier than air.

: Not determined

Stability

: Stable.

: Not applicable

: Not applicable

Hazardous Polymerization

: Will not occur.

3/6

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29878 BLACK

Version Number 1.0 Revision Date 05/25/2005 Page 4 of 6 Print Date 11/18/2011

| Conditions to avoid              | : | Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.                             |
|----------------------------------|---|--|
| Incompatible Materials           | : | Incompatible with strong acids and oxidizing agents.   |
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.   | Chemical Name       | Effect           | Target Organ  |
|-----------|---------------------|------------------|---|
| 1333-86-4 | Carbon black        | Systemic effects | Eyes, Respiratory system.                                   |
| 115-86-6  | Triphenyl phosphate | Systemic effects | Respiratory system, blood and blood forming system, central |
|           |                     |                  | nervous system (CNS).                                       |

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No.   | Chemical Name       | Route       | Value         | Species |
|-----------|---------------------|-------------|---------------|---------|
| 1333-86-4 | Carbon black        | Oral LD50   | >15,400 mg/kg | rat     |
|           |                     | Dermal LD50 | > 3 gm/kg     | rabbit  |
| 115-86-6  | Triphenyl phosphate | Oral LD50   | 3,500 mg/kg   | rat     |
|           |                     | Dermal LD50 | >7,900 mg/kg  | rabbit  |

## Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

## **12. ECOLOGICAL INFORMATION**

Persistence and degradability

: Not readily biodegradable.

Environmental Toxicity

: Environmental toxicity has not been established for this mixture as a

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29878 BLACK**

Version Number 1.0 Revision Date 05/25/2005 Page 5 of 6 Print Date 11/18/2011

| <b>Bioaccumulation Potential</b>               | : No data available  |
|--|--|
| Additional advice                              | : No data available  |
|  |  |
|  | 13. DISPOSAL CONSIDERATIONS  |
| Product  | : Where possible recycling is preferred to disposal or incineration. The<br>generator of waste material has the responsibility for proper waste<br>classification, transportation and disposal in accordance with<br>applicable federal, state/provincial and local regulations. |
| Contaminated packaging                         | : Recycling is preferred when possible. The generator of waste materi<br>has the responsibility for proper waste classification, transportation<br>and disposal in accordance with applicable federal, state/provincial<br>and local regulations.                                |
|  | 14. TRANSPORT INFORMATION  |
|  |  |
| U.S. DOT Classification                        | : Refer to specific regulation.  |
| ICAO/IATA (air)                                | : Refer to specific regulation.  |
| IMO / IMDG (maritime)                          | : Refer to specific regulation.  |
|  | 15. REGULATORY INFORMATION   |
| US Regulations:                                |  |
| OSHA Status                                    | : Classified as hazardous based on components.   |
| TSCA Status                                    | : All components of this product are listed on or exempt from the TSC Inventory.   |
| US. EPA CERCLA Hazardou                        | s Substances (40 CFR 302)  |
| Not applicable                                 |  |
| California Propositior<br>65                   | : Not applicable   |
| SARA Title III Section 302 E<br>Not applicable | xtremely Hazardous Substance   |
| SARA Title III Section 313 T                   | oxic Chemicals:  |

PolyOne

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29878 BLACK

Version Number 1.0 Revision Date 05/25/2005 Page 6 of 6 Print Date 11/18/2011

| Not applicable                   |  |  |  |  |  |
|----------------------------------|--|--|--|--|--|
| Canadian Regulations:            |  |  |  |  |  |
| National Pollutant Release       | National Pollutant Release Inventory (NPRI)  |  |  |  |  |
| Not applicable                   |  |  |  |  |  |
| WHMIS Classification :           | D2A  |  |  |  |  |
| WHMIS Ingredient Disclos         | sure List  |  |  |  |  |
| CAS-No.<br>1333-86-4<br>115-86-6 |  |  |  |  |  |
| DSL :                            | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |  |  |  |  |
| National Inventories:            |  |  |  |  |  |
| Australia AICS :                 | Not determined   |  |  |  |  |
| China IECS :                     | Listed   |  |  |  |  |
| Europe EINECS :                  | Listed   |  |  |  |  |
| Japan ENCS :                     | Not determined   |  |  |  |  |
| Korea KECI :                     | Listed   |  |  |  |  |
| Philippines PICCS :              | Listed   |  |  |  |  |
|                                  | 16. OTHER INFORMATION  |  |  |  |  |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.