MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-29044 SHADOW BEIGE

Version Number 1.0 Revision Date 10/03/2006 Page 1 of 6 Print Date 11/24/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-29044 SHADOW BEIGE
Product code	:	FO20015088
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29044 SHADOW BEIGE**

Version Number 1.0 Revision Date 10/03/2006 Page 2 of 6 Print Date 11/24/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29044 SHADOW BEIGE

Version Number 1.0 Revision Date 10/03/2006

Conditions to avoid

Page 3 of 6 Print Date 11/24/2011

		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.				
8. H	XPOSURE	CONTROLS / PERSON	AL PROTECTION			
Respiratory protection	: U	nder normal handling con	ditions a respirator ma	ay not be required.		
Eye/Face Protection	: S	afety glasses with side-shi	elds.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with gath hands before breaks a				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
	Value	Engenna diana	European tra	Tiok		
Components	Value	Exposure time	Exposure typ			
	Value 10 mg/m3	Exposure time Time Weighted Averag (TWA):		pe List: ACGIH		
Components		Time Weighted Averag		ACGIH		
Components	10 mg/m3	Time Weighted Averag (TWA):	ge Total dust.	ACGIH		
Components	10 mg/m3 15 mg/m3 20 mg/m3	Time Weighted Averag (TWA): PEL: Short Term Exposure Lin	ge Total dust. mit as Ti	ACGIH OSHA Z1		
Components	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liqui : liqui	Time Weighted Averag (TWA): PEL: Short Term Exposure Lin (STEL): CAL AND CHEMICAL	ge Total dust. mit as Ti	ACGIH OSHA Z1		
Components Titanium dioxide	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liquidisperies : BRC	Time Weighted Averag (TWA): PEL: Short Term Exposure Lin (STEL): CAL AND CHEMICAL d Ev d, Viscous liquid Sp ersion	Total dust. mit as Ti PROPERTIES	ACGIH OSHA Z1 MX OEL		
Components Titanium dioxide Form Appearance Color Odor	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liquid dispetion : BRC : Very	Time Weighted Averag (TWA): PEL: Short Term Exposure Lin (STEL): CAL AND CHEMICAL d Ev d, Viscous liquid Sp ersion WN Bu faint Va	Total dust. mit as Ti PROPERTIES vaporation rate : vaporation : vaporation : vaporation : vaporation : vaporation : vapor pressure : vaporation : va	ACGIH OSHA Z1 MX OEL Not established Not determined Not applicable Not determined		
Components Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liquid dispetion : BRC : Very : Not a	Time Weighted Averag (TWA): PEL: Short Term Exposure Lin (STEL): CAL AND CHEMICAL d Ev d, Viscous liquid Sp ersion WN Bu faint Va applicable Va	Total dust. mit as Ti PROPERTIES vaporation rate :: becific Gravity: :: apor pressure :: apour density ::	ACGIH OSHA Z1 MX OEL Not established Not determined Not applicable Not determined Heavier than air.		
Components Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liquid : liquid dispection : BRC : Very : Not a : Not a	Time Weighted Averag (TWA): PEL: Short Term Exposure Lin (STEL): CAL AND CHEMICAL I d Event d, Viscous liquid Sp ersion WN Bu faint Va applicable Va applicable pH	Total dust. mit as Ti PROPERTIES vaporation rate :: becific Gravity: :: apor pressure :: apour density ::	ACGIH OSHA Z1 MX OEL Not established Not determined Not applicable Not determined		
Components Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liquid : liquid dispection : BRC : Very : Not a : Not a	Time Weighted Averag (TWA): PEL: Short Term Exposure Lin (STEL): CAL AND CHEMICAL d Ev d, Viscous liquid Sp ersion WN Bu faint Va applicable Va	Total dust. mit as Ti PROPERTIES vaporation rate :: becific Gravity: :: apor pressure :: apour density ::	ACGIH OSHA Z1 MX OEL Not established Not determined Not applicable Not determined Heavier than air.		
Components Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liquid : liquid disperimentary : BRC : Very : Not a : Inmm	Time Weighted Averag (TWA): PEL: Short Term Exposure Lin (STEL): CAL AND CHEMICAL I d Event d, Viscous liquid Sp ersion WN Bu faint Va applicable Va applicable pH	Total dust. mit as Ti PROPERTIES vaporation rate vaporation rate vapor pressure apour density I	ACGIH OSHA Z1 MX OEL Not established Not determined Not applicable Not determined Heavier than air.		

: Keep away from oxidizing agents and open flame. To avoid thermal

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29044 SHADOW BEIGE

Version Number 1.0 Revision Date 10/03/2006 Page 4 of 6 Print Date 11/24/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

decomposition, do not overheat

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	No data available
Additional advice	:	No data available
	1	3. DISPOSAL CONSIDERATIONS

Product

: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29044 SHADOW BEIGE**

ersion Number 1.0 evision Date 10/03/2006		Page 5 of Print Date 11/24/201
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Refer to specific regulation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	1 :	Not applicable
SARA Title III Section 302 E Not applicable	Extrem	ely Hazardous Substance
SARA Title III Section 313 7	Toxic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Rel	lease Iı	nventory (NPRI)
Not applicable		
WHMIS Classificatio	n :	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic

PolvOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29044 SHADOW BEIGE

Version Number 1.0 Revision Date 10/03/2006 Page 6 of 6 Print Date 11/24/2011

		Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.