## MATERIAL SAFETY DATA SHEET MB2459 NEUTRAL

Version Number 1.1 Revision Date 04/17/2009 Page 1 of 7 Print Date 1/7/2012

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone<br>Emergency telephone | : | Product Stewardship (770) 590-3500 x.3563<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|----------------------------------|---|--|
| Product name                     | : | MB2459 NEUTRAL   |
| Product code                     | : | FO20017543   |
| Chemical Name                    | : | Mixture  |
| CAS-No.                          | : | Mixture  |
| Product Use                      | : | Industrial Applications  |

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components        | CAS-No.   | Weight % |
|-------------------|-----------|----------|
| Antimony trioxide | 1309-64-4 | 1 - 5    |
| Calcium carbonate | 1317-65-3 | 5 - 10   |

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

| Routes of Exposure:                           | : Inhalation, Skin contact, Ingestion  |
|---|--|
| Acute exposure                                |  |
| Inhalation                                    | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |
| Ingestion                                     | : May be harmful if swallowed.   |
| Eyes  | : May cause eye and skin irritation.   |
| Skin  | : Experience shows no unusual dermatitis hazard from routine handling.           |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.                             |
| Medical Conditions<br>Aggravated by Exposure: | : None known.  |

PolyOne.

# MATERIAL SAFETY DATA SHEET **MB2459 NEUTRAL**

Version Number 1.1 Revision Date 04/17/2009 Page 2 of 7 Print Date 1/7/2012

|  | 4. FIRST AID MEASURES   |
|--|---|
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.  |
| Ingestion  | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.  |
| Eyes   | : Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.  |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention.   |
|  | 5. FIRE-FIGHTING MEASURES   |
| Flash point  | : No data available   |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media<br>Special Fire Fighting<br>Procedures<br>Unusual Fire/Explosion<br>Hazards | <ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul> |
|  | 5. ACCIDENTAL RELEASE MEASURES  |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.  |
| Environmental precautions  | : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.  |
| Methods for cleaning up  | : Soak up with inert absorbent material (e.g. sand, silica gel, acid<br>binder, universal binder, sawdust). Package all material in<br>appropriate container for disposal. Refer to Section 13 of this MSDS<br>for proper disposal methods.   |
|  | 7. HANDLING AND STORAGE   |
| Handling   | : Heat only in areas with appropriate exhaust ventilation. Processing   |



# MATERIAL SAFETY DATA SHEET **MB2459 NEUTRAL**

| Version Number 1.1<br>Revision Date 04/17/2009 |      | Page 3 of 7<br>Print Date 1/7/2012  |
|--|------|---|
|  |      | fume condensates may contain combustible or toxic residue.<br>Periodically clean hoods, ducts, and other surfaces to minimize<br>accumulation of these materials. |
| Storage  | :    | Keep containers dry and tightly closed to avoid moisture absorption<br>and contamination. Store in a cool dry place.  |
| 8. EXI   | POSU | RE CONTROLS/PERSONAL PROTECTION   |
| Respiratory protection                         | :    | No personal respiratory protective equipment normally required.   |
| Eye/Face Protection                            | :    | Safety glasses with side-shields  |
| Hand protection                                | :    | Protective gloves   |
| Skin and body protection                       | :    | Long sleeved clothing   |
| Additional Protective<br>Measures              | :    | Safety shoes  |
| General Hygiene<br>Considerations              | :    | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.  |
| Engineering measures                           | :    | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.  |

Exposure limit(s)

| Components        | Value     | Exposure time             | Exposure type        | List:    |
|-------------------|-----------|---------------------------|----------------------|----------|
| Antimony trioxide | 0.5 mg/m3 | Time Weighted Average     | as Sb                | MX OEL   |
|                   |           | (TWA):                    |                      |          |
|                   | 0.5 mg/m3 | Time Weighted Average     | as Sb                | ACGIH    |
|                   |           | (TWA):                    |                      |          |
|                   | 0.5 mg/m3 | Recommended exposure      | as Sb                | NIOSH    |
|                   |           | limit (REL):              |                      |          |
|                   | 0.5 mg/m3 | PEL:                      | as Sb                | OSHA Z1  |
|                   | 0.5 mg/m3 | Time Weighted Average     | as Sb                | OSHA Z1A |
|                   | _         | (TWA):                    |                      |          |
| Calcium carbonate | 5 mg/m3   | PEL:                      | Respirable fraction. | OSHA Z1  |
|                   | 15 mg/m3  | PEL:                      | Total dust.          | OSHA Z1  |
|                   | 10 mg/m3  | Time Weighted Average     |                      | MX OEL   |
|                   |           | (TWA):                    |                      |          |
|                   | 20 mg/m3  | Short Term Exposure Limit |                      | MX OEL   |
|                   |           | (STEL):                   |                      |          |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : liquid : Viscous, liquid Evaporation rate Specific Gravity Not establishedNot determined

## MATERIAL SAFETY DATA SHEET MB2459 NEUTRAL

Version Number 1.1 Revision Date 04/17/2009

Color

| Odour<br>Melting point/range<br>Boiling Point:<br>Water solubility | <ul><li>Very faint</li><li>Not applicable</li><li>Not applicable</li><li>Immiscible</li></ul> | Vapour pressure<br>Vapour density<br>pH  | <ul><li>Not determined</li><li>Not determined</li><li>Not applicable</li></ul>                    |
|--|---|--|---|
|  | 10. STABILITY AN  | D REACTIVITY   |   |
| Stability  | : Stable.   |  |   |
| Hazardous Polymerization   | : Will not occur.   |  |   |
| Conditions to avoid  | : Keep away from o decomposition, do  | xidizing agents and open f not overheat.   | lame. To avoid thermal  |
| Incompatible Materials   |   | strong acids and oxidizing olymers and acetal copoly   |   |
| Hazardous decomposition products                                   | (NOx), hydrogen c<br>smoke are all possi<br>degradation. As a<br>after one hour at 1'         | O2), carbon monoxide (C0<br>chloride (HCl), other hazar<br>ible. Prolonged heating m<br>general rule of thumb, deg<br>77 °C (350 °F), after 10 m<br>ninutes at 232 °C (450 °F) | dous materials, and<br>ay result in product<br>gradation begins to occur<br>inutes at 204 °C (400 |

Bulk density

: NO PIGMENT

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.   | Chemical Name     | Effect           | Target Organ              |
|-----------|-------------------|------------------|---------------------------|
| 1309-64-4 | Antimony trioxide | Systemic effects | Eyes, Respiratory system. |
|           |                   | sensitizer       | Skin.                     |
| 1317-65-3 | Calcium carbonate | Irritant         | Eyes, Skin.               |
|           |                   | Systemic effects | Eyes, Skin, Respiratory   |
|           |                   |                  | system.                   |

#### LC50 / LD50


This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No.   | Chemical Name     | Route     | Value          | Species |
|-----------|-------------------|-----------|----------------|---------|
| 1309-64-4 | Antimony trioxide | Oral LD50 | > 34,600 mg/kg | rat     |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

# PolyOne



: Not applicable

PolvOne.

# MATERIAL SAFETY DATA SHEET **MB2459 NEUTRAL**

Version Number 1.1

Revision Date 04/17/2009

Page 5 of 7 Print Date 1/7/2012

| CAS-No.   | Chemical Name     | OSHA | IARC | NTP |
|-----------|-------------------|------|------|-----|
| 1309-64-4 | Antimony trioxide | no   | 2B   | no  |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

## Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

| Persistence and degradability | : Not readily biodegradable.   |
|-------------------------------|--|
| Environmental Toxicity        | : Environmental toxicity has not been established for this mixture as a whole.   |
| Bioaccumulation Potential     | : No data available  |
| Additional advice             | : No data available  |
|                               | 13. DISPOSAL CONSIDERATIONS  |
| Product                       | : Where possible recycling is preferred to disposal or incineration. The<br>generator of waste material has the responsibility for proper waste<br>classification, transportation and disposal in accordance with<br>applicable federal, state/provincial and local regulations. |
| Contaminated packaging        | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.                                       |
|                               | 14. TRANSPORT INFORMATION  |
| U.S. DOT Classification       | : Refer to specific regulation.  |
| ICAO/IATA (air)               | : Refer to specific regulation.  |
| IMO / IMDG (maritime)         | : Refer to specific regulation.  |
|                               | 15. REGULATORY INFORMATION   |

PolyOne.

# MATERIAL SAFETY DATA SHEET **MB2459 NEUTRAL**

| sion Date 04/17/2009  |  |  |                                   |  | Page<br>Print Date 1/7               |
|---|--|--|-----------------------------------|--|--------------------------------------|
| US Regulations:   |  |  |                                   |  |                                      |
| OSHA Status   | : Classified as h  | azardous bas                                   | sed on con                        | nponents.                                |                                      |
| TSCA Status   | : All componer<br>TSCA Invento   |  | duct are l                        | isted on or ex-                          | empt from the                        |
| US. EPA CERCLA Hazardou   | us Substances (40 CFF  | R 302)   |                                   |  |                                      |
| Not applicable  |  |  |                                   |  |                                      |
| California Propositior<br>65  | n : WARNING!<br>California to c  |  | contains a                        | a chemical kn                            | own to the State                     |
| SARA Title III Section 302 E  | Extremely Hazardous S  | Substance                                      |                                   |  |                                      |
| Unless specific chemicals are   | e identified under this  | section, this r                                | product is                        | Not Applicab                             | le under this reg                    |
|   |  |  |                                   | TI                                       | C                                    |
| SARA Title III Section 313 T<br>Unless specific chemicals are<br>Chemical Name  | Foxic Chemicals:<br>e identified under this s  | section, this I                                | product is<br>CAS-No.             | Not Applicab                             | le under this regu                   |
| SARA Title III Section 313 T<br>Unless specific chemicals are<br>Chemical Name<br>ANTIMONY COMPOUN  | Foxic Chemicals:<br>e identified under this s  | section, this I                                | product is                        | Not Applicab                             | le under this reg                    |
| SARA Title III Section 313 T<br>Unless specific chemicals are<br>Chemical Name<br>ANTIMONY COMPOUN<br>Canadian Regulations:   | Foxic Chemicals:<br>e identified under this s<br>DS  | section, this p                                | product is<br>CAS-No.             | Not Applicab                             | le under this regu                   |
| SARA Title III Section 313 T<br>Unless specific chemicals are<br>Chemical Name<br>ANTIMONY COMPOUN<br>Canadian Regulations:<br>National Pollutant Rel   | Foxic Chemicals:<br>e identified under this s<br>DS  | section, this p                                | oroduct is<br>CAS-No.<br>309-64-4 | Not Applicab<br>Weig<br>1.00             | le under this regu<br>ht %<br>- 5.00 |
| SARA Title III Section 313 T<br>Unless specific chemicals are<br>Chemical Name<br>ANTIMONY COMPOUN<br>Canadian Regulations:   | Foxic Chemicals:<br>e identified under this s<br>DS  | section, this p                                | oroduct is<br>CAS-No.<br>309-64-4 | Not Applicab                             | le under this regu                   |
| SARA Title III Section 313 T<br>Unless specific chemicals are<br>Chemical Name<br>ANTIMONY COMPOUN<br>Canadian Regulations:<br>National Pollutant Rel<br>Chemical Name  | Foxic Chemicals:<br>e identified under this s<br>DS<br>lease Inventory (NPRI   | section, this p<br>1<br>)<br>CAS-No            | oroduct is<br>CAS-No.<br>309-64-4 | Not Applicab<br>Weig<br>1.00<br>Weight % | le under this regu<br>ht %<br>- 5.00 |
| SARA Title III Section 313 T<br>Unless specific chemicals are<br>Chemical Name<br>ANTIMONY COMPOUN<br>Canadian Regulations:<br>National Pollutant Rel<br>Chemical Name<br>Antimony trioxide<br>WHMIS Classificatio<br>WHMIS Ingredient Di<br>CAS-No.              | Foxic Chemicals:<br>e identified under this s<br>DS<br>lease Inventory (NPRI   | section, this provide the section of this pro- | oroduct is<br>CAS-No.<br>309-64-4 | Not Applicab<br>Weig<br>1.00             | le under this regu<br>ht %<br>- 5.00 |
| SARA Title III Section 313 T<br>Unless specific chemicals are<br>Chemical Name<br>ANTIMONY COMPOUN<br>Canadian Regulations:<br>National Pollutant Rel<br>Chemical Name<br>Antimony trioxide<br>WHMIS Classificatio<br>WHMIS Ingredient Di<br>CAS-No.<br>1309-64-4 | Foxic Chemicals:<br>e identified under this s<br>DS<br>lease Inventory (NPRI<br>on : D2A<br>isclosure List<br>: All componer | section, this provide the section of this pro- | oroduct is<br>CAS-No.<br>309-64-4 | Not Applicab<br>Weig<br>1.00             | le under this regu<br>ht %<br>- 5.00 |

PolyOne

## MATERIAL SAFETY DATA SHEET MB2459 NEUTRAL

Version Number 1.1 Revision Date 04/17/2009 Page 7 of 7 Print Date 1/7/2012

| Australia AICS    | : Not determined |
|-------------------|------------------|
| China IECS        | : Not determined |
| Europe EINECS     | : Not determined |
| Japan ENCS        | : Not determined |
| Korea KECI        | : Not determined |
| Philippines PICCS | : Not determined |
|                   |                  |

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.