

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET

13300SSV RUSSELL GRAY

Version Number 1.3
Revision Date 03/13/2014

Page 1 of 7
Print Date 3/21/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION

Telephone :
Emergency telephone number : **CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).**

Product name : 13300SSV RUSSELL GRAY
Product code : FO20024135
Chemical Name : Mixture
CAS-No. : Mixture
Product Use :

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Silica, amorphous	7631-86-9	1 - 5
Calcium carbonate	1317-65-3	10 - 30
Calcium carbonate	471-34-1	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

POTENTIAL HEALTH EFFECTS

Routes of Exposure: :

Acute exposure

Inhalation :
Ingestion :
Eyes :
Skin :

Chronic exposure : Refer to Section 11 for Toxicological Information.

Medical Conditions :
Aggravated by Exposure:



POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET

13300SSV RUSSELL GRAY

Version Number 1.3
Revision Date 03/13/2014

Page 2 of 7
Print Date 3/21/2014

4. FIRST AID MEASURES

Inhalation :
Ingestion :
Eyes :
Skin :

5. FIREFIGHTING MEASURES

Flash point :
Flammable Limits
 Upper explosion limit :
 Lower explosion limit :
Auto-ignition temperature :
Suitable extinguishing media :
Special Fire Fighting :
Procedures
Unusual Fire/Explosion :
Hazards

6. ACCIDENTAL RELEASE MEASURES

Personal precautions :
Environmental precautions :
Methods for cleaning up :

7. HANDLING AND STORAGE

Handling :
Storage :

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection :
Eye/Face Protection :
Hand protection :
Skin and body protection :



POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET

13300SSV RUSSELL GRAY

Version Number 1.3
Revision Date 03/13/2014

Page 3 of 7
Print Date 3/21/2014

Additional Protective Measures :

General Hygiene Considerations :

Engineering measures :

Exposure limit(s)

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET

13300SSV RUSSELL GRAY

Version Number 1.3
Revision Date 03/13/2014

Page 4 of 7
Print Date 3/21/2014

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1A
	15 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH
Silica, amorphous	6 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.8 mg/m3	Time Weighted Average (TWA):		Z3
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Evaporation rate	:
Appearance	:	Specific Gravity	:
Colour	: GREY	Bulk density	:
Odour	:	Vapour pressure	:
Melting point/range	:	Vapour density	:
Boiling Point:	:	pH	:
Water solubility	:		

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET

13300SSV RUSSELL GRAY

Version Number 1.3
Revision Date 03/13/2014

Page 5 of 7
Print Date 3/21/2014

10. STABILITY AND REACTIVITY

Stability :
Hazardous Polymerization :
Conditions to avoid :
Incompatible Materials :
Hazardous decomposition products :

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
471-34-1		Irritant	Eyes, Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
471-34-1	Calcium carbonate	Oral LD50Oral LD50Oral LD50	6,450 mg/kg6,450 mg/kg6,450 mg/kg	ratratmouse

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

- 1 - The component is carcinogenic to humans.
- 2A - The component is probably carcinogenic to humans.
- 2B - The component is possibly carcinogenic to humans.

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET

13300SSV RUSSELL GRAY

Version Number 1.3
Revision Date 03/13/2014

Page 6 of 7
Print Date 3/21/2014

NTP Carcinogen Classifications:

- 1 - The component is known to be a human carcinogen.
- 2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability :
Environmental Toxicity :
Bioaccumulation Potential :
Additional advice :

13. DISPOSAL CONSIDERATIONS

Product :
Contaminated packaging :

14. TRANSPORT INFORMATION

U.S. DOT Classification :
ICAO/IATA :
IMO/IMDG (maritime) :

15. REGULATORY INFORMATION

US Regulations:

OSHA Status : Classified as hazardous based on components.
TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition 65 : WARNING! This product contains a chemical known to the State of California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET

13300SSV RUSSELL GRAY

Version Number 1.3
Revision Date 03/13/2014

Page 7 of 7
Print Date 3/21/2014

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight percent	NPRI ID#
Aluminum oxide	1344-28-1	0.10 - 1.00	

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
7631-86-9

DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

- Australia AICS : Not determined
- China IECS : Not determined
- Europe EINECS : Listed
- Japan ENCS : Not determined
- Korea KECI : Not determined
- Philippines PICCS : Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.