

14020PFX EPIC HIGH DENSITY ADDITIVE

Version Number 1.8 Revision Date 01/09/2020 Page 1 of 14 Print Date 01/11/2020

SAFETY DATA SHEET

14020PFX EPIC HIGH DENSITY ADDITIVE

Section 1. Identification	on	
GHS product identifier	:	14020PFX EPIC HIGH DENSITY ADDITIVE
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20027692
Product type	:	liquid
Relevant identified uses of the subs	stance	e or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		



14020PFX EPIC HIGH DENSITY ADDITIVE

Version Number 1.8 Revision Date 01/09/2020 Page 2 of 14 Print Date 01/11/2020

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Descention of the second		
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.

None known.

Not available.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20027692

CAS number/other identifiers

Hazards not otherwise classified

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.



14020PFX EPIC HIGH DENSITY ADDITIVE

Page 3 of 14 Print Date 01/11/2020
a position comfortable for breathing. If material has been owed and the exposed person is conscious, give small quantities ter to drink. Do not induce vomiting unless directed to do so by cal personnel. Get medical attention if symptoms occur. ayed
a position comfortable for breathing. If material has been owed and the exposed person is conscious, give small quantities ter to drink. Do not induce vomiting unless directed to do so by cal personnel. Get medical attention if symptoms occur. ayed
a position comfortable for breathing. If material has been owed and the exposed person is conscious, give small quantities ter to drink. Do not induce vomiting unless directed to do so by cal personnel. Get medical attention if symptoms occur. ayed
a position comfortable for breathing. If material has been owed and the exposed person is conscious, give small quantities ter to drink. Do not induce vomiting unless directed to do so by cal personnel. Get medical attention if symptoms occur. ayed
owed and the exposed person is conscious, give small quantities ter to drink. Do not induce vomiting unless directed to do so by cal personnel. Get medical attention if symptoms occur. aved
ter to drink. Do not induce vomiting unless directed to do so by cal personnel. Get medical attention if symptoms occur. aved
<u>aved</u>
nown significant attacts or critical hazards
nown significant effects or critical hazards. nown significant effects or critical hazards.
nown significant effects or critical hazards.
nown significant effects or critical hazards.
pecific data.
pecific data.
pecific data.
pecific data.
special treatment needed, if necessary
symptomatically. Contact poison treatment specialist
bediately if large quantities have been ingested or inhaled.
come deathent.
ction shall be taken involving any personal risk or without ble training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials:



14020PFX EPIC HIGH DENSITY ADDITIVE

Version Number 1.8	Page 4 of 14
Revision Date 01/09/2020	Print Date 01/11/2020

		carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through
For emergency responders	:	spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.



14020PFX EPIC HIGH DENSITY ADDITIVE

Version Number 1.8 Revision Date 01/09/2020

Page 5 of 14 Print Date 01/11/2020

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits None.		
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.



14020PFX EPIC HIGH DENSITY ADDITIVE

Page 6 of 14
ate 01/11/2020
d sh

ear complying with an approved standard should be used assessment indicates this is necessary to avoid exposure to nes, mists, gases or dusts. If contact is possible, the rotection should be worn, unless the assessment indicates a ee of protection: safety glasses with side-shields.
esistant, impervious gloves complying with an approved build be worn at all times when handling chemical products essment indicates this is necessary.
being performed and the risks involved and should be a specialist before handling this product.
footwear and any additional skin protection measures elected based on the task being performed and the risks d should be approved by a specialist before handling this
e hazard and potential for exposure, select a respirator that peropriate standard or certification. Respirators must be ing to a respiratory protection program to ensure proper ing, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [Paste.]
Color	:	NO PIGMENT
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.



14020PFX EPIC HIGH DENSITY ADDITIVE

Version Number 1.8 Revision Date 01/09/2020 Page 7 of 14 Print Date 01/11/2020

Solubility in water Partition coefficient: n- octanol/water	:	Not available. Not available.
Auto-ignition temperature Decomposition temperature	:	Not available. Not available.
SADT Viscosity	:	Not available. Dynamic: Not available.
		Kinematic: Not available.
<u>Aerosol product</u>		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition - Deflagration density	:	Not available.
Flame height Flame duration	:	Not available. Not available.
r tanic uut atton	•	

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity



14020PFX EPIC HIGH DENSITY ADDITIVE

Version Number 1.8 Revision Date 01/09/2020 Page 8 of 14 Print Date 01/11/2020

Conclusion/Summary	:	Mixture.Not fully tested.
Irritation/Corrosion		
Conclusion/Summary Skin Eyes Respiratory	:	Mixture.Not fully tested. Mixture.Not fully tested. Mixture.Not fully tested.
Sensitization		
Conclusion/Summary Skin Respiratory	:	Mixture.Not fully tested. Mixture.Not fully tested.
<u>Mutagenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
<u>Carcinogenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
<u>Reproductive toxicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
<u>Teratogenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (sing Not available.	gle expo	osure)
Specific target organ toxicity (rep. Not available.	eated e	<u>xposure)</u>
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		



14020PFX EPIC HIGH DENSITY ADDITIVE

Version Number 1.8 Revision Date 01/09/2020 Page 9 of 14 Print Date 01/11/2020

No known significant effects or critical hazards. No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	163,468.2 mg/kg



14020PFX EPIC HIGH DENSITY ADDITIVE

Version Number 1.8 Revision Date 01/09/2020 Page 10 of 14 Print Date 01/11/2020

Section 12. Ecological information

Toxicity		
Conclusion/Summary	:	Not available.
Persistence and degradability		
Conclusion/Summary	:	Not available.
Bioaccumulative potential Not available.		
<u>Mobility in soil</u>		
Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods:The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considere when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain som product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information



14020PFX EPIC HIGH DENSITY ADDITIVE

Version Number 1.8	
Revision Date 01/09/2020	

Page 11 of 14 Print Date 01/11/2020

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed Acrylonitrile
		Phenol
		Vinyl chloride monomer
		United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Flammable substances: Listed Isobutane



14020PFX EPIC HIGH DENSITY ADDITIVE

Version Number 1.8 Revision Date 01/09/2020

Page 12 of 14 Print Date 01/11/2020

		United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		

DEA List II Chemicals (Essential Not listed :

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Chemicals)

Classification

Not applicable. :

Composition/information on ingredients

No products were found.

Not applicable.

State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: Isobutane
Pennsylvania	: The following components are listed: Isobutane
<u>California Prop. 65</u>	

This product does not require a Safe Harbor warning under California Prop. 65.			
United States inventory (TSCA 8b)	:	All components are active or exempted.	
		1 1	
Canada inventory	:	All components are listed or exempted.	



14020PFX EPIC HIGH DENSITY ADDITIVE

Version Number 1.8 Revision Date 01/09/2020 Page 13 of 14 Print Date 01/11/2020

International regulations

Inventory list

Australia	: Not determined.	
Canada	: All components are listed or exempted	•
China	: Not determined.	
Europe inventory	: Not determined.	
Japan	: Not determined.	
New Zealand	: Not determined.	
Philippines	: Not determined.	
Republic of Korea	: Not determined.	
Taiwan	: Not determined.	
Turkey	: Not determined.	
United States	: All components are active or exempted	1.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

History		
Date of printing	:	01/11/2020
Date of issue/Date of revision	:	01/09/2020
Date of previous issue	:	04/05/2019
Version	:	1.8
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods



14020PFX EPIC HIGH DENSITY ADDITIVE

•

Version Number 1.8 Revision Date 01/09/2020

Page 14 of 14 Print Date 01/11/2020

LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.