ne

### LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020 Page 1 of 17 Print Date 07/17/2020

# SAFETY DATA SHEET

### LX-1304 NATURAL MOLDING LATEX

Section 1. Identification	n	
GHS product identifier Chemical name CAS number Other means of identification Product type	: : : : : :	LX-1304 NATURAL MOLDING LATEX Mixture Mixture FO20032601 liquid
<u>Relevant identified uses of the subst</u> Product use	ance:	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 1675 Navarre Road SW, Massillon, Ohio USA 44646
		1 330 837 8679
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. Some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	TOXIC TO REPRODUCTION (Fertility) - Category 2 TOXIC TO REPRODUCTION (Unborn child) - Category 2

#### **GHS label elements**



## LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020 Page 2 of 17 Print Date 07/17/2020

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Suspected of damaging fertility or the unborn child.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing.
Response	:	IF exposed or concerned: Get medical attention.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20032601

#### CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	1 - 3	13463-67-7
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	0.3 - 1	68610-51-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



### LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020 Page 3 of 17 Print Date 07/17/2020

Occupational exposure limits, if available, are listed in Section 8.

### **Section 4. First aid measures**

#### **Description of necessary first aid measures**

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

#### **Over-exposure signs/symptoms**



## LX-1304 NATURAL MOLDING LATEX

Version Number 1.2	Page 4 of 17
Revision Date 07/16/2020	Print Date 07/17/2020

Eye contact	: No specific data.
Inhalation	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Firefighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self-
Special protective equipment for fire-fighters	:	contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.



### LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020

Page 5 of 17 Print Date 07/17/2020

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for contain	ment a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

Precautions for safe handling		
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions
		5/17



### LX-1304 NATURAL MOLDING LATEX

Version Number 1.2	Page 6 of 17
Revision Date 07/16/2020	Print Date 07/17/2020

Advice on general occupational hygiene	:	have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### Control parameters

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	None.

#### Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any



## LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020	Page 7 of Print Date 07/17/20	
Environmental exposure controls	recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubber filters or engineering modifications to the process equipment will b necessary to reduce emissions to acceptable levels.	
Individual protection measures		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	end
Eye/face protection	Safety eyewear complying with an approved standard should be use when a risk assessment indicates this is necessary to avoid exposur- liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicate higher degree of protection: safety glasses with side-shields.	e to
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical produ if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use t the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.	ucts that
Body protection	Personal protective equipment for the body should be selected base on the task being performed and the risks involved and should be approved by a specialist before handling this product.	ed.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling the product.	
Respiratory protection	Based on the hazard and potential for exposure, select a respirator t meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.	•

## Section 9. Physical and chemical properties

# <u>PolyOne</u>

### LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020

### Page 8 of 17 Print Date 07/17/2020

#### **Appearance**

Physical state	:	liquid [liquid]
Color	:	NO PIGMENT
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

## Section 10. Stability and reactivity

:

Reactivity

No specific test data related to reactivity available for this product or



### LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020 Page 9 of 17 Print Date 07/17/2020

Chemical stability	:	its ingredients. Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Phenol, 4-methyl-, reaction pro	oducts with dicyclop	entadiene and isobutyl	ene	
	LD50 Oral	Rat	16,000 mg/kg	-
<b>Remarks - Inhalation:</b>	No applicable toxic	city data		
	LD50 Dermal	Rabbit	5,010 mg/kg	-
Titanium dioxide				
Remarks - Oral:	No applicable toxic	city data		
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully tested.		

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Phenol, 4-methyl-, reaction	Eyes - Mild	Rabbit			-
products with	irritant				
dicyclopentadiene and					
isobutylene					
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: M	ixture.Not full	y tested.		
Eyes	: M	ixture.Not full	y tested.		
Respiratory	: M	ixture.Not full	y tested.		



## LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020 Page 10 of 17 Print Date 07/17/2020

<b>Sensitization</b>
Conclusion/Summary

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
<u>Mutagenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
<b>Carcinogenicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
Titanium dioxide	-	2B	-

<b>Reproductive toxicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.
<b>Teratogenicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (single Not available.	e expo	osure)
Specific target organ toxicity (repeation Not available.	ited e	<u>xposure)</u>
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
		10/17



### LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020

### Page 11 of 17 Print Date 07/17/2020

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	Adverse symptoms may include the following: reduced fetal weight,
		increase in fetal deaths, skeletal malformations
Skin contact	:	Adverse symptoms may include the following: reduced fetal weight,
		increase in fetal deaths, skeletal malformations
Ingestion	:	Adverse symptoms may include the following: reduced fetal weight,
		increase in fetal deaths, skeletal malformations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	Suspected of damaging the unborn child.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	Suspected of damaging fertility.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

## Section 12. Ecological information



## LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020 Page 12 of 17 Print Date 07/17/2020

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure			
Phenol, 4-methyl-, reaction pro	oducts with dicyclopentadiene and isol	butylene				
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic invertebrates.:	No applicable toxicity data					
Remarks - Acute - Aquatic plants:	No applicable toxicity data					
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic - Aquatic invertebrates.:	No applicable toxicity data					
Titanium dioxide						
	Acute LC50 > 1,000 Mg/l Marine water	Fish - Fish	96 h			
Remarks - Acute - Fish:	Acute	÷	•			
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h			
Remarks - Acute - Aquatic invertebrates.:	Acute					
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h			
Remarks - Acute - Aquatic invertebrates.:	Acute					
Remarks - Acute - Aquatic plants:	No applicable toxicity data					
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic - Aquatic invertebrates.:	No applicable toxicity data					
Conclusion/Summary	: Not available.					

#### Persistence and degradability

Conclusion/Summary

: Not available.

#### **Bioaccumulative potential**

Not available.

#### Mobility in soil

#### Soil/water partition coefficient : Not available. (KOC)

### LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020

#### Page 13 of 17 Print Date 07/17/2020

Other adverse effects

No known significant effects or critical hazards.

## Section 13. Disposal considerations

:

:

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

## Section 15. Regulatory information

U.S. Federal regulations	<ul> <li>United States - TSCA 12(b) - Chemical export notification of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not 1</li> </ul>	ed ed
	13/17	



## LX-1304 NATURAL MOLDING LATEX

Version Number 1.2	Page 14 of 17
Revision Date 07/16/2020	Print Date 07/17/2020

		<ul> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 5(a)2 - Final significant new use rules: Not listed</li> <li>United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(e) - Substances consent order: Not listed</li> <li>United States - TSCA 6 - Final risk management: Not listed</li> <li>United States - TSCA 6 - Proposed risk management: Not listed</li> <li>United States - TSCA 8(a) - Chemical risk rules: Not listed</li> <li>United States - TSCA 8(a) - Chemical risk rules: Not listed</li> <li>United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed</li> <li>United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined</li> <li>United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Ethoxylated octylphenol</li> <li>United States - TSCA 8(d) - Health and safety studies: Not listed</li> <li>United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Ziram</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed</li> <li>United States - Department of commerce - Precursor chemical: Not listed</li> </ul>
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential	:	Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

**Chemicals**)

Chemical Name	CAS-No.	RQ for component
---------------	---------	------------------



### LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020 Page 15 of 17 Print Date 07/17/2020

Ammonia, anhydrous	7664-41-7	100 lb(s) 45.4 kg
Ziram	137-30-4	4.54 kg 10 lb(s)

#### SARA 311/312

Classification

TOXIC TO REPRODUCTION - Fertility - Category 2 TOXIC TO REPRODUCTION - Unborn child - Category 2

#### **Composition/information on ingredients**

Name	%	Classification
Titanium dioxide	>= 1 - <= 3	CARCINOGENICITY - Category 2
Phenol, 4-methyl-, reaction	>= 0.3 - <= 1	TOXIC TO REPRODUCTION - Fertility - Category 2
products with		TOXIC TO REPRODUCTION - Unborn child - Category 2
dicyclopentadiene and		
isobutylene		

Not applicable.

State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: Titanium dioxide
Pennsylvania	: The following components are listed: Titanium dioxide

:

#### California Prop. 65

**WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b) : All components are active or exempted.



### LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020 Page 16 of 17 Print Date 07/17/2020

All components are listed or exempted. **Canada** inventory : **International regulations Inventory list** Australia Not determined. : Canada All components are listed or exempted. : China Not determined. : Not determined. **Europe inventory** : Not determined. Japan New Zealand Not determined. : **Philippines** Not determined. : **Republic of Korea** Not determined. : Taiwan Not determined. : Turkey Not determined. : **United States** All components are active or exempted. :

## Section 16. Other information

#### Hazardous Material Information System (U.S.A.)

Health	*	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>IIIStol y</u>		
Date of printing	:	07/17/2020
Date of issue/Date of revision	:	07/16/2020
Date of previous issue	:	03/04/2016
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		5
		Chemicals



### LX-1304 NATURAL MOLDING LATEX

Version Number 1.2 Revision Date 07/16/2020 Page 17 of 17 Print Date 07/17/2020

IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.