### Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016 Page 1 of 17 Print Date 12/07/2016

# SAFETY DATA SHEET

Geon<sup>TM</sup> V1818-81 GRAY

Section 1. Identification	on	
GHS product identifier		Geon <sup>™</sup> V1818-81 GRAY
Chemical name		Mixture
CAS number	:	Mixture
Other means of identification	:	FO20034445
Product type	:	liquid
<u>Relevant identified uses of the subs</u> Product use	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status :	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or : mixture	RESPIRATORY SENSITIZATION - Category 1

GHS label elements

# Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016 Page 2 of 17 Print Date 12/07/2016

<u>One</u>

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear respiratory protection. Avoid breathing vapor.
Response	:	IF INHALED: If breathing is difficult, remove person to fresh air and
		keep comfortable for breathing. If experiencing respiratory symptoms:
		Call a POISON CENTER or physician.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20034445

#### CAS number/other identifiers

Ingredient name	%	CAS number
Azodicarbonamide	1 - 3	123-77-3
Titanium dioxide	0.3 - 1	13463-67-7
Quartz	0.3 - 1	14808-60-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### There are no additional ingredients present which, within the current knowledge of the supplier and in the

ne.

# Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016 Page 3 of 17 Print Date 12/07/2016

concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints or symptoms, avoid further exposure.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed



### Geon™ V1818-81 GRAY

Version Number 1.7	
Revision Date 12/06/2016	

#### Page 4 of 17 Print Date 12/07/2016

#### Potential acute health effects No known significant effects or critical hazards. Eye contact : Inhalation May cause allergy or asthma symptoms or breathing difficulties if : inhaled. Skin contact No known significant effects or critical hazards. : Ingestion No known significant effects or critical hazards. : **Over-exposure signs/symptoms** Eye contact No specific data. : Inhalation Adverse symptoms may include the following: : wheezing and breathing difficulties asthma **Skin contact** No specific data. Ingestion No specific data. : Indication of immediate medical attention and special treatment needed, if necessary Notes to physician In case of inhalation of decomposition products in a fire, symptoms : may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. **Specific treatments** No specific treatment. : **Protection of first-aiders** No action shall be taken involving any personal risk or without : suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide



# Geon™ V1818-81 GRAY

Version Number 1.7	Page 5 of 17
Revision Date 12/06/2016	Print Date 12/07/2016

		carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters		Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	<ul> <li>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.</li> <li>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</li> </ul>
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ent and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste
	5/17

Ine

# Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016 Page 6 of 17 Print Date 12/07/2016

disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Quartz	OSHA PEL 1989 (1989-03-01) Calculated as Quartz
	PEL: Permissible Exposure Level 0.1 mg/m3 Form: Respirable dust
	OSHA - PEL Z3 (1997-09-03)
	Time Weighted Average (TWA) Form: Respirable



# Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016

	Time Weighted Average (TWA) 10 mg/m3Form: RespiralTime Weighted Average (TWA) 30 mg/m3Form: Total duNIOSH REL (1994-06-01)Time Weighted Average (TWA) 0.05 mg/m3Form: RespiralACGIH TLV (2005-12-09)TLV-TWA: Threshold Limit Value - Time weighted averagePermissible Exposure Level 0.025 mg/m3Form: Respirable	ble dust PEL:
Azodicarbonamide		
Titanium dioxide	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total du OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total du NIOSH REL (1994-06-01)	
	ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average Permissible Exposure Level 10 mg/m3	PEL:
Appropriate engineering controls Environmental exposure controls	<ul> <li>Use only with adequate ventilation. If user operations general fumes, gas, vapor or mist, use process enclosures, local exhat ventilation or other engineering controls to keep worker expension contaminants below any recommended or statutory</li> <li>Emissions from ventilation or work process equipment should</li> </ul>	ust osure to limits.
	checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume sci filters or engineering modifications to the process equipment necessary to reduce emissions to acceptable levels.	ubbers,
Individual protection measures		
Hygiene measures	: Wash hands, forearms and face thoroughly after handling che products, before eating, smoking and using the lavatory and a of the working period. Appropriate techniques should be user remove potentially contaminated clothing. Wash contaminate clothing before reusing. Ensure that eyewash stations and saf showers are close to the workstation location.	at the end d to ed
Eye/face protection	Safety eyewear complying with an approved standard should when a risk assessment indicates this is necessary to avoid ex liquid splashes, mists, gases or dusts. If contact is possible, th following protection should be worn, unless the assessment i higher degree of protection: safety glasses with side-shields. 7/17	aposure to



# Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016

**Skin protection** 

### Page 8 of 17 Print Date 12/07/2016

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	liquid [liquid]
Color		GREY
COIOI	:	01121
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.

ne

### Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016 Page 9 of 17 Print Date 12/07/2016

Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Azodicarbonamide			·	
	LD50 Oral	Rat	6,400 mg/kg	-
Quartz		•	· · · ·	•

**Conclusion/Summary** 

Mixture.Not fully tested.

:

#### Irritation/Corrosion



# Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016

Page 10 of 17 Print Date 12/07/2016

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin			fully tested.		
Eyes			fully tested.		
Respiratory	: N	lixture.Not	fully tested.		
<b>Sensitization</b>					
Conclusion/Summary Skin		livtura Not	fully tested.		
Skin Respiratory		Aixture.Not			
Respirator y	• 1	IIXture.not	fully tested.		
<b>Mutagenicity</b>					
Conclusion/Summary	: N	lixture.Not	fully tested.		
<b>Carcinogenicity</b>					
Conclusion/Summary Classification	: N	lixture.Not	fully tested.		
Product/ingredient name	OSHA	IARC	NTP		
Quartz		1	Known to	be a human car	cinogen.
Reproductive toxicity					
Conclusion/Summary	: N	lixture.Not	fully tested.		
<b>Teratogenicity</b>					
Conclusion/Summary	: N	lixture.Not	fully tested.		
Specific target organ toxici Not available.	ty (single exposi	<u>ıre)</u>			
Specific target organ toxici	ty (repeated exp	osure)			
Product/ingredient name Quartz	Category Category 1		Route of expos	ure Target o	organs

# Aspiration hazard Not available.



# Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016

### Page 11 of 17 Print Date 12/07/2016

Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation	:	No known significant effects or critical hazards. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical, cl	hemi	cal and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	Adverse symptoms may include the following: wheezing and breathing difficulties asthma
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects and a	also (	chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Once sensitized, a severe allergic reaction may occur when
Carcinogenicity	:	subsequently exposed to very low levels. No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

<u>One</u>

# Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016

Page 12 of 17 Print Date 12/07/2016

#### Acute toxicity estimates

Not available.

# Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			• <b>-</b>
	Acute LC50 > 1,000,000 μg/l	Fish - Fish	96 h
	Marine water		
	Acute LC50 > 1,000 mg/l Fresh water	Fish - Fish	96 h
	Acute LC50 > 1,000,000 μg/l	Fish - Fish	96 h
	Marine water		
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates.	48 h
	Acute Less 6.5 mg/11 tesh water	Daphnia	
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute EC50 35.306 mg/l Fresh	Aquatic invertebrates.	48 h
Conclusion/Summary	water : Not available.	Daphnia	

#### Persistence and degradability

**Conclusion/Summary** 

Not available.

:



### Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016 Page 13 of 17 Print Date 12/07/2016

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		-	low
Azodicarbonamide	1	-	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Consult mode specific transport rules
IMO/IMDG (maritime)	:	Consult mode specific transport rules



# Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016 Page 14 of 17 Print Date 12/07/2016

# Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Priority risk review: Not listed United States - TSCA 8(d) - Priority risk review: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer 2-Ethylhexanoic acid zinc salt United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed



### Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016 Page 15 of 17 Print Date 12/07/2016

# **DEA List II Chemicals (Essential** : Not listed **Chemicals**)

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Vinyl chloride monomer	75-01-4	1 lb(s) 0.454 kg

#### SARA 311/312

Classification

Immediate (acute) health hazard

#### **Composition/information on ingredients**

Name	%	Classification
Titanium dioxide	0.3 - 1	СН
Azodicarbonamide	1 - 3	AH
Quartz	0.3 - 1	СН
-		

#### SARA 313

Not applicable.

<u>State regulations</u> Massachusetts	:	None of the components are listed.
	:	
New York	•	None of the components are listed.
New Jersey	:	The following components are listed: Calcium carbonate
		Magnesium carbonate Quartz Ethene, chloro-, homopolymer
Pennsylvania	:	The following components are listed: Calcium carbonate
		Quartz

:

#### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b) : All components are listed or exempted.



# Geon™ V1818-81 GRAY

Version Number 1.7 Revision Date 12/06/2016 Page 16 of 17 Print Date 12/07/2016

Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	<ul> <li>Australia inventory (AICS): Not determined.</li> <li>Taiwan Chemical Substances Inventory (TCSI): Not determined.</li> <li>Malaysia Inventory (EHS Register): Not determined.</li> <li>EINECS: All components are listed or exempted.</li> <li>Japan inventory: Not determined.</li> <li>China inventory (IECSC): Not determined.</li> <li>Korea inventory: Not determined.</li> <li>New Zealand Inventory of Chemicals (NZIoC): Not determined.</li> <li>Philippines inventory (PICCS): Not determined.</li> </ul>
Chemical Weapons Convention List Schedule I Chemicals Chemical Weapons Convention List Schedule II Chemicals Chemical Weapons Convention List Schedule III Chemicals	: : :	Not listed Not listed Not listed

# Section 16. Other information

Hazardous Material Information System (U.S.A.) :

Health	*	1
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

**History** 

History		
Date of printing	:	12/07/2016
Date of issue/Date of revision	:	12/06/2016
Date of previous issue	:	11/10/2016
Version	:	1.7
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association

# Geon™ V1818-81 GRAY

Version Number	er 1.7
<b>Revision Date</b>	12/06/2016

### Page 17 of 17 Print Date 12/07/2016

IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.