

STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017 Page 1 of 16 Print Date 08/17/2017

SAFETY DATA SHEET

STAN-TONE HCC-35285 CBP 115 PLATINUM

| Section 1. Identification | | |
|--|-------|--|
| GHS product identifier Chemical name CAS number Other means of identification Product type | : | STAN-TONE HCC-35285 CBP 115 PLATINUM Mixture Mixture FO20034474 liquid |
| Relevant identified uses of the subs | tance | or mixture and uses advised against |
| Product use | : | Industrial applications. Plastics. |
| Supplier's details | : | POLYONE CORPORATION 1675 Navarre Road SW, Massillon, Ohio USA 44646 |
| | | 1 330 837 8679 |
| Emergency telephone number (with hours of operation) | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. Some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|---|---|
| Classification of the substance or mixture | : | CARCINOGENICITY - Category 1A |

GHS label elements



STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017 Page 2 of 16 Print Date 08/17/2017

| Hazard pictograms | : | |
|----------------------------------|---|--|
| Signal word | : | Danger |
| Hazard statements | : | May cause cancer. |
| Precautionary statements | | |
| General | : | Not applicable. |
| Prevention | : | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. |
| Response | : | IF exposed or concerned: Get medical attention. |
| Storage | : | Store locked up. |
| Disposal | : | Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |

Section 3. Composition/information on ingredients

Substance/mixture:MixtureChemical name:MixtureOther means of identification:FO20034474

CAS number/other identifiers

| Ingredient name | % | CAS number |
|------------------|---------|------------|
| Titanium dioxide | 10 - 30 | 13463-67-7 |
| | | |
| | | |
| Quartz | 0.1 - 1 | 14808-60-7 |
| | | |
| | | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017 Page 3 of 16 Print Date 08/17/2017

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
|--------------|---|---|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

| Potential acute health effects | | |
|--|---|--|
| Eye contact Inhalation Skin contact Ingestion | : | No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. |
| Over-exposure signs/symptoms Eye contact | : | No specific data. |
| | | 3/16 |



STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017 Page 4 of 16 Print Date 08/17/2017

| Inhalation | : | No specific data. |
|--------------|---|-------------------|
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |

Indication of immediate medical attention and special treatment needed, if necessary

| Notes to physician Specific treatments | : | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment. |
|---|---|--|
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known. |
|--|---|--|
| Specific hazards arising from the chemical Hazardous thermal decomposition products | : | In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides |
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures



STAN-TONE HCC-35285 CBP 115 PLATINUM

| Version Number 1.2 Revision Date 08/15/2017 | Page 5 of 16 Print Date 08/17/2017 |
|--|---|
| | |
| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containmen | t and cleaning up |
| Small spill | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

Precautions for safe handling

| Protective measures : | Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty |
|-----------------------|--|
|-----------------------|--|



STAN-TONE HCC-35285 CBP 115 PLATINUM

| Version Number 1.2 | Page 6 of 16 |
|--------------------------|-----------------------|
| Revision Date 08/15/2017 | Print Date 08/17/2017 |

| Advice on general occupational hygiene | : | containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated |
|---|---|---|
| | | clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|------------------|--|
| Quartz | OSHA PEL 1989 (1989-03-01) Calculated as Quartz |
| | PEL: Permissible Exposure Level 0.1 mg/m3 Form: Respirable dust |
| | OSHA PEL Z3 (1997-09-03) |
| | Time Weighted Average (TWA) Form: Respirable |
| | Time Weighted Average (TWA) 10 mg/m3 Form: Respirable |
| | Time Weighted Average (TWA) 30 mg/m3 Form: Total dust |
| | NIOSH REL (1994-06-01) |
| | Time Weighted Average (TWA) 0.05 mg/m3 Form: Respirable dust |
| | ACGIH TLV (2005-12-09) |
| | TLV-TWA: Threshold Limit Value - Time weighted average PEL: |
| | Permissible Exposure Level 0.025 mg/m3 Form: Respirable fraction |
| | OSHA PEL (2016-06-23) |
| | PEL: Permissible Exposure Level 0.05 mg/m3 Form: Respirable dust |
| | |
| Titanium dioxide | OSHA PEL 1989 (1989-03-01) |
| | PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust |
| | OSHA PEL (1993-06-30) |
| | PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust |
| | NIOSH REL (1994-06-01) |
| | |



STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017 Page 7 of 16 Print Date 08/17/2017

| | | ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3 |
|----------------------------------|---|--|
| Appropriate engineering controls | : | If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
| Environmental exposure controls | : | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | | |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety |
| Eye/face protection | : | showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be |
| Other skin protection | : | approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this |



STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017 Page 8 of 16 Print Date 08/17/2017

Respiratory protection

product.

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

:

Appearance

| Physical state | : | liquid [Paste.] |
|--|------------------|---|
| Color | : | GREY |
| Odor | : | Not available. |
| Odor threshold | : | Not available. |
| pH | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | • | Lower: Not available. |
| | • | |
| (flammable) limits | • | Upper: Not available. |
| | : | |
| (flammable) limits | : | Upper: Not available. |
| (flammable) limits Vapor pressure | · · · | Upper: Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density | · · · | Upper: Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility | · · · · | Upper: Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density | | Upper: Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water | : | Upper: Not available. Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- | | Upper: Not available. Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature | | Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water | | Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature | | Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. |

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|--|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will |
| | | 0/40 |

8/16



STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017

Page 9 of 16 Print Date 08/17/2017

| Conditions to avoid Incompatible materials | : | not occur. Keep away from extreme heat and oxidizing agents. Keep away from strong acids. Oxidizer. |
|---|---|--|
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------|---------------------|---------------|----------|
| Titanium dioxide | | | | |
| | LC50 Inhalation | Rat - Male | 6.82 Mg/l | 4 h |
| | LD50 Dermal | Rabbit | > 5,000 mg/kg | - |
| Conclusion/Summery | • Mixtu | re Not fully tested | | • |

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|-------------|----------------|-------------|----------|-------------|
| Titanium dioxide | Skin - Mild | Human | | 72 hrs | - |
| | irritant | | | | |
| Conclusion/Summary | | | | | |
| Skin | | lixture.Not fu | | | |
| Eyes | | lixture.Not fu | • | | |
| Respiratory | : N | lixture.Not fu | lly tested. | | |
| Sensitization | | | | | |
| Conclusion/Summary | | | | | |
| Skin | : N | lixture.Not fu | lly tested. | | |
| Respiratory | : N | lixture.Not fu | lly tested. | | |
| <u>Mutagenicity</u> | | | | | |
| Conclusion/Summary | : N | lixture.Not fu | lly tested. | | |
| Carcinogenicity | | | | | |



STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017 Page 10 of 16 Print Date 08/17/2017

| Product/ingredient | OSHA | IARC | NTP |
|---|------|----------------------------------|--------------------------------|
| name | | | |
| Quartz | | 1 | Known to be a human carcinogen |
| Titanium dioxide | | 2B | |
| Conclusion/Summary | : | Mixture.Not fu | lly tested. |
| Conclusion/Summary <u>Teratogenicity</u> | : | Mixture.Not fu | lly tested. |
| · | : | Mixture.Not fu Mixture.Not fu | |
| <u>Teratogenicity</u> | : | Mixture.Not fu | |

Product/ingredient name Category Route of exposure Target organs Quartz Category 1 Category 1 Category 1

| C | 8, - | | | | |
|--|--------------|-----------------|---------------------------|--------------|--|
| <u>Aspiration hazard</u> Not available. | | | | | |
| Information on likely routes exposure | of : | Not available. | | | |
| Potential acute health effects | | | | | |
| Eye contact | : | No known sig | nificant effects or criti | cal hazards. | |
| Inhalation | : | No known sig | nificant effects or criti | cal hazards. | |
| Skin contact | : | No known sig | nificant effects or criti | cal hazards. | |
| Ingestion | : | No known sig | nificant effects or criti | cal hazards. | |
| Symptoms related to the physical sector of th | sical, chemi | cal and toxicol | ogical characteristics | | |
| Eye contact | : | No specific da | ta. | | |
| Inhalation | : | No specific da | ta. | | |
| Skin contact | : | No specific da | ta. | | |
| Ingestion | : | No specific da | | | |
| | | | | | |

Delayed and immediate effects as well as chronic effects from short and long-term exposure



STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017 Page 11 of 16 Print Date 08/17/2017

Short term exposure **Potential immediate effects** Not available. : **Potential delayed effects** Not available. : Long term exposure Potential immediate effects Not available. : **Potential delayed effects** Not available. : Potential chronic health effects **Conclusion/Summary** Mixture.Not fully tested. : No known significant effects or critical hazards. General : May cause cancer. Risk of cancer depends on duration and level of Carcinogenicity : exposure. Mutagenicity No known significant effects or critical hazards. : Teratogenicity No known significant effects or critical hazards. : **Developmental effects** No known significant effects or critical hazards. : **Fertility effects** No known significant effects or critical hazards. :

Numerical measures of toxicity

Acute toxicity estimates

| Route | ATE value |
|-------|-----------------|
| Oral | 342,606.6 mg/kg |

Section 12. Ecological information

Toxicity

| Result | Species | Exposure |
|---------------------------------|---|---|
| | | |
| Acute LC50 > 1,000,000 μg/l | Fish - Fish | 96 h |
| Marine water | | |
| Acute LC50 > 1,000 mg/l Fresh | Fish - Fish | 96 h |
| water | | |
| Acute LC50 13 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| _ | Daphnia | |
| Acute LC50 6.5 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | Daphnia | |
| | Acute LC50 > 1,000,000 µg/l Marine water Acute LC50 > 1,000 mg/l Fresh water Acute LC50 13 mg/l Fresh water | Acute LC50 > 1,000,000 µg/l Fish - Fish Marine water Fish - Fish Acute LC50 > 1,000 mg/l Fresh water Fish - Fish Acute LC50 13 mg/l Fresh water Aquatic invertebrates. Daphnia Acute LC50 6.5 mg/l Fresh water Aquatic invertebrates. |



STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017

| Acute LC50 3 mg/l Fresh water | Aquatic invertebrates. | 48 h |
|----------------------------------|------------------------|------|
| | Crustaceans | |
| Acute LC50 15.9 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | Crustaceans | |
| Acute LC50 3.6 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | Crustaceans | |
| Acute LC50 11 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | Crustaceans | |
| Acute LC50 13.4 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | Crustaceans | |
| Acute EC50 27.8 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | Daphnia | |
| Acute EC50 19.3 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | Daphnia | |
| Acute EC50 35.306 mg/l Fresh | Aquatic invertebrates. | 48 h |
| water | Daphnia | |

Conclusion/Summary

: Not available.

Persistence and degradability

Conclusion/Summary

: Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-----|-----------|
| Titanium dioxide | | - | low |

Mobility in soil

| Soil/water partition coefficient | : | Not available. |
|----------------------------------|---|---|
| (KOC) | | |
| Other adverse effects | : | No known significant effects or critical hazards. |

Section 13. Disposal considerations

| Disposal methods | : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered |
|------------------|--|
| | 12/16 |



STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017 Page 13 of 16 Print Date 08/17/2017

when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : | Not regulated for transportation. |
|-----------------------------------|---|---------------------------------------|
| International Air ICAO/IATA | : | Consult mode specific transport rules |
| International Water IMO/IMDG | : | Consult mode specific transport rules |

Section 15. Regulatory information

| U.S. Federal regulations | : | United States - TSCA 12(b) - Chemical export notification: None of the components are listed. |
|--------------------------|---|--|
| | | United States - TSCA 4(a) - Final Test Rules: Not listed |
| | | United States - TSCA 4(a) - ITC Priority list: Not listed |
| | | United States - TSCA 4(a) - Proposed test rules: Not listed |
| | | United States - TSCA 4(f) - Priority risk review: Not listed |
| | | United States - TSCA 5(a)2 - Final significant new use rules: Not listed |
| | | United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed |
| | | United States - TSCA 5(e) - Substances consent order: Not listed |
| | | United States - TSCA 6 - Final risk management: Not listed |
| | | United States - TSCA 6 - Proposed risk management: Not listed |
| | | United States - TSCA 8(a) - Chemical risk rules: Not listed |
| | | United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed |
| | | United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined |
| | | United States - TSCA 8(a) - Preliminary assessment report |



STAN-TONE HCC-35285 CBP 115 PLATINUM

| Version Number 1.2 | Page 14 of 16 |
|--------------------------|-----------------------|
| Revision Date 08/15/2017 | Print Date 08/17/2017 |

(PAIR): Listed Poly(dimethylsiloxane)

United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

| Clean Air Act Section 112(b) | : | Not listed |
|-----------------------------------|---|------------|
| Hazardous Air Pollutants (HAPs) | | |
| Clean Air Act Section 602 Class I | : | Not listed |
| Substances | | |
| | : | Not listed |
| Substances | | |
| DEA List I Chemicals (Precursor | : | Not listed |
| Chemicals) | | |
| DEA List II Chemicals (Essential | : | Not listed |
| Chemicals) | | |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Delayed (chronic) health hazard

Composition/information on ingredients

| Name | % | Classification |
|------------------|---------|----------------|
| Quartz | 0.1 - 1 | СН |
| | | |
| Titanium dioxide | 10 - 30 | СН |
| | | |

SARA 313

Not applicable.



STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017

Page 15 of 16 Print Date 08/17/2017

| State regulations | |
|-------------------|--------------------------------------|
| Massachusetts : | None of the components are listed. |
| New York : | None of the components are listed. |
| New Jersey : | The following components are listed: |
| | Calcium carbonate |
| | Titanium dioxide |
| | Quartz |
| Pennsylvania : | The following components are listed: |
| | Calcium carbonate |
| | Titanium dioxide |

Quartz

<u>California Prop. 65</u> WARNING: This product contains a chemical known to the State of California to cause cancer.

| United States inventory (TSCA 8b) | : | All components are listed or exempted. |
|---|---|--|
| Canada inventory | : | At least one component is not listed in DSL but all such components are listed in NDSL. |
| International regulations | | |
| Inventory list | | |
| Australia Canada | : | All components are listed or exempted. At least one component is not listed in DSL but all such components are listed in NDSL. |
| China Europe inventory Japan New Zealand Philippines Republic of Korea Taiwan | | All components are listed or exempted. All components are listed or exempted. |
| Turkey United States | : | Not determined. All components are listed or exempted. |

Section 16. Other information

| Hazardous Material Information System (U.S.A.) : | | |
|--|---|---|
| Health | * | 1 |
| Flammability | | 0 |
| | | |



STAN-TONE HCC-35285 CBP 115 PLATINUM

Version Number 1.2 Revision Date 08/15/2017 Page 16 of 16 Print Date 08/17/2017

| Physical hazards | 0 |
|------------------|---|
| | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

| <u>History</u> | | |
|--------------------------------|---|--|
| Date of printing | : | 08/17/2017 |
| Date of issue/Date of revision | : | 08/15/2017 |
| Date of previous issue | : | 02/05/2016 |
| Version | : | 1.2 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| · | | BCF = Bioconcentration Factor |
| | | GHS = Globally Harmonized System of Classification and Labelling of |
| | | Chemicals |
| | | IATA = International Air Transport Association |
| | | IBC = Intermediate Bulk Container |
| | | IMDG = International Maritime Dangerous Goods |
| | | LogPow = logarithm of the octanol/water partition coefficient |
| | | MARPOL = International Convention for the Prevention of Pollution From |
| | | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine |
| | | pollution) |
| | | UN = United Nations |
| References | : | Not available. |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.