

SAFETY DATA SHEET

Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 1 of 18
Print Date 10/30/2015

SAFETY DATA SHEET

Geon™ DB5145 Red (LC338)

Section 1. Identification

GHS product identifier : Geon™ DB5145 Red (LC338)
 Chemical name : Mixture
 CAS number : Mixture
 Other means of identification : FO20035066
 Product type : liquid

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications. Plastics.

Supplier's details : **POLYONE CORPORATION**
 33587 Walker Road, Avon Lake, OH 44012

 1 (440) 930-1000 or 1 (866) POLYONE

Emergency telephone number (with hours of operation) : **CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).**CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B
 SKIN SENSITIZATION - Category 1
 CARCINOGENICITY - Category 1A

GHS label elements

SAFETY DATA SHEET

Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 2 of 18
Print Date 10/30/2015

Hazard pictograms**Signal word****Hazard statements**

- : Danger
- : Causes eye irritation.
- : May cause an allergic skin reaction.
- : May cause cancer.

Precautionary statements**General****Prevention****Response****Storage****Disposal****Supplemental label elements****Hazards not otherwise classified**

- : Not applicable.
- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Wear eye or face protection. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.
- : IF exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
- : Store in a well-ventilated place.
- : Dispose of contents and container in accordance with all local, regional, national and international regulations.
- : None known.
- : None known.

| |
|--|
| Section 3. Composition/information on ingredients |
|--|

Substance/mixture**Chemical name****Other means of identification**

- : Mixture
- : Mixture
- : FO20035066

CAS number/other identifiers

| Ingredient name | % | CAS number |
|---|---------|------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | 30 - 60 | 68515-48-0 |

SAFETY DATA SHEET


Geon™ DB5145 Red (LC338)

 Version Number 1.1
 Revision Date 10/29/2015

 Page 3 of 18
 Print Date 10/30/2015

| | | |
|--|---------|------------|
| | | |
| Dibasic lead phthalate, C ₈ H ₄ O ₆ Pb ₃ | 1 - 5 | 17976-43-1 |
| Bisphenol A - Epichlorohydrin polymer | 1 - 5 | 25068-38-6 |
| Molybdate orange (Lead chromate pigment) | 0.1 - 1 | 12656-85-8 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting

SAFETY DATA SHEET


Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 4 of 18
Print Date 10/30/2015

unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed
Potential acute health effects

- Eye contact** : Causes eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : May cause an allergic skin reaction.
- Ingestion** : May be irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
irritation
watering
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

SAFETY DATA SHEET


Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 5 of 18
Print Date 10/30/2015

Extinguishing media

- Suitable extinguishing media** : In case of fire, use water spray (fog), foam, dry chemical or CO₂.
- Unsuitable extinguishing media** : None known.
- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous thermal decomposition products** : May emit Hydrogen Chloride (HCl).
Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
halogenated compounds
metal oxide/oxides
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures
Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-

Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 6 of 18
Print Date 10/30/2015

Large spill

insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

- : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

- : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

- : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Geon™ DB5145 Red (LC338)

 Version Number 1.1
 Revision Date 10/29/2015

 Page 7 of 18
 Print Date 10/30/2015

Section 8. Exposure controls/personal protection
Control parameters
Occupational exposure limits

| Ingredient name | Exposure limits |
|--|---|
| Dibasic lead phthalate, C ₈ H ₄ O ₆ Pb ₃ | OSHA PEL 1989 (1989-03-01) measured as Pb PEL: Permissible Exposure Level 0.075 mg/m ³ ACGIH TLV (1995-05-23) measured as Pb TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.05 mg/m ³ |
| Molybdate orange (Lead chromate pigment) | OSHA PEL (1993-06-30) expressed as Mo PEL: Permissible Exposure Level 15 mg/m ³ Form: Total dust OSHA PEL (2006-11-27) expressed as Cr PEL: Permissible Exposure Level 0.005 mg/m ³ OSHA PEL Z2 (2006-11-27) Exposure limit value-ceiling concentration 0.001 mg/m ³ NIOSH REL (2010-09-01) expressed as Cr Time Weighted Average (TWA) 0.0002 mg/m ³ Time Weighted Average (TWA) 0.5 mg/m³ OSHA PEL 1989 (1989-03-01) Calculated as CrO₃ Exposure limit value-ceiling concentration 0.1 mg/m ³ OSHA PEL 1989 (1989-03-01) measured as Pb PEL: Permissible Exposure Level 0.075 mg/m ³ OSHA PEL 1989 (1989-03-01) expressed as Mo PEL: Permissible Exposure Level 10 mg/m ³ Form: Total dust OSHA PEL 1989 (1989-03-01) expressed as Cr PEL: Permissible Exposure Level 0.5 mg/m ³ ACGIH TLV (1995-05-23) measured as Pb TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.05 mg/m ³ ACGIH TLV (2001-02-22) expressed as Mo TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m ³ Form: Inhalable fraction TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 3 mg/m³ Form: Respirable fraction |

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

SAFETY DATA SHEET

**Geon™ DB5145 Red (LC338)**

Version Number 1.1
Revision Date 10/29/2015

Page 8 of 18
Print Date 10/30/2015

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SAFETY DATA SHEET


Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 9 of 18
Print Date 10/30/2015

Section 9. Physical and chemical properties

Appearance

| | |
|--|--|
| Physical state | : liquid [liquid] |
| Color | : RED |
| Odor | : Not available. |
| Odor threshold | : Not available. |
| pH | : Not available. |
| Melting point | : Not available. |
| Boiling point | : Not available. |
| Flash point | : Not available. |
| Burning time | : Not available. |
| Burning rate | : Not available. |
| Evaporation rate | : Not available. |
| Flammability (solid, gas) | : Not available. |
| Lower and upper explosive (flammable) limits | : Lower: Not available. Upper: Not available. |
| Vapor pressure | : Not available. |
| Vapor density | : Not available. |
| Relative density | : Not available. |
| Solubility | : Not available. |
| Solubility in water | : Not available. |
| Partition coefficient: n-octanol/water | : Not available. |
| Auto-ignition temperature | : Not available. |
| Decomposition temperature | : Not available. |
| SADT | : Not available. |
| Viscosity | : Dynamic: Not available. Kinematic: Not available. |

Section 10. Stability and reactivity

| | |
|------------------------------------|--|
| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
| Chemical stability | : Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : Keep away from extreme heat and oxidizing agents. |
| Incompatible materials | : Avoid contact with acetal homopolymers and acetyl homopolymers during processing. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

SAFETY DATA SHEET

Geon™ DB5145 Red (LC338)

 Version Number 1.1
 Revision Date 10/29/2015

 Page 10 of 18
 Print Date 10/30/2015

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects
Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|---|-----------|---------|--------------|----------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | | | | |
| | LD50 Oral | Rat | 10,000 mg/kg | - |
| Dibasic lead phthalate, C8H4O6Pb3 | | | | |
| Bisphenol A - Epichlorohydrin polymer | | | | |
| | LD50 Oral | Rat | 13,600 mg/kg | - |
| | LD50 Oral | Rat | 11,400 mg/kg | - |
| | LD50 Oral | Rat | 11,400 mg/kg | - |
| | LD50 Oral | Rat | 30,000 mg/kg | - |
| | LD50 Oral | Rat | 30,000 mg/kg | - |
| | LD50 Oral | Rat | 30,000 mg/kg | - |
| | LD50 Oral | Rat | 30,000 mg/kg | - |
| | LD50 Oral | Rat | 13,600 mg/kg | - |
| Molybdate orange (Lead chromate pigment) | | | | |

Conclusion/Summary : Mixture. Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---|--------------------------|---------|-------|----------|-------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | Eyes - Mild irritant | Rabbit | | | - |
| Bisphenol A - Epichlorohydrin polymer | Eyes - Mild irritant | Rabbit | | | - |
| | Eyes - Mild irritant | Rabbit | | | - |
| | Skin - Moderate irritant | Rabbit | | 24 hrs | - |
| | Skin - Severe irritant | Rabbit | | 24 hrs | - |
| | Eyes - Mild irritant | Rabbit | | | - |

Conclusion/Summary

SAFETY DATA SHEET

Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 11 of 18
Print Date 10/30/2015

Skin : Mixture.Not fully tested.
Eyes : Mixture.Not fully tested.
Respiratory : Mixture.Not fully tested.

Sensitization**Conclusion/Summary**

Skin : Mixture.Not fully tested.
Respiratory : Mixture.Not fully tested.

Mutagenicity**Conclusion/Summary**

: Mixture.Not fully tested.

Carcinogenicity**Conclusion/Summary**

: Mixture.Not fully tested.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|--|------|------|--|
| Dibasic lead phthalate, C8H4O6Pb3 | | | Reasonably anticipated to be a human carcinogen. |
| Molybdate orange (Lead chromate pigment) | + | 1 | |

Reproductive toxicity**Conclusion/Summary**

: Mixture.Not fully tested.

Teratogenicity**Conclusion/Summary**

: Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

SAFETY DATA SHEET

Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 12 of 18
Print Date 10/30/2015

| | | |
|---------------------|---|---|
| Eye contact | : | Causes eye irritation. |
| Inhalation | : | No known significant effects or critical hazards. |
| Skin contact | : | May cause an allergic skin reaction. |
| Ingestion | : | May be irritating to mouth, throat and stomach. |

Symptoms related to the physical, chemical and toxicological characteristics

| | | |
|---------------------|---|--|
| Eye contact | : | Adverse symptoms may include the following: irritation watering redness |
| Inhalation | : | No specific data. |
| Skin contact | : | Adverse symptoms may include the following: irritation redness |
| Ingestion | : | No specific data. |

Delayed and immediate effects and also chronic effects from short and long term exposure
Short term exposure

| | | |
|------------------------------------|---|----------------|
| Potential immediate effects | : | Not available. |
| Potential delayed effects | : | Not available. |

Long term exposure

| | | |
|------------------------------------|---|----------------|
| Potential immediate effects | : | Not available. |
| Potential delayed effects | : | Not available. |

Potential chronic health effects

| | | |
|------------------------------|---|---|
| Conclusion/Summary | : | Mixture. Not fully tested. |
| General | : | Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | : | May cause cancer. Risk of cancer depends on duration and level of exposure. |
| Mutagenicity | : | No known significant effects or critical hazards. |
| Teratogenicity | : | No known significant effects or critical hazards. |
| Developmental effects | : | No known significant effects or critical hazards. |
| Fertility effects | : | No known significant effects or critical hazards. |

Numerical measures of toxicity
Acute toxicity estimates

SAFETY DATA SHEET


Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 13 of 18
Print Date 10/30/2015

Not available.

Section 12. Ecological information

Toxicity

Conclusion/Summary : Not available.

Persistence and degradability

Conclusion/Summary : Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|---|-------------|----------|-----------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | 8.8 | 3.00 | low |
| Bisphenol A - Epichlorohydrin polymer | 2.64 - 3.78 | 31.00 | low |
| Molybdate orange (Lead chromate pigment) | | 3,600.00 | high |

Mobility in soil

Soil/water partition coefficient (KOC) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered

SAFETY DATA SHEET


Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 14 of 18
Print Date 10/30/2015

when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification : Not regulated for transportation.
ICAO/IATA : Consult mode specific transport rules
IMO/IMDG (maritime) : Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations :

- United States - TSCA 12(b) - Chemical export notification:** The following components are listed: **Molybdate orange (Lead chromate pigment)**
- United States - TSCA 4(a) - ITC Priority list:** Not listed
- United States - TSCA 4(a) - Proposed test rules:** Not listed
- United States - TSCA 5(a)2 - Final significant new use rules:** Not listed
- United States - TSCA 5(a)2 - Proposed significant new use rules:** Listed **Molybdate orange (Lead chromate pigment)**
- United States - TSCA 5(e) - Substances consent order:** Not listed
- United States - TSCA 6 - Proposed risk management:** Not listed
- United States - TSCA 8(a) - Chemical risk rules:** Not listed
- United States - TSCA 8(a) - Chemical Data Reporting (CDR):** Not determined
- United States - TSCA 8(a) - Preliminary assessment report (PAIR):** Listed **Dibasic lead phthalate, C8H4O6Pb3**
- United States - TSCA 8(c) - Significant adverse reaction (SAR):** Not listed
- United States - TSCA 8(d) - Health and safety studies:** Not listed
- United States - TSCA 4(a) - Final Test Rules:** Listed **1,2-**

SAFETY DATA SHEET


Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 15 of 18
Print Date 10/30/2015

Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich Diisodecyl phthalate

United States - TSCA 4(f) - Priority risk review: Not listed
United States - TSCA 6 - Final risk management: Listed
Molybdate orange (Lead chromate pigment)

United States - TSCA 8(a) - Dioxin/Furane precursor: Not listed
United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Dibasic lead phthalate, C₈H₄O₆Pb₃
Molybdate orange (Lead chromate pigment)
Diisodecyl phthalate
Antimony trioxide
Vinyl chloride monomer

United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed
United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed
United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed
United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b) : Listed
Hazardous Air Pollutants (HAPs)
Clean Air Act Section 602 Class I : Not listed
Substances
Clean Air Act Section 602 Class II : Not listed
Substances
DEA List I Chemicals (Precursor : Not listed
Chemicals)
DEA List II Chemicals (Essential : Not listed
Chemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification : Immediate (acute) health hazard
Delayed (chronic) health hazard

Composition/information on ingredients

| Name | % | Classification |
|-------|---|----------------|
| 15/18 | | |

SAFETY DATA SHEET

Geon™ DB5145 Red (LC338)

 Version Number 1.1
 Revision Date 10/29/2015

 Page 16 of 18
 Print Date 10/30/2015

| | | |
|---|---------|----|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | 30 - 60 | AH |
| Dibasic lead phthalate, C8H4O6Pb3 | 1 - 5 | CH |
| Bisphenol A - Epichlorohydrin polymer | 1 - 5 | AH |
| Molybdate orange (Lead chromate pigment) | 0.1 - 1 | CH |

SARA 313

| | Product name | CAS number | % |
|--|--|------------|---------|
| Form R - Reporting requirements | Dibasic lead phthalate, C8H4O6Pb3 | 17976-43-1 | 1 - 5 |
| | Molybdate orange (Lead chromate pigment) | 12656-85-8 | 0.1 - 1 |
| Supplier notification | Dibasic lead phthalate, C8H4O6Pb3 | 17976-43-1 | 1 - 5 |
| | Molybdate orange (Lead chromate pigment) | 12656-85-8 | 0.1 - 1 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations**Massachusetts**

- : The following components are listed:
Calcium carbonate

New York

- : None of the components are listed.

New Jersey

- : The following components are listed:
Ethene, chloro-, homopolymer
Calcium carbonate
Dibasic lead phthalate, C8H4O6Pb3
Molybdate orange (Lead chromate pigment)

Pennsylvania

- : The following components are listed:
Calcium carbonate

Dibasic lead phthalate, C8H4O6Pb3

Molybdate orange (Lead chromate pigment)

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

SAFETY DATA SHEET

Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 17 of 18
Print Date 10/30/2015

United States inventory (TSCA 8b) : All components are listed or exempted.

Canada inventory : All components are listed or exempted.

International regulations

International lists :

- Australia inventory (AICS):** Not determined.
- Taiwan inventory (CSNN):** All components are listed or exempted.
- EINECS:** All components are listed or exempted.
- Japan inventory:** Not determined.
- Korea inventory:** Not determined.
- New Zealand Inventory of Chemicals (NZIoC):** Not determined.
- Philippines inventory (PICCS):** Not determined.
- Malaysia Inventory (EHS Register):** Not determined.
- China inventory (IECSC):** Not determined.

Chemical Weapons Convention List Schedule I Chemicals : Not listed

Chemical Weapons Convention List Schedule II Chemicals : Not listed

Chemical Weapons Convention List Schedule III Chemicals : Not listed

Section 16. Other information

History

Date of printing : 10/30/2015

Date of issue/Date of revision : 10/29/2015

Date of previous issue : 05/18/2015

Version : 1.1

Key to abbreviations

: ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 UN = United Nations

References : Not available.

Notice to reader

SAFETY DATA SHEET



Geon™ DB5145 Red (LC338)

Version Number 1.1
Revision Date 10/29/2015

Page 18 of 18
Print Date 10/30/2015

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.