

SAFETY DATA SHEET

Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 1 of 21
Print Date 04/30/2016

SAFETY DATA SHEET

Geon™ B181C7PPG High Gloss PVC Clear

Section 1. Identification

GHS product identifier : Geon™ B181C7PPG High Gloss PVC Clear
Chemical name : Mixture
CAS number : Mixture
Other means of identification : FO20035543
Product type : liquid

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications. Plastics.

Supplier's details : **POLYONE CORPORATION**
 33587 Walker Road, Avon Lake, OH 44012
 1 (440) 930-1000 or 1 (866) POLYONE

Emergency telephone number (with hours of operation) : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : FLAMMABLE LIQUIDS - Category 4
 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
 SKIN SENSITIZATION - Category 1
 CARCINOGENICITY - Category 2


GHS label elements

SAFETY DATA SHEET


Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 2 of 21
Print Date 04/30/2016

- Hazard pictograms** :
- 
- Signal word** : Warning
- Hazard statements** :
- : Combustible liquid.
 - : Causes serious eye irritation.
 - : May cause an allergic skin reaction.
 - : Suspected of causing cancer.

Precautionary statements

- General** : Not applicable.
- Prevention** :
- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Keep away from flames and hot surfaces. - No smoking. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
- Response** :
- : IF exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
- Storage** : Store in a well-ventilated place. Keep cool.
- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Supplemental label elements** : None known.
- Hazards not otherwise classified** : None known.

Section 3. Composition/information on ingredients

- Substance/mixture** : Mixture
- Chemical name** : Mixture
- Other means of identification** : FO20035543

CAS number/other identifiers

Ingredient name	%	CAS number
-----------------	---	------------

SAFETY DATA SHEET


Geon™ B181C7PPG High Gloss PVC Clear

 Version Number 1.5
 Revision Date 04/29/2016

 Page 3 of 21
 Print Date 04/30/2016

Disulfurous acid, sodium salt (1:2)	1 - 3	7681-57-4
Bisphenol A - Epichlorohydrin polymer	2 - 3	25068-38-6
Sodium lauryl sulfate	1 - 3	151-21-3
Naphthalene	0.3 - 1	91-20-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person

SAFETY DATA SHEET


Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 4 of 21
Print Date 04/30/2016

feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed
Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : May cause an allergic skin reaction.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures
--

SAFETY DATA SHEET


Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 5 of 21
Print Date 04/30/2016

Extinguishing media

- Suitable extinguishing media** : Use dry chemical, CO₂, water spray (fog) or foam.
- Unsuitable extinguishing media** : Do not use water jet.
- Specific hazards arising from the chemical** : Combustible liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.
- Hazardous thermal decomposition products** : May emit Hydrogen Chloride (HCl).
Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
sulfur oxides
halogenated compounds
metal oxide/oxides
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures
Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

SAFETY DATA SHEET


Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 6 of 21
Print Date 04/30/2016

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage
Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage,** : Store in accordance with local regulations. Store in a segregated and

SAFETY DATA SHEET


Geon™ B181C7PPG High Gloss PVC Clear

 Version Number 1.5
 Revision Date 04/29/2016

 Page 7 of 21
 Print Date 04/30/2016

including any incompatibilities

approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection
Control parameters
Occupational exposure limits

Ingredient name	Exposure limits
Bisphenol A - Epichlorohydrin polymer	
Disulfurous acid, sodium salt (1:2)	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 5 mg/m ³ NIOSH REL (1994-06-01) Time Weighted Average (TWA) 5 mg/m ³ ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 5 mg/m ³
Sodium lauryl sulfate	NIOSH REL (2005-09-30)
Naphthalene	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 50 mg/m ³ 10 ppm Short Term Exposure Limit value for a 15-minute reference period expressed in parts per million or in mg/m³. 75 mg/m³ 15 ppm OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 50 mg/m ³ 10 ppm NIOSH REL (1994-06-01) Time Weighted Average (TWA) 50 mg/m ³ 10 ppm Short Term Exposure Limit value for a 15-minute reference period expressed in parts per million or in mg/m³. 75 mg/m³ 15 ppm

SAFETY DATA SHEET


Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 8 of 21
Print Date 04/30/2016

	ppm ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 52 mg/m ³ 10 ppm
--	---

- Appropriate engineering controls** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be

SAFETY DATA SHEET


Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 9 of 21
Print Date 04/30/2016

- Other skin protection** : approved by a specialist before handling this product.
: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

- Physical state** : liquid [liquid]
Color : NO PIGMENT
Odor : Not available.
Odor threshold : Not available.
pH : Not available.
Melting point : Not available.
Boiling point : Not available.
Flash point : 181 °F (83 °C)
- Burning time** : Not available.
Burning rate : Not available.
Evaporation rate : Not available.
Flammability (solid, gas) : Not available.
Lower and upper explosive (flammable) limits : **Lower:** Not available.
: **Upper:** Not available.
Vapor pressure : Not available.
Vapor density : Not available.
Relative density : Not available.
Solubility : Not available.
Solubility in water : Not available.
Partition coefficient: n-octanol/water : Not available.
Auto-ignition temperature : Not available.
Decomposition temperature : Not available.
SADT : Not available.
Viscosity : **Dynamic:** Not available.
: **Kinematic:** Not available.

Section 10. Stability and reactivity

SAFETY DATA SHEET

Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 10 of 21
Print Date 04/30/2016

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : Stable under recommended storage and handling conditions (see Section 7).
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
- Incompatible materials** : Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Reactive or incompatible with the following materials:
oxidizing materials
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Disulfurous acid, sodium salt (1:2)				
	LD50 Oral	Rat	1,131 mg/kg	-
Bisphenol A - Epichlorohydrin polymer				
	LD50 Oral	Rat	13,600 mg/kg	-
	LD50 Oral	Rat	11,400 mg/kg	-
	LD50 Oral	Rat	11,400 mg/kg	-
	LD50 Oral	Rat	30,000 mg/kg	-
	LD50 Oral	Rat	30,000 mg/kg	-
	LD50 Oral	Rat	30,000 mg/kg	-
	LD50 Oral	Rat	30,000 mg/kg	-
	LD50 Oral	Rat	13,600 mg/kg	-
Sodium lauryl sulfate				
	LD50 Oral	Rat	1,288 mg/kg	-
Naphthalene				
	LD50 Oral	Rat	490 mg/kg	-
	LD50 Dermal	Rabbit	20,000 mg/kg	-

Conclusion/Summary : Mixture. Not fully tested.

SAFETY DATA SHEET

Geon™ B181C7PPG High Gloss PVC Clear

 Version Number 1.5
 Revision Date 04/29/2016

 Page 11 of 21
 Print Date 04/30/2016
Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Disulfurous acid, sodium salt (1:2)	Eyes - Mild irritant	Rabbit		24 hrs	-
Bisphenol A - Epichlorohydrin polymer	Eyes - Mild irritant	Rabbit			-
	Eyes - Mild irritant	Rabbit			-
	Skin - Moderate irritant	Rabbit		24 hrs	-
	Skin - Severe irritant	Rabbit		24 hrs	-
	Eyes - Mild irritant	Rabbit			-
Sodium lauryl sulfate	Skin - Moderate irritant	Human		24 hrs	-
	Skin - Mild irritant	Human		2 hrs	-
	Skin - Mild irritant	Human		24 hrs	-
	Skin - Mild irritant	Human		24 hrs	-
	Skin - Moderate irritant	Mouse		24 hrs	-
	Skin - Mild irritant	Dog		24 hrs	-
	Skin - Moderate irritant	Rabbit		24 hrs	-
	Skin - Moderate irritant	Rabbit		24 hrs	-
	Skin - Mild irritant	Rabbit		24 hrs	-
	Eyes - Moderate irritant	Rabbit		24 hrs	-
	Skin - Mild irritant	Human		47 hrs	-

SAFETY DATA SHEET

Geon™ B181C7PPG High Gloss PVC Clear

 Version Number 1.5
 Revision Date 04/29/2016

 Page 12 of 21
 Print Date 04/30/2016

	Skin - Mild irritant	Human		22 hrs	-
	Skin - Mild irritant	Human		18 hrs	-
	Skin - Moderate irritant	Human		48 hrs	-
	Skin - Mild irritant	Human		504 hrs	-
	Eyes - Mild irritant	Rabbit			-
	Eyes - Moderate irritant	Rabbit			-
	Skin - Mild irritant	Pig		24 hrs	-
	Skin - Mild irritant	Guinea pig		24 hrs	-
	Skin - Mild irritant	Human		24 hrs	-
Naphthalene	Skin - Severe irritant	Rabbit		24 hrs	-
	Skin - Mild irritant	Rabbit			-

Conclusion/Summary

Skin : Mixture. Not fully tested.
Eyes : Mixture. Not fully tested.
Respiratory : Mixture. Not fully tested.

Sensitization**Conclusion/Summary**

Skin : Mixture. Not fully tested.
Respiratory : Mixture. Not fully tested.

Mutagenicity

Conclusion/Summary : Mixture. Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture. Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP

SAFETY DATA SHEET

Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 13 of 21
Print Date 04/30/2016

Naphthalene		2B	Reasonably anticipated to be a human carcinogen.
-------------	--	----	--

Reproductive toxicity

Conclusion/Summary : Mixture. Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture. Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : Causes serious eye irritation.
Inhalation : No known significant effects or critical hazards.
Skin contact : May cause an allergic skin reaction.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
 pain or irritation
 watering
 redness
Inhalation : No specific data.
Skin contact : Adverse symptoms may include the following:
 irritation
 redness
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure**Short term exposure**

Potential immediate effects : Not available.

SAFETY DATA SHEET

Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 14 of 21
Print Date 04/30/2016

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture. Not fully tested.

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Carcinogenicity : Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	40,205 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Disulfurous acid, sodium salt (1:2)			
	Acute LC50 32 mg/l Fresh water	Fish - Fish	96 h
Sodium lauryl sulfate			
	Acute EC50 1,200 µg/l Marine water	Fish - Fish	96 h
	Acute LC50 1,360 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 1,310 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 590 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 620 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 1,400 µg/l Fresh water	Aquatic invertebrates.	48 h

SAFETY DATA SHEET


Geon™ B181C7PPG High Gloss PVC Clear

 Version Number 1.5
 Revision Date 04/29/2016

 Page 15 of 21
 Print Date 04/30/2016

		Daphnia	
	Acute LC50 1,800 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 2.43 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 3,300 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 1.8 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 900 µg/l Marine water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 1,500 µg/l Marine water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 939 µg/l Marine water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 1.26 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 1,400 µg/l Marine water	Aquatic invertebrates. Crustaceans	48 h
	Acute EC50 2,400 µg/l Marine water	Aquatic plants - Algae	96 h
	Acute EC50 3.02 mg/l Marine water	Aquatic plants - Algae	96 h
	Acute EC50 1.75 mg/l Marine water	Aquatic plants - Algae	96 h
	Acute EC50 1,200 µg/l Marine water	Aquatic plants - Algae	96 h
	Acute EC50 1,900 µg/l Marine water	Aquatic plants - Algae	96 h
	Acute NOEC 1.25 mg/l Marine water	Aquatic plants - Algae	4 d
	Acute EC10 14.8 mg/l Fresh water	Aquatic plants - Algae	3 d
	Chronic NOEC > 1,357 µg/l Fresh water	Fish - Fish	42 d
	Chronic NOEC > 1,357 µg/l Fresh water	Fish - Fish	42 d
	Chronic NOEC 3.2 mg/l Fresh water	Aquatic invertebrates. Daphnia	21 d
	Chronic NOEC 4 mg/l Fresh water	Aquatic invertebrates. Crustaceans	21 d
	Chronic NOEC 1 mg/l Fresh water	Aquatic invertebrates. Crustaceans	21 d
	Chronic NOEC 1 mg/l Fresh water	Aquatic invertebrates. Crustaceans	21 d
	Chronic NOEC 4 mg/l Fresh water	Aquatic invertebrates.	21 d

SAFETY DATA SHEET

Geon™ B181C7PPG High Gloss PVC Clear

 Version Number 1.5
 Revision Date 04/29/2016

 Page 16 of 21
 Print Date 04/30/2016

		Crustaceans	
Naphthalene			
	Acute LC50 372 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 315 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 313 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 213 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 438 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 2,160 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 1.96 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 2.550 Mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 1,600 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 2,194 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 2,800 µg/l Marine water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 2.6 mg/l Marine water	Aquatic invertebrates. Crustaceans	48 h
	Acute EC50 5,960 µg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 3,930 µg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 2,350 µg/l Marine water	Aquatic invertebrates. Crustaceans	48 h
	Acute EC50 1.6 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h

Conclusion/Summary : Not available.

Persistence and degradability
Conclusion/Summary : Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Disulfurous acid, sodium salt (1:2)	-3.7	-	low
Bisphenol A - Epichlorohydrin polymer	2.64 - 3.78	31.00	low
Sodium lauryl sulfate	-2.03	-	low
Naphthalene	3.4	36.50	low

SAFETY DATA SHEET

Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 17 of 21
Print Date 04/30/2016

Mobility in soil

- Soil/water partition coefficient (KOC)** : Not available.
- Other adverse effects** : No known significant effects or critical hazards.

Section 13. Disposal considerations

- Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	
Proper Shipping Name:	PAINT, COMBUSTIBLE LIQUID
Technical Name:	
Hazard Class / Division	3
UN Number	UN1263
Packing Group	III
Label Required	3
ICAO/IATA	Consult mode specific transport rules

Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 18 of 21
Print Date 04/30/2016

IMO/IMDG (maritime)

Consult mode specific transport rules

Section 15. Regulatory information
U.S. Federal regulations

- : United States - TSCA 12(b) - Chemical export notification:** None of the components are listed.
- United States - TSCA 4(a) - Final Test Rules:** Listed **Diisodecyl phthalate**
- United States - TSCA 4(a) - ITC Priority list:** Not listed
- United States - TSCA 4(a) - Proposed test rules:** Not listed
- United States - TSCA 4(f) - Priority risk review:** Not listed
- United States - TSCA 5(a)2 - Final significant new use rules:** Not listed
- United States - TSCA 5(a)2 - Proposed significant new use rules:** Not listed
- United States - TSCA 6 - Final risk management:** Not listed
- United States - TSCA 6 - Proposed risk management:** Not listed
- United States - TSCA 8(a) - Chemical risk rules:** Not listed
- United States - TSCA 8(a) - Dioxin/Furane precursor:** Not listed
- United States - TSCA 8(a) - Chemical Data Reporting (CDR):** Not determined
- United States - TSCA 8(a) - Preliminary assessment report (PAIR):** Listed **Naphthalene**
Disulfurous acid, sodium salt (1:2)
Heptane
- United States - TSCA 8(c) - Significant adverse reaction (SAR):** Not listed
- United States - TSCA 8(d) - Health and safety studies:** Not listed
- United States - TSCA 5(e) - Substances consent order:** Not listed
- United States - EPA Clean water act (CWA) section 307 - Priority pollutants:** Listed **Miscellaneous Zinc Compounds**
Diisodecyl phthalate
Naphthalene
- United States - EPA Clean water act (CWA) section 311 - Hazardous substances:** Listed
- United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances:** Not listed
- United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances:** Not listed
- United States - Department of commerce - Precursor chemical:** Not listed

SAFETY DATA SHEET

Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 19 of 21
Print Date 04/30/2016

Clean Air Act Section 112(b) : Not listed
 Hazardous Air Pollutants (HAPs)
 Clean Air Act Section 602 Class I Substances : Not listed
 Clean Air Act Section 602 Class II Substances : Not listed
 DEA List I Chemicals (Precursor Chemicals) : Not listed
 DEA List II Chemicals (Essential Chemicals) : Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Naphthalene	91-20-3	100 lb(s) 45.4 kg

SARA 311/312

Classification : Fire hazard
 Immediate (acute) health hazard
 Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	Classification
Disulfurous acid, sodium salt (1:2)	1 - 3	AH
Bisphenol A - Epichlorohydrin polymer	2 - 3	AH
Sodium lauryl sulfate	1 - 3	AH
Naphthalene	0.3 - 1	AH, CH

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Naphthalene	91-20-3	0.3 - 1
	Miscellaneous Barium Compounds		1 - 3
Supplier notification	Naphthalene	91-20-3	0.3 - 1

SAFETY DATA SHEET


Geon™ B181C7PPG High Gloss PVC Clear

 Version Number 1.5
 Revision Date 04/29/2016

 Page 20 of 21
 Print Date 04/30/2016

	Miscellaneous Barium Compounds	1 - 3
--	--------------------------------	-------

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

- Massachusetts** : The following components are listed:
 Disulfurous acid, sodium salt (1:2)
 Miscellaneous Barium Compounds
- New York** : The following components are listed:
 Naphthalene
- New Jersey** : The following components are listed:
 Disulfurous acid, sodium salt (1:2)
 Ethene, chloro-, homopolymer
 Miscellaneous Barium Compounds
 Naphthalene
- Pennsylvania** : The following components are listed:
 Diisodecyl phthalate
- Miscellaneous Barium Compounds
- Naphthalene
- Disulfurous acid, sodium salt (1:2)

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

United States inventory (TSCA 8b) : All components are listed or exempted.

Canada inventory : All components are listed or exempted.

International regulations

- International lists** :
- Australia inventory (AICS):** Not determined.
 - Taiwan inventory (CSNN):** Not determined.
 - Malaysia Inventory (EHS Register):** Not determined.
 - EINECS:** Not determined.
 - Japan inventory:** Not determined.
 - China inventory (IECSC):** Not determined.
 - New Zealand Inventory of Chemicals (NZIoC):** Not determined.
 - Philippines inventory (PICCS):** Not determined.
 - Korea inventory:** Not determined.

SAFETY DATA SHEET

Geon™ B181C7PPG High Gloss PVC Clear

Version Number 1.5
Revision Date 04/29/2016

Page 21 of 21
Print Date 04/30/2016

**Chemical Weapons Convention
List Schedule I Chemicals** : Not listed
**Chemical Weapons Convention
List Schedule II Chemicals** : Not listed
**Chemical Weapons Convention
List Schedule III Chemicals** : Not listed

Section 16. Other information**History**

Date of printing : 04/30/2016
Date of issue/Date of revision : 04/29/2016
Date of previous issue : 12/31/2015
Version : 1.5

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of
Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution
From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
pollution)
UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.