Geon™ V1638-31 Cream Yellow

Version Number 1.4 Revision Date 02/19/2018 Page 1 of 16 Print Date 02/20/2018

SAFETY DATA SHEET

GeonTM V1638-31 Cream Yellow

Section 1. Identification		
GHS product identifier	:	Geon [™] V1638-31 Cream Yellow
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20035791
Product type	:	liquid
<u>Relevant identified uses of the subs</u> Product use	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/16

Geon[™] V1638-31 Cream Yellow

Version Number 1.4 Revision Date 02/19/2018 Page 2 of 16 Print Date 02/20/2018

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20035791

CAS number/other identifiers

Ingredient name	%	CAS number
Quartz	0.3 - 1	14808-60-7
Titanium dioxide	0.3 - 1	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.



Geon™ V1638-31 Cream Yellow

Version Number 1.4	Page 3 of 16
Revision Date 02/19/2018	Print Date 02/20/2018

		Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable
		for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at
		rest in a position comfortable for breathing. If material has been
		swallowed and the exposed person is conscious, give small quantities
		of water to drink. Do not induce vomiting unless directed to do so by
		medical personnel. Get medical attention if symptoms occur.
		clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u>	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	ntio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ .
Unsuitable extinguishing media	:	None known.



Geon™ V1638-31 Cream Yellow

Version Number 1.4	Page 4 of 16
Revision Date 02/19/2018	Print Date 02/20/2018

Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material
4/16		

vOne

Geon™ V1638-31 Cream Yellow

Version Number 1.4 Revision Date 02/19/2018 Page 5 of 16 Print Date 02/20/2018

e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3



Geon™ V1638-31 Cream Yellow

Version Number 1.4 Revision Date 02/19/2018

Quartz	OSHA PEL 1989 (1989-03-01) Calculated as Quartz
	PEL: Permissible Exposure Level 0.1 mg/m3 Form: Respirable dust OSHA PEL Z3 (1997-09-03)
	Time Weighted Average (TWA) Form: Respirable
	Time Weighted Average (TWA) 10 mg/m3 Form: Respirable
	Time Weighted Average (TWA) 30 mg/m3 Form: Total dust
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 0.05 mg/m3 Form: Respirable dust
	ACGIH TLV (2005-12-09)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.025 mg/m3 Form: Respirable fraction
	OSHA PEL (2016-06-23)
	PEL: Permissible Exposure Level 0.05 mg/m3 Form: Respirable dust
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker
	exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be
	checked to ensure they comply with the requirements of
	environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be
	necessary to reduce emissions to acceptable levels.
	necessary to reduce emissions to deceptuble revers.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical
	products, before eating, smoking and using the lavatory and at the end
	of the working period. Appropriate techniques should be used to
	remove potentially contaminated clothing. Wash contaminated
	clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	 Safety eyewear complying with an approved standard should be used
Ly chuce protection	when a risk assessment indicates this is necessary to avoid exposure to
	liquid splashes, mists, gases or dusts. If contact is possible, the
	following protection should be worn, unless the assessment indicates a
	higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved
*	standard should be worn at all times when handling chemical products
	if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based
	on the task being performed and the risks involved and should be
Other skin protection	approved by a specialist before handling this product.Appropriate footwear and any additional skin protection measures
	6/16

vOne

Geon™ V1638-31 Cream Yellow

Version Number 1.4	Page 7 of 16
Revision Date 02/19/2018	Print Date 02/20/2018

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid
Color	:	YELLOW
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
	:	Upper: Not available. Not available.
(flammable) limits	:	
(flammable) limits Vapor pressure	:	Not available.
(flammable) limits Vapor pressure Vapor density	:	Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	•	Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-		Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	:	Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	:	Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	:	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: Stable under recommended storage and handling conditions (see
	7/40

7/16



Geon™ V1638-31 Cream Yellow

Version Number 1.4 Revision Date 02/19/2018 Page 8 of 16 Print Date 02/20/2018

		Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will
		not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
products		products should not be produced.
		Prolonged heating may result in product degradation. As a general
		rule of thumb, degradation begins to occur after one hour at 177 °C
		(350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at
		232 °C (450 °F). Do not use this pigment in polymers at temperatures
		over 200°C (392°F). Decomposition of diarylide pigments in
		polymers at temperatures over 200°C (392°F) may produce trace
		amounts of monoazo dyes, which in turn can decompose to produce
		aromatic amines. The amount and type of degradation products
		formed depend on the dwell time, formulation and processing
		conditions as well as temperature. As conditions become more severe,
		as when temperatures move into the 240-300°C (464-572°F) range,
		trace quantities of 3,3'-dichlorobenzidine can be generated. 3,3'-
		dichlorobenzidine is classified as a suspect carcinogen by NTP and
		IARC, is classified as Acute Toxicity category 4 and Carcinogen
		Category 1B according to 1272/2008EC (CLP), and is regulated by
		OSHA as a suspect carcinogen. In order to avoid the generation of
		and exposure to 3,3'-dichlorobenzidine, do not use diarylide pigments
		in polymers when temperatures exceed 200° C (392° F). Handle with
		care. Organic dusts have the potential to be explosive with static
		spark or flame initiation.
		spark of france infration.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Remarks - Oral:	No applicable toxic	city data				
Remarks - Inhalation:	No applicable toxic	No applicable toxicity data				
Remarks - Dermal:	No applicable toxicity data					
Titanium dioxide						
Remarks - Oral:	No applicable toxicity data					
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
		0/16				



Geon™ V1638-31 Cream Yellow

Version Number 1.4 Revision Date 02/19/2018

Page 9 of 16 Print Date 02/20/2018

	LD50 Dermal	Rabbit	:	> 5,000 mg/kg	-
Conclusion/Summary	: Mixture.Not fully tested.				
Irritation/Corrosion					
Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-
Conclusion/Summary					
Skin Eyes		ixture.Not ful ixture.Not ful			
Respiratory		ixture.Not ful			
Sensitization					
Conclusion/Summary Skin	. M	intuno Not ful	ly tostad		
Respiratory		ixture.Not ful ixture.Not ful			
Mutagenicity			5		
Conclusion/Summary	: M	ixture.Not ful	ly tested.		
<u>Carcinogenicity</u>					
Conclusion/Summary <u>Classification</u>	: M	ixture.Not ful	ly tested.		
Product/ingredient name	OSHA	IARC	NTP		
Quartz		1	Known to	be a human carcir	logen.
Titanium dioxide		2B			
<u>Reproductive toxicity</u>					
Conclusion/Summary	: M	ixture.Not ful	ly tested.		
Teratogenicity					
Conclusion/Summary	: M	ixture.Not ful	ly tested.		
Specific target organ toxicity Not available.	y (single exposu	<u>re)</u>			
Specific target organ toxicity				L	
Product/ingredient name	Category	R	oute of exposi	ure Target org	gans



Geon™ V1638-31 Cream Yellow

Version Number 1.4 Revision Date 02/19/2018

Page 10 of 16 Print Date 02/20/2018

Quartz	Category 1			
Aspiration hazard Not available.				
Information on likely routes exposure	of : N	ot available		
Potential acute health effects				
Eye contact			gnificant effects or criti	
Inhalation			gnificant effects or criti	
Skin contact			gnificant effects or criti	
Ingestion	: N	o known si	gnificant effects or criti	cal hazards.
Symptoms related to the phy	sical, chemical	and toxicol	ogical characteristics	
Eye contact	: N	o specific d	ata.	
Inhalation	: N	o specific d	ata.	
Skin contact	: N	o specific d	ata.	
Ingestion	: N	o specific d	ata.	
Delayed and immediate effec	ts as well as ch	ronic effect	s from short and long	-term exposure
Delayed and immediate effect	ts as well as ch	ronic effect	s from short and long	- <u>term exposure</u>
Short term exposure				-term exposure
<u>Short term exposure</u> Potential immediate effects	: N	ot available		<u>-term exposure</u>
Short term exposure	: N			- <u>term exposure</u>
<u>Short term exposure</u> Potential immediate effects	: N	ot available		<u>-term exposure</u>
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u>	: N : N	lot available lot available		<u>-term exposure</u>
<u>Short term exposure</u> Potential immediate effects Potential delayed effects	: N : N : N	ot available		<u>-term exposure</u>
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u> Potential immediate effects	: N : N : N : N	(ot available (ot available (ot available		<u>-term exposure</u>
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effects	: N : N : N : N	fot available fot available fot available fot available		<u>-term exposure</u>
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential chronic health effectsConclusion/Summary	: N : N : N : N : N	fot available fot available fot available fot available fixture.Not	s. s. fully tested.	
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential chronic health effeConclusion/SummaryGeneral	: N : N : N : N : N : N : N	fot available fot available fot available fot available fixture.Not fo known si	s. s. fully tested. gnificant effects or criti	cal hazards.
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential delayed effectsPotential chronic health effeConclusion/SummaryGeneral Carcinogenicity	: N : N : N : N : N : N : N : N	ot available ot available ot available ot available fixture.Not o known si o known si	s. s. fully tested. gnificant effects or criti gnificant effects or criti	cal hazards. cal hazards.
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential chronic health effeConclusion/SummaryGeneralCarcinogenicityMutagenicity	: N : N : N : N : N : N : N : N : N	ot available ot available ot available ot available fixture.Not o known si o known si	fully tested. gnificant effects or critignificant effects or critignificant effects or critignificant effects or criti	cal hazards. cal hazards. cal hazards. cal hazards.
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential delayed effectsPotential chronic health effeConclusion/SummaryGeneral Carcinogenicity	: N : N : N : N : N : N : N : N : N : N	ot available ot available ot available ot available fixture.Not o known si o known si o known si	s. s. fully tested. gnificant effects or criti gnificant effects or criti	cal hazards. cal hazards. cal hazards. cal hazards. cal hazards.

<u>One</u>

Geon™ V1638-31 Cream Yellow

Version Number 1.4 Revision Date 02/19/2018

Page 11 of 16 Print Date 02/20/2018

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Quartz			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide		-	1
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute	1	1
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Conclusion/Summary	: Not available.		

Not available.

Persistence and degradability

Geon™ V1638-31 Cream Yellow

Version Number 1.4 Revision Date 02/19/2018 Page 12 of 16 Print Date 02/20/2018

 Conclusion/Summary
 : Not available.

 Bioaccumulative potential
 Not available.

<u>Mobility in soil</u>

Soil/water partition coefficient	:	Not available.
(KOC) Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water	:	Consult mode specific transport rules

P<u>olyOne</u>

Geon™ V1638-31 Cream Yellow

Version Number 1.4 Revision Date 02/19/2018 Page 13 of 16 Print Date 02/20/2018

IMO/IMDG

Section 15. Regulatory information

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(a) - Priority list: Not listed United States - TSCA 4(a) - Priority risk review: Not listed United States - TSCA 4(a) - Priority risk review: Not listed United States - TSCA 5(a) - Priority risk review: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed 2-Ethylhexanoic acid zinc salt Vinyl chloride monomer United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not list
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances	:	Listed Not listed

he

Geon™ V1638-31 Cream Yellow

Version Number 1.4 Revision Date 02/19/2018

Page 14 of 16 Print Date 02/20/2018

Clean Air Act Section 602 Class II	:	Not listed
Substances		
	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component	
Vinyl chloride monomer	75-01-4	1 lb(s) 0.454 kg	

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Quartz	0.3 - 1	СН
Titanium dioxide	0.3 - 1	СН

SARA 313 Not applicable.

<u>State regulations</u> Massachusetts New York New Jersey Pennsylvania	: :	None of the components are listed. None of the components are listed. The following components are listed: Quartz Titanium dioxide Calcium carbonate Ethene, chloro-, homopolymer The following components are listed: Quartz
		Titanium dioxide
		Calcium carbonate
<u>California Prop. 65</u>		



Geon™ V1638-31 Cream Yellow

Version Number 1.4	Page 15 of 16
Revision Date 02/19/2018	Print Date 02/20/2018

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	Not determined.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	02/20/2018
Date of issue/Date of revision	:	02/19/2018
Date of previous issue	:	12/29/2016



Geon™ V1638-31 Cream Yellow

Version Number 1.4	Page 16 of 16
Revision Date 02/19/2018	Print Date 02/20/2018

Version	:	1.4
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
References	:	UN = United Nations Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.