### AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 1 of 18 Print Date 12/08/2018

# SAFETY DATA SHEET

#### AM100 BLUE (BLUE IMP)

Section 1. Identification	on	
GHS product identifier	:	AM100 BLUE (BLUE IMP)
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20036031
Product type	:	liquid
Relevant identified uses of the subs	stance	e or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

### Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	FLAMMABLE LIQUIDS - Category 2 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A

#### **GHS label elements**

## AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 2 of 18 Print Date 12/08/2018

<u>PolyOne</u>.

Hazard pictograms	:	
Signal word Hazard statements	:	Danger Highly flammable liquid and vapor. Causes serious eye irritation. Causes skin irritation.
Precautionary statements		
General Prevention Response	:	Not applicable. Wear protective gloves. Wear eye or face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical, ventilating, lighting and all material-handling equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Keep container tightly closed. Wash hands thoroughly after handling. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye
Storage Disposal Supplemental label elements Hazards not otherwise classified	::	irritation persists: Get medical attention. Store in a well-ventilated place. Keep cool. Dispose of contents and container in accordance with all local, regional, national and international regulations. None known. None known.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20036031

#### CAS number/other identifiers

Ingredient name	%	CAS number
Methyl ethyl ketone	50 - 75	78-93-3



### AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 3 of 18 Print Date 12/08/2018

Titanium dioxide	0 - 0.3	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.



## AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018

Potential acute health effects

Page 4 of 18 Print Date 12/08/2018

#### Most important symptoms/effects, acute and delayed

i otentiai acute neartii cireets		
Eye contact Inhalation Skin contact Ingestion	::	Causes serious eye irritation. No known significant effects or critical hazards. Causes skin irritation. No known significant effects or critical hazards.
<b>Over-exposure signs/symptoms</b>		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Indication of immediate medical at	tentio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## **Section 5. Firefighting measures**

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	Use dry chemical, $CO_2$ , water spray (fog) or foam. Do not use water jet.
Specific hazards arising from the chemical	:	Highly flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.



## AM100 BLUE (BLUE IMP)

Version Number 1.4	Page 5 of 18
Revision Date 11/07/2018	Print Date 12/08/2018

Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire- exposed containers cool.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ent a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Use spark- proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Use spark- proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or
		5/18

me

### AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 6 of 18 Print Date 12/08/2018

confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### **Section 7. Handling and storage**

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls/personal protection



## AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 7 of 18 Print Date 12/08/2018

#### **Control parameters**

**Occupational exposure limits** 

Ingredient name		Exposure limits		
Titanium dioxide		OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3		
Methyl ethyl ketone		OSHA PEL 1989 (1989-03-01) TWA 590 mg/m3 200 ppm STEL 885 mg/m3 300 ppm OSHA PEL (1993-06-30) TWA 590 mg/m3 200 ppm NIOSH REL (1994-06-01) TWA 590 mg/m3 200 ppm STEL 885 mg/m3 300 ppm ACGIH TLV (1994-09-01) TWA 590 mg/m3 200 ppm STEL 885 mg/m3 300 ppm		
Appropriate engineering controls Environmental exposure controls	:	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
Individual protection measures				
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		

<u>PolyOne</u>

## AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018	Page 8 of 18 Print Date 12/08/2018
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product., When there is a risk of ignition from static electricity, wear anti-static protective clothing., For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	<ul> <li>Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.</li> </ul>

## Section 9. Physical and chemical properties

#### **Appearance**

Physical state Color	:	liquid [liquid] BLUE
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Closed cup: $-9 \degree C (16 \degree F)$

lyOne.

### AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 9 of 18 Print Date 12/08/2018

Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
·		Kinematic: Not available.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing. Reactive or incompatible with the following materials: oxidizing materials
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects



## AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 10 of 18 Print Date 12/08/2018

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Titanium dioxide						
Remarks - Oral:	No applicable toxi	city data				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
Methyl ethyl ketone						
	LD50 Oral	Rat	2,737 mg/kg	-		
<b>Remarks - Inhalation:</b>	No applicable toxicity data					
	LD50 Dermal	Rabbit	6,480 mg/kg	-		
Conclusion/Summary	: Mixture.Not fully tested.					

\_\_\_\_\_**j** 

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation	
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-	
Methyl ethyl ketone	Skin - Mild irritant	Rabbit		24 hrs	-	
	Skin - Moderate irritant	Rabbit		24 hrs	-	
	Skin - Mild irritant	Rabbit		24 hrs	-	
Conclusion/Summary	•	•				
Skin		lixture.Not ful				
Eyes		lixture.Not ful				
Respiratory	: Mixture.Not fully tested.					
<b>Sensitization</b>						
<b>Conclusion/Summary</b>						
Skin		lixture.Not ful				
Respiratory	: N	lixture.Not ful	ly tested.			
<b>Mutagenicity</b>						
Conclusion/Summary	: N	lixture.Not ful	ly tested.			
<b>Carcinogenicity</b>						
Conclusion/Summary Classification	: N	lixture.Not ful	ly tested.			
Product/ingredient	OSHA	IARC	NTP			
¥		10/18	3			



## AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 11 of 18 Print Date 12/08/2018

name				
Titanium dioxide		2B		
	•	•		
<b><u>Reproductive toxicity</u></b>				
<u> </u>				
Conclusion/Summary	:	Mixture.Not fully t	ested	
Sourceasion, Summary	•	ininitial control fully t	estea.	
<b>Teratogenicity</b>				
<u>i ci atogement y</u>				
Conclusion/Summary	:	Mixture.Not fully t	ested	
Conclusion/Summary	•	WIIXture. Not fully t	ested:	
Specific target angen torisity	(gingle or	(uno)		
Specific target organ toxicity Not available.	(single expo	<u>isure)</u>		
mot available.				
	. ( 4 - 1			
Specific target organ toxicity	(repeated e	<u>xposure)</u>		
Not available.				
Aspiration hazard				
Not available.				
	_			
Information on likely routes	of :	Not available.		
exposure				
Potential acute health effects				
Eye contact	:	Causes serious eye	irritation.	
Inhalation	:		ant effects or critical hazards.	
Skin contact	:	Causes skin irritatio		
Ingestion	:		ant effects or critical hazards.	
0				
Symptoms related to the phys	sical, chemic	al and toxicological	l characteristics	
Symptoms readed to the phys	seeing enterinte	and vomeorogica		
Eye contact	:	Adverse symptoms	may include the following:	
Lyccontact	•	pain or irritation	ma, menute the following.	
		watering		
		redness		
Inholotion				
Inhalation	:	No specific data.		
Skin contact	:	• •	may include the following:	
		irritation		
		redness		
Ingestion	:	No specific data.		
<b>Delayed and immediate effect</b>	ts as well as	chronic effects fron	n short and long-term exposure	

#### Short term exposure

P<u>olyOne</u>

### AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 12 of 18 Print Date 12/08/2018

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.

#### Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	5,308.6 mg/kg

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
Remarks - Acute - Aquatic	Acute		



### AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018

Page 13 of 18 Print Date 12/08/2018

invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Methyl ethyl ketone			
	Acute LC50 3,220 Mg/l Fresh	Fish - Fish	96 h
	water		
<b>Remarks - Acute - Fish:</b>	Acute		
	Acute EC50 5.091 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			-
	Acute EC50 > 500 Mg/l Marine	Aquatic plants - Algae	96 h
	water		
Remarks - Acute - Aquatic	Acute		
plants:			
<b>Remarks - Chronic - Fish:</b>	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Conclusion/Summary	Not available.		

**Conclusion/Summary** 

Not available.

#### **Persistence and degradability**

**Conclusion/Summary** Not available. :

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Methyl ethyl ketone	0.29	-	low

#### **Mobility in soil**

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

:

## Section 13. Disposal considerations

**Disposal methods** 

The generation of waste should be avoided or minimized wherever

13/18

### AM100 BLUE (BLUE IMP)

Version Number 1.4	
Revision Date 11/07/2018	

#### Page 14 of 18 Print Date 12/08/2018

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### United States - RCRA Acute hazardous waste "P" List: Not listed

#### United States - RCRA Toxic hazardous waste "U" List: Listed

Ingredient	CAS #	Status	<b>Reference number</b>
Methyl ethyl ketone	78-93-3	Listed	

### Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water Proper Shipping Name: Technical Name:	Resin solution
Hazard Class / Division	3
UN Number	UN1866
Packing Group	II
Label Required	3
International Air ICAO/IATA	
Proper Shipping Name: Technical Name:	Resin solution
Hazard Class / Division	3
UN Number	UN1866
Packing Group	II
Label Required	3

<u>PolyOne</u>

## AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 15 of 18 Print Date 12/08/2018

International Water IMO/IMDG	
Proper Shipping Name:	Resin solution
Technical Name:	
Hazard Class / Division	3
UN Number	UN1866
Packing Group	II
Label Required	3

## Section 15. Regulatory information

U.S. Federal regulations	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Not listed</li> <li>United States - TSCA 4(a) - ITC Priority list: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 5(a)2 - Final significant new use rules: Not listed</li> <li>United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(a) - Substances consent order: Not listed</li> <li>United States - TSCA 6 - Final risk management: Not listed</li> <li>United States - TSCA 8(a) - Chemical risk rules: Not listed</li> <li>United States - TSCA 8(a) - Chemical Tisk rules: Not listed</li> <li>United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined</li> <li>United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed</li> <li>United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed</li> <li>United States - TSCA 8(d) - Health and safety studies: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 8(d) - Proposed test rules: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 8(d) - Health and safety studies: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable sub</li></ul>
	45/40

)ne

## AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 16 of 18 Print Date 12/08/2018

Hazardous Air Pollutants (HAPs)	
Clean Air Act Section 602 Class I : Not liste	ed
Substances Clean Air Act Section 602 Class II : Not liste	ed
Substances	.1
<b>DEA List I Chemicals (Precursor</b> : Not liste <b>Chemicals</b> )	b
<b>DEA List II Chemicals (Essential</b> : Listed <b>Chemicals</b> )	

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Methyl ethyl ketone	78-93-3	5,000 lb(s)
		2,270 kg
		2,270 kg
		5,000 lb(s)

#### SARA 311/312

#### Classification

#### : FLAMMABLE LIQUIDS Category 2SKIN IRRITATION Category 2EYE IRRITATION Category 2A

#### **Composition/information on ingredients**

Name	%	Classification
Titanium dioxide	0 - 0.3	СН
Methyl ethyl ketone	50 - 75	F, AH

Not applicable.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed:
	Methyl ethyl ketone
New Jersey	: The following components are listed:
·	Titanium dioxide
	40/40

ne

### AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 17 of 18 Print Date 12/08/2018

Ethene, chloro-, homopolymer Methyl ethyl ketoneThe following components are listed: Methyl ethyl ketone

Titanium dioxide

#### California Prop. 65

Pennsylvania

**WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)



### AM100 BLUE (BLUE IMP)

Version Number 1.4 Revision Date 11/07/2018 Page 18 of 18 Print Date 12/08/2018

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<b>Histor</b>		
Date of printing	:	12/08/2018
Date of issue/Date of revision	:	11/07/2018
Date of previous issue	:	04/17/2017
Version	:	1.4
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.