

Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Revision Date 05/15/2018

Page 1 of 20 Print Date 05/17/2018

SAFETY DATA SHEET

GeonTM A58-08E Black Filter Adhesive

Section 1. Identification

GHS product identifier Geon[™] A58-08E Black Filter Adhesive

Chemical name Mixture **CAS** number Mixture Other means of identification FO20036387 **Product type** liquid

Relevant identified uses of the substance or mixture and uses advised against

Product use Industrial applications. Plastics.

POLYONE CORPORATION Supplier's details

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

Emergency telephone number (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

This material is considered hazardous by the OSHA Hazard **OSHA/HCS** status

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

SERIOUS EYE DAMAGE - Category 1

GHS label elements



Geon™ A58-08E Black Filter Adhesive

 Version Number 1.3
 Page 2 of 20

 Revision Date 05/15/2018
 Print Date 05/17/2018

Hazard pictograms

Signal word : Danger

Hazard statements : Causes serious eye damage.

Precautionary statements

General : Not applicable.

Prevention : Wear eye or face protection.

Response : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or physician.

Storage:Not applicable.Disposal:Not applicable.Supplemental label elements:None known.Hazards not otherwise classified:None known.

Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: FO20036387

CAS number/other identifiers

Ingredient name	%	CAS number
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters,	10 - 25	68515-48-0
C9-rich		
Calcium oxide	5 - 7.8	1305-78-8
Polyethylene glycol monooleate	1 - 3	9004-96-0
Resorcinol	1 - 2.1	108-46-3
Quartz	0.3 - 1	14808-60-7



Geon™ A58-08E Black Filter Adhesive

 Version Number 1.3
 Page 3 of 20

 Revision Date 05/15/2018
 Print Date 05/17/2018

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact
: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be

treated promptly by a physician.

: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open

airway. Loosen tight clothing such as a collar, tie, belt or waistband.

: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in

Ingestion

Skin contact

Inhalation



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Page 4 of 20 Revision Date 05/15/2018 Print Date 05/17/2018

recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion : Adverse symptoms may include the following:

stomach pains

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Revision Date 05/15/2018

Page 5 of 20 Print Date 05/17/2018

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or CO₂.

None known.

Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur and the container

may burst.

Hazardous thermal decomposition products May emit Hydrogen Chloride (HCl).

Decomposition products may include the following materials:

carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides

Special protective actions for firefighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without For non-emergency personnel

> suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment. For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

See also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, **Environmental precautions**

> waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

Methods and materials for containment and cleaning up

Stop leak if without risk. Move containers from spill area. Dilute with Small spill

water and mop up if water-soluble. Alternatively, or if water-

insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal

5/20



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Revision Date 05/15/2018 Page 6 of 20 Print Date 05/17/2018

Large spill

contractor.

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Revision Date 05/15/2018 Page 7 of 20 Print Date 05/17/2018

Occupational exposure limits

OSHA PEL 1989 (1989-03-01) Calculated as Quartz PEL: Permissible Exposure Level 0.1 mg/m3 Form: Respirable dust OSHA PEL Z3 (1997-09-03)
OSHA PEL 73 (1007-00-03)
USIIA I EL ES (1771 "U7"US)
Time Weighted Average (TWA) Form: Respirable
Time Weighted Average (TWA) 10 mg/m3 Form: Respirable
Time Weighted Average (TWA) 30 mg/m3 Form: Total dust
NIOSH REL (1994-06-01)
Time Weighted Average (TWA) 0.05 mg/m3 Form: Respirable dust
ACGIH TLV (2005-12-09)
TLV-TWA: Threshold Limit Value - Time weighted average PEL:
Permissible Exposure Level 0.025 mg/m3 Form: Respirable fraction
OSHA PEL (2016-06-23)
PEL: Permissible Exposure Level 0.05 mg/m3 Form: Respirable dust
TEE. Termissione Exposure Level 6.03 mg/m3 Torm. Respiratore dust
+
OSHA PEL 1989 (1989-03-01)
PEL: Permissible Exposure Level 45 mg/m3 10 ppm
Short-term exposure limit (STEL). A limit value beyond which
there should be no exposure and which refers to a period of fifteen
minutes, unless otherwise stated. 90 mg/m3 20 ppm
NIOSH REL (1994-06-01)
Time Weighted Average (TWA) 45 mg/m3 10 ppm
Short-term exposure limit (STEL). A limit value beyond which
there should be no exposure and which refers to a period of fifteen
minutes, unless otherwise stated. 90 mg/m3 20 ppm
ACGIH TLV (1996-05-18)
TLV-TWA: Threshold Limit Value - Time weighted average PEL:
Permissible Exposure Level 45 mg/m3 10 ppm
TLV-STEL: Threshold Limit Value - Short Time Exposure Level
90 mg/m3 20 ppm
OCITA DEL 1000 (1000 02 01)
OSHA PEL 1989 (1989-03-01)
PEL: Permissible Exposure Level 5 mg/m3
OSHA PEL (1993-06-30)
PEL: Permissible Exposure Level 5 mg/m3
NIOSH REL (1994-06-01)
Time Weighted Average (TWA) 2 mg/m3
ACGIH TLV (1994-09-01)
TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 2 mg/m3

7/20



Geon™ A58-08E Black Filter Adhesive Version Number 1.3 Page 8 of 20 Print Date 05/17/2018 Revision Date 05/15/2018 1,2-Benzenedicarboxylic acid, di-C8-10branched alkyl esters, C9-rich If user operations generate dust, fumes, gas, vapor or mist, use process **Appropriate engineering controls** enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be **Environmental exposure controls** checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. **Individual protection measures** Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used Eye/face protection when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead. Skin protection **Hand protection** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be

cannot be accurately estimated.

different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Page 9 of 20 Revision Date 05/15/2018 Print Date 05/17/2018

Body protection: Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper

fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state liquid [liquid] **BLACK** Color Odor Not available. **Odor threshold** Not available. Not available. Hq **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive : Lower: Not available.

(flammable) limits Upper: Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.SolubilityNot available.Solubility in waterNot available.Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

Section 10. Stability and reactivity



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Page 10 of 20 Revision Date 05/15/2018 Print Date 05/17/2018

Reactivity : No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid : Keep away from extreme heat and oxidizing agents.

Incompatible materials : Avoid contact with acetal homopolymers and acetyl homopolymers

during processing.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11. Toxicological information

Dogult

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Cracias

Dogo

Information on toxicological effects

Duadwat/inguadiant nama

Acute toxicity

products

Result	Species	Dose	Exposure	
No applicable toxicity data				
No applicable toxicity data				
No applicable toxic	No applicable toxicity data			
No applicable toxic	No applicable toxicity data			
No applicable toxic	city data			
No applicable toxic	city data			
LD50 Oral	Rat	202 mg/kg	=	
No applicable toxic	city data			
LD50 Dermal	Rabbit	3,360 mg/kg	=	
Calcium oxide				
No applicable toxicity data				
No applicable toxicity data				
No applicable toxicity data				
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich				
LD50 Oral	Rat	10,000 mg/kg	-	
No applicable toxicity data				
No applicable toxicity data				
	No applicable toxic LD50 Oral No applicable toxic LD50 Dermal No applicable toxic LD50 Oral No applicable toxic di-C8-10-branched LD50 Oral No applicable toxic	No applicable toxicity data LD50 Oral Rat No applicable toxicity data LD50 Dermal Rabbit No applicable toxicity data di-C8-10-branched alkyl esters, C9-rich LD50 Oral Rat No applicable toxicity data	No applicable toxicity data LD50 Oral Rat 202 mg/kg No applicable toxicity data LD50 Dermal Rabbit 3,360 mg/kg No applicable toxicity data di-C8-10-branched alkyl esters, C9-rich LD50 Oral Rat 10,000 mg/kg No applicable toxicity data	

Conclusion/Summary : Mixture.Not fully tested.

Irritation/Corrosion



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Revision Date 05/15/2018 Page 11 of 20 Print Date 05/17/2018

Product/ingredient name	Result	Species	Score	Exposure	Observation
Polyethylene glycol	Eyes - Mild	Rabbit		24 hrs	-
monooleate	irritant				
	Eyes - Mild	Rabbit			-
	irritant				
	Skin - Mild	Rabbit		24 hrs	-
	irritant				
Resorcinol	Skin -	Rabbit		24 hrs	-
	Moderate				
	irritant				
	Skin - Severe	Rabbit			-
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
1,2-Benzenedicarboxylic	Eyes - Mild	Rabbit			-
acid, di-C8-10-branched	irritant				
alkyl esters, C9-rich					

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Mutagenicity

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

Classification			
Product/ingredient	OSHA	IARC	NTP
name			
Quartz		1	Known to be a human carcinogen.
Resorcinol		3	

Reproductive toxicity



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Page 12 of 20 Revision Date 05/15/2018 Print Date 05/17/2018

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Calcium oxide	Category 3		Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Quartz	Category 1		

Aspiration hazard

Not available.

Information on likely routes of

exposure

Not available.

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion : Adverse symptoms may include the following:

stomach pains

Delayed and immediate effects as well as chronic effects from short and long-term exposure



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Revision Date 05/15/2018 Page 13 of 20 Print Date 05/17/2018

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture.Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	9,697.1 mg/kg
Route	ATE value
Dermal	161,298.2 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Quartz			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Revision Date 05/15/2018 Page 14 of 20 Print Date 05/17/2018

Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Polyethylene glycol monooleat	te			
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:	,			
Resorcinol				
	Acute LC50 40 Mg/l Fresh water	Fish - Fish	96 h	
Remarks - Acute - Fish:	Acute	•		
	Acute LC50 78 Mg/l Marine water	Aquatic invertebrates.	48 h	
		Crustaceans		
Remarks - Acute - Aquatic	Acute	•	•	
invertebrates.:				
	Acute LC50 > 100 Mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Calcium oxide				
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
	Chronic NOEC 100 Mg/l Fresh	Fish - Fish	46 d	
	water			
Remarks - Chronic - Fish:	Chronic			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:	**			
1,2-Benzenedicarboxylic acid,	1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich			
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
•	14/20		-	



Geon™ A58-08E Black Filter Adhesive

 Version Number 1.3
 Page 15 of 20

 Revision Date 05/15/2018
 Print Date 05/17/2018

plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	

Conclusion/Summary : Not available.

Persistence and degradability

Conclusion/Summary : Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1,3-Benzenediol	0.8	3.16	low
Calcium oxide	-	2.34	low
1,2-Benzenedicarboxylic acid, di-C8-	8.8	3.00	low
10-branched alkyl esters, C9-rich			

Mobility in soil

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Page 16 of 20 Revision Date 05/15/2018 Print Date 05/17/2018

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Listed

Ingredient	CAS#	Status	Reference number
Resorcinol	108-46-3	Listed	

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.

International Air ICAO/IATA

: Consult mode specific transport rules

International Water

IMO/IMDG

: Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations

: United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Listed 1,2-

Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

determined

United States - TSCA 8(a) - Preliminary assessment report

(PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR):



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Revision Date 05/15/2018 Page 17 of 20 Print Date 05/17/2018

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority

pollutants: Listed Phenol Vinyl chloride monomer

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

United States - Department of commerce - Precursor chemical:

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

Substances

Clean Air Act Section 602 Class II

Substances

DEA List I Chemicals (Precursor

Chemicals)

DEA List II Chemicals (Essential

Chemicals)

Listed

Not listed

Not listed

Not listed

ial : Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification : Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Classification
Quartz	0.3 - 1	СН
Polyethylene glycol monooleate	1 - 3	AH
Resorcinol	1 - 2.1	AH
Calcium oxide	5 - 7.8	AH
1,2-Benzenedicarboxylic acid, di-	10 - 25	AH



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Page 18 of 20 Revision Date 05/15/2018 Print Date 05/17/2018

C8-10-branched alkyl esters, C9-	
rich	

SARA 313

Not applicable.

State regulations

Massachusetts: None of the components are listed.New York: The following components are listed:

Resorcinol

New Jersey : The following components are listed:

Calcium oxide Calcium carbonate

Resorcinol Quartz

Ethene, chloro-, homopolymer

Pennsylvania : The following components are listed:

Quartz

Resorcinol

Calcium carbonate

Calcium oxide

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b) : All components are listed or exempted.

Canada inventory : Not determined.

International regulations

Inventory list

Australia : Not determined.
Canada : Not determined.
Not determined.

ChinaEurope inventoryAll components are listed or exempted.All components are listed or exempted.

Japan : Not determined.
New Zealand : Not determined.
Philippines : Not determined.
Republic of Korea : Not determined.
Taiwan : Not determined.
Turkey : Not determined.



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Page 19 of 20 Revision Date 05/15/2018 Print Date 05/17/2018

United States : All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	3
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing: 05/17/2018Date of issue/Date of revision: 05/15/2018Date of previous issue: 07/26/2016

Version : 1.3

Key to abbreviations: ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

 $MARPOL = International \ Convention \ for \ the \ Prevention \ of \ Pollution \ From$

Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that



Geon™ A58-08E Black Filter Adhesive

Version Number 1.3 Revision Date 05/15/2018 Page 20 of 20 Print Date 05/17/2018

exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.