

3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0 Revision Date 03/07/2016 Page 1 of 15 Print Date 03/08/2016

SAFETY DATA SHEET

3-N-30-R NEOPRENE FABRIC COATING (V3)

Section 1. Identification	on	
GHS product identifier Chemical name CAS number Other means of identification Product type	:	3-N-30-R NEOPRENE FABRIC COATING (V3) Mixture Mixture FO20037567 liquid
<u>Relevant identified uses of the subs</u> Product use	tance	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/15



3-N-30-R NEOPRENE FABRIC COATING (V3)

:

Version Number 1.0 Revision Date 03/07/2016 Page 2 of 15 Print Date 03/08/2016

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20037567

CAS number/other identifiers

Ingredient name	%	CAS number
Zinc oxide	3 - 5	1314-13-2
Poly(dimethylsiloxane)	1 - 3	63148-62-9
i ory(dimetriyisitoxulle)	1 5	03110 02 9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0	Page 3 of 15
Revision Date 03/07/2016	Print Date 03/08/2016

Inhalation	:	Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion Over-exposure signs/symptoms	: :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical att	entio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ .
Unsuitable extinguishing media	:	None known.



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0	Page 4 of 15
Revision Date 03/07/2016	Print Date 03/08/2016

Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ent a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in
		4/15



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0 Revision Date 03/07/2016 Page 5 of 15 Print Date 03/08/2016

container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Poly(dimethylsiloxane)	
Zina avida	OSUA DEL 1090 (1090 02 01)
Zinc oxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 5 mg/m3 Form: Fume
	Short Term Exposure Limit value for a 15-minute reference
	period expressed in parts per million or in mg/m3. 10 mg/m3
	Form: Fume
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable
	fraction



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0 Revision Date 03/07/2016 Page 6 of 15 Print Date 03/08/2016

		OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 5 mg/m3 Form: Fume PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust PEL: Permissible Exposure Level 5 mg/m3 Form: Total dust PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable fraction NIOSH REL (1994-06-01) Time Weighted Average (TWA) 5 mg/m3 Form: Dust and fumes Short Term Exposure Limit value for a 15-minute reference period expressed in parts per million or in mg/m3. 10 mg/m3 Form: Fume Ceiling, is a a limit indicating the maximum concentration of a chemical substances in the breathing zone that should not be exceeded. 15 mg/m3 Form: Dust ACGIH TLV (2003-01-01) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 2 mg/m3 Form: Respirable fraction TLV-STEL: Threshold Limit Value - Short Time Exposure Level 10 mg/m3 Form: Respirable fraction
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products 6/15

6/15



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0	Page 7 of 15
Revision Date 03/07/2016	Print Date 03/08/2016

	if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based
	on the task being performed and the risks involved and should be
	approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures
	should be selected based on the task being performed and the risks
	involved and should be approved by a specialist before handling this
	product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying
	with an approved standard if a risk assessment indicates this is
	necessary. Respirator selection must be based on known or anticipated
	exposure levels, the hazards of the product and the safe working limits
	of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	-	NO PIGMENT
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
(flammable) limits Vapor pressure	:	Upper: Not available. Not available.
	:	
Vapor pressure	:	Not available.
Vapor pressure Vapor density	: : :	Not available. Not available.
Vapor pressure Vapor density Relative density	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility		Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water	::	Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	::	Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	: : : :	Not available. Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	: : : :	Not available. Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	: : : :	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature SADT		Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0 Revision Date 03/07/2016

Page 8 of 15 Print Date 03/08/2016

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Poly(dimethylsiloxane)				
	LD50 Oral	Rat	17,000 mg/kg	-
	LD50 Oral	Rat	24,000 mg/kg	-
Conclusion/Summary	: Mixt	ure.Not fully tested.		

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Zinc oxide	Eyes - Mild irritant	Rabbit		24 hrs	-
	Skin - Mild irritant	Rabbit		24 hrs	-
Poly(dimethylsiloxane)	Eyes - Mild irritant	Rabbit		24 hrs	-
	Eyes - Moderate irritant	Rabbit		24 hrs	-
	Eyes - Mild irritant	Rabbit		1 hrs	-



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0 Revision Date 03/07/2016 Page 9 of 15 Print Date 03/08/2016

	Skin - Mild irritant	Rabbit	2	24 hrs	-
Conclusion/Summary	IIIItan				
Skin		Mixture.Not ful			
Eyes		Mixture.Not ful			
Respiratory	: 1	Mixture.Not ful	lly tested.		
Sensitization					
Conclusion/Summary					
Skin	: 1	Mixture.Not ful	lly tested.		
Respiratory		Mixture.Not ful			
Mutagenicity					
Conclusion/Summary	: 1	Mixture.Not fu	lly tested.		
Carcinogenicity					
Conclusion/Summary	: 1	Mixture.Not fu	lly tested.		
<u>Reproductive toxicity</u>					
Conclusion/Summary	: 1	Mixture.Not fu	lly tested.		
Teratogenicity					
Conclusion/Summary	: 1	Mixture.Not fu	lly tested.		
Specific target organ toxicity Not available.	(single expos	<u>ure)</u>			
Specific target organ toxicity Not available.	(repeated exp	posure)			
Aspiration hazard Not available.					
Information on the likely rout exposure	tes of : 1	Not available.			
Potential acute health effects					
Eye contact	: 1	No known sign	ificant effects or c	ritical hazards.	
Inhalation			ificant effects or c		
Skin contact	: 1	No known sign	ificant effects or c	ritical hazards.	
		9/15	5		



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0 Revision Date 03/07/2016 Page 10 of 15 Print Date 03/08/2016

Ingestion No known significant effects or critical hazards. : Symptoms related to the physical, chemical and toxicological characteristics Eye contact No specific data. : Inhalation No specific data. : No specific data. Skin contact : No specific data. Ingestion : Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure **Potential immediate effects** Not available. : **Potential delayed effects** Not available. • Long term exposure Not available. **Potential immediate effects** : **Potential delayed effects** Not available. • **Potential chronic health effects Conclusion/Summary** : Mixture.Not fully tested. General : No known significant effects or critical hazards. Carcinogenicity No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. Teratogenicity : **Developmental effects** No known significant effects or critical hazards. : **Fertility effects** No known significant effects or critical hazards. :

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
	1	0/15	



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0 Revision Date 03/07/2016 Page 11 of 15 Print Date 03/08/2016

Zinc oxide			
	Acute LC50 2,246,000 µg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 1.1 mg/l Fresh water	Fish - Fish	96 h
	Acute LC50 2.525 mg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 3.969 mg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 98 µg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute EC50 0.622 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
	Acute EC50 1 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute LC50 1.25 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute EC50 0.481 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
	Acute IC50 46 µg/l Fresh water	Aquatic plants - Algae	72 h
	Acute IC50 63 µg/l Fresh water	Aquatic plants - Algae	72 h
	Acute IC50 1.85 mg/l Marine water	Aquatic plants - Algae	96 h
	Acute IC50 2.97 mg/l Marine water	Aquatic plants - Algae	96 h
	Acute IC50 2.36 mg/l Marine water	Aquatic plants - Algae	96 h
Poly(dimethylsiloxane)		·	
	Acute LC50 3,160 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 37,790 µg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 37.790 mg/l Fresh	Fish - Redear sunfish	96 h
	water		
	Acute LC50 44.5 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	

Conclusion/Summary

Not available.

:

:

Persistence and degradability

Conclusion/Summary

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Zinc oxide		60,960.00	high

Mobility in soil



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0 Revision Date 03/07/2016 Page 12 of 15 Print Date 03/08/2016

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Consult mode specific transport rules
IMO/IMDG (maritime)	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		12/15



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0	Page 13 of 15
Revision Date 03/07/2016	Print Date 03/08/2016

		United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)- .omegahydroxy- Ethoxylated octylphenol Poly(dimethylsiloxane)
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc oxide
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0 Revision Date 03/07/2016 Page 14 of 15 Print Date 03/08/2016

Composition/information on ingredients

Name	%	Classification
Zinc oxide	3 - 5	АН
Poly(dimethylsiloxane)	1 - 3	АН

SARA 313

	Product name	CAS number	%
Form R - Reporting	Zinc oxide	1314-13-2	3 - 5
requirements			
Supplier notification	Zinc oxide	1314-13-2	3 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

<u>State regulations</u> Massachusetts	: The following components are listed: Zinc oxide
New York	: None of the components are listed.
New Jersey	: The following components are listed:
Pennsylvania	Zinc oxide The following components are listed: Zinc oxide
	Zinc oxide

California Prop. 65

This PolyOne product does not contain any chemical known to the State of California to cause cancer, or birth defects or other reproductive harm, in concentrations that require a warning notice under California's Proposition 65. This statement relies in part on information provided by the buyer of this PolyOne product. PolyOne does not control or have complete knowledge of the end uses to which that buyer or any other entity in the chain of distribution and marketing may put this PolyOne product. Therefore, the buyer of this PolyOne product, each entity that uses this PolyOne product in formulating another product, and each entity in the chain of distribution and marketing of any product that includes the material in this PolyOne product must make its own decision as to giving a Proposition 65 warning.

United States inventory (ISCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	Australia inventory (AICS): Not determined. Taiwan inventory (CSNN): Not determined.



3-N-30-R NEOPRENE FABRIC COATING (V3)

Version Number 1.0	Page 15 of 15
Revision Date 03/07/2016	Print Date 03/08/2016

Malaysia Inventory (EHS Register): Not determined.
EINECS: Not determined.
Japan inventory: Not determined.
China inventory (IECSC): Not determined.
Korea inventory: Not determined.
New Zealand Inventory of Chemicals (NZIoC): Not determined.
Philippines inventory (PICCS): Not determined.

Chemical Weapons Convention
List Schedule I Chemicals
Chemical Weapons Convention
List Schedule II Chemicals
Chemical Weapons Convention
List Schedule III Chemicals

Not listed

Not listed

:

Not listed

Section 16. Other information

<u>History</u>		
Date of printing	:	03/08/2016
Date of issue/Date of revision	:	03/07/2016
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL $73/78$ = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.