

MB3092 Plastisol (M3334 improved wetout)

Version Number 1.0 Revision Date 02/23/2018 Page 1 of 15 Print Date 02/24/2018

SAFETY DATA SHEET

MB3092 Plastisol (M3334 improved wetout)

| Section 1. Identification | | |
|-------------------------------|--------|---|
| | | |
| GHS product identifier | : | MB3092 Plastisol (M3334 improved wetout) |
| Chemical name | : | Mixture |
| CAS number | : | Mixture |
| Other means of identification | : | FO20042170 |
| Product type | : | liquid |
| | | ., |
| | stance | or mixture and uses advised against |
| Product use | : | Industrial applications. Plastics. |
| Supplier's details | | POLYONE CORPORATION |
| Supplier's details | • | 33587 Walker Road, Avon Lake, OH 44012 |
| | | 55567 Walker Road, Avoir Lake, OII 44012 |
| | | 1 (440) 930-1000 or 1 (866) POLYONE |
| | | |
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or |
| (with hours of operation) | | accident). |
| | | |

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

| OSHA/HCS status | : | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|---|---|
| Classification of the substance or mixture | : | EYE IRRITATION - Category 2B |
| GHS label elements | | |
| Signal word Hazard statements | : | Warning Causes eye irritation. |



MB3092 Plastisol (M3334 improved wetout)

Version Number 1.0 Revision Date 02/23/2018 Page 2 of 15 Print Date 02/24/2018

Precautionary statements

| General | : | Not applicable. |
|----------------------------------|---|--|
| Prevention | : | Wash hands thoroughly after handling. |
| Response | : | IF IN EYES: Rinse cautiously with water for several minutes. |
| | | Remove contact lenses, if present and easy to do. Continue rinsing. If |
| | | eye irritation persists: Get medical attention. |
| Storage | : | Not applicable. |
| Disposal | : | Not applicable. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |
| | | |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | FO20042170 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|--|---------|------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | 25 - 50 | 68515-48-0 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get |
|-------------|---|--|
| Inhalation | : | medical attention. Remove victim to fresh air and keep at rest in a position comfortable |



MB3092 Plastisol (M3334 improved wetout)

| Version Number 1.0 | Page 3 of 15 |
|--------------------------|-----------------------|
| Revision Date 02/23/2018 | Print Date 02/24/2018 |

| | | for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
|--------------|---|--|
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

| Eye contact Inhalation Skin contact Ingestion | :: | Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. |
|--|----|---|
| Over-exposure signs/symptoms | | |
| Eye contact | : | Adverse symptoms may include the following: irritation watering redness |
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |
| Indication of immediate medical attention and special treatment needed, if necessary | | |
| Notes to physician | : | Treat symptomatically. Contact poison treatment specialist |



MB3092 Plastisol (M3334 improved wetout)

| Version Number 1.0 | Page 4 of 15 |
|--------------------------|-----------------------|
| Revision Date 02/23/2018 | Print Date 02/24/2018 |
| | |

| Specific treatments | : | immediately if large quantities have been ingested or inhaled. No specific treatment. |
|----------------------------|---|--|
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known. |
|--|---|---|
| Specific hazards arising from the chemical Hazardous thermal decomposition products | : | In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides |
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|-----------------------------|---|---|
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |



MB3092 Plastisol (M3334 improved wetout)

| Version Number 1.0 Revision Date 02/23/2018 | | Page 5 of 15 Print Date 02/24/2018 |
|--|------|--|
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containmen | nt a | nd cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to |

local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

| Protective measures Advice on general occupational hygiene | : | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entring eating areas. See |
|--|---|--|
| Conditions for safe storage, including any incompatibilities | : | clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept |



MB3092 Plastisol (M3334 improved wetout)

Version Number 1.0 Revision Date 02/23/2018 Page 6 of 15 Print Date 02/24/2018

upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| 1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Individual protection measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection ichemical splash goggles. Skin protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that | Ingredient name | Exposure limits |
|---|----------------------------------|--|
| Environmental exposure controlsexposure to airborne contaminants.Environmental exposure controls:Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, tume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.Individual protection measures:Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection:Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.Skin protection:Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that | | |
| Environmental exposure controls:Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be | Appropriate engineering controls | |
| Hygiene measures:Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection:Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.Skin protection:Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that | Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be |
| Final Products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.Skin protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products | Individual protection measures | |
| Eye/face protection Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. Skin protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that | Hygiene measures | products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety |
| Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that | Eye/face protection | when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a |
| standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that | Skin protection | |
| the gloves are sun retaining then protective properties. It should be | Hand protection | standard should be worn at all times when handling chemical products |



MB3092 Plastisol (M3334 improved wetout)

| Version Number 1.0 | Page 7 of 15 |
|--------------------------|-----------------------|
| Revision Date 02/23/2018 | Print Date 02/24/2018 |

| | | noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
|------------------------|---|---|
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties

Appearance

| Physical state | : | liquid [liquid] |
|---------------------------|---|--------------------------------|
| Color | : | NO PIGMENT |
| Odor | : | Not available. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Solubility in water | : | Not available. |
| Partition coefficient: n- | : | Not available. |
| octanol/water | | |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| | | |



MB3092 Plastisol (M3334 improved wetout)

Version Number 1.0 Revision Date 02/23/2018 Page 8 of 15 Print Date 02/24/2018

Kinematic: Not available.

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|-------------------------------------|---|--|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : | Keep away from extreme heat and oxidizing agents. |
| Incompatible materials | : | Avoid contact with acetal homopolymers and acetyl homopolymers during processing. |
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------------|---------------------|-----------------------|--------------|----------|
| 1,2-Benzenedicarboxylic acid, | di-C8-10-branched | alkyl esters, C9-rich | | |
| | LD50 Oral | Rat | 10,000 mg/kg | - |
| Remarks - Inhalation: | No applicable toxic | city data | | |
| Remarks - Dermal: | No applicable toxic | city data | | |
| Conclusion/Summary | : Mixtu | re.Not fully tested. | | |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|-------------|---------------|-------------|----------|-------------|
| 1,2-Benzenedicarboxylic | Eyes - Mild | Rabbit | | | - |
| acid, di-C8-10-branched | irritant | | | | |
| alkyl esters, C9-rich | | | | | |
| Conclusion/Summary | | | | | |
| Skin | : M | ixture.Not fu | lly tested. | | |
| Eyes | : M | ixture.Not fu | lly tested. | | |
| Respiratory | : M | ixture.Not fu | lly tested. | | |



MB3092 Plastisol (M3334 improved wetout)

Version Number 1.0 Revision Date 02/23/2018 Page 9 of 15 Print Date 02/24/2018

| Sensitization | | |
|---|---------|--|
| Conclusion/Summary Skin Respiratory | : | Mixture.Not fully tested. Mixture.Not fully tested. |
| <u>Mutagenicity</u> | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| <u>Carcinogenicity</u> | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| Reproductive toxicity | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| Teratogenicity | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| Specific target organ toxicity (sin Not available. | gle exp | posure) |
| Specific target organ toxicity (rep. Not available. | peated | <u>exposure)</u> |
| Aspiration hazard Not available. | | |
| Information on likely routes of exposure | : | Not available. |
| Potential acute health effects | | |
| Eye contact | : | Causes eye irritation. |
| Inhalation Skin contact | : | No known significant effects or critical hazards. |
| Skin contact Ingestion | : | No known significant effects or critical hazards. No known significant effects or critical hazards. |
| Symptoms related to the physical, | chemi | cal and toxicological characteristics |
| Eye contact | : | Adverse symptoms may include the following: irritation |



MB3092 Plastisol (M3334 improved wetout)

Version Number 1.0 Revision Date 02/23/2018 Page 10 of 15 Print Date 02/24/2018

| | watering redness | |
|--------------|---------------------|------|
| Inhalation | : No specific da | ata. |
| Skin contact | : No specific da | ata. |
| Ingestion | : No specific da | ata. |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Short term exposure | | |
|--|---------|--|
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Long term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Potential chronic health effects | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects | : : : : | No known significant effects or critical hazards. No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|---|--|---------|----------|
| 1,2-Benzenedicarboxylic acid, | di-C8-10-branched alkyl esters, C9-ric | 2h | |
| Remarks - Acute - Fish: No applicable toxicity data | | | |
| Remarks - Acute - Aquatic No applicable toxicity data | | | |
| | 10/15 | | |



MB3092 Plastisol (M3334 improved wetout)

Version Number 1.0 Revision Date 02/23/2018 Page 11 of 15 Print Date 02/24/2018

| invertebrates.: | |
|---------------------------|-----------------------------|
| Remarks - Acute - Aquatic | No applicable toxicity data |
| plants: | |
| Remarks - Chronic - Fish: | No applicable toxicity data |
| Remarks - Chronic - | No applicable toxicity data |
| Aquatic invertebrates.: | |
| Conclusion/Summary | : Not available. |
| | |

Persistence and degradability

Conclusion/Summary : Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|--------------------------------------|--------|------|-----------|
| 1,2-Benzenedicarboxylic acid, di-C8- | 8.8 | 3.00 | low |
| 10-branched alkyl esters, C9-rich | | | |

Mobility in soil

| Soil/water partition coefficient | : | Not available. |
|----------------------------------|---|---|
| (KOC) | | |
| Other adverse effects | : | No known significant effects or critical hazards. |

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



MB3092 Plastisol (M3334 improved wetout)

Version Number 1.0 Revision Date 02/23/2018 Page 12 of 15 Print Date 02/24/2018

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : | Not regulated for transportation. |
|-----------------------------------|---|---------------------------------------|
| International Air ICAO/IATA | : | Consult mode specific transport rules |
| International Water IMO/IMDG | : | Consult mode specific transport rules |

Section 15. Regulatory information

| U.S. Federal regulations | United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Listed Diisononyl phthalate Penzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich |
|--------------------------|---|
| | United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed |
| | United States - TSCA 4(a) - Proposed test rules. Not listed |
| | United States - TSCA 5(a)2 - Final significant new use rules: Not |
| | listed |
| | United States - TSCA 5(a)2 - Proposed significant new use rules: |
| | Not listed |
| | United States - TSCA 5(e) - Substances consent order: Not listed |
| | United States - TSCA 6 - Final risk management: Not listed |
| | United States - TSCA 6 - Proposed risk management: Not listed |
| | United States - TSCA 8(a) - Chemical risk rules: Not listed |
| | United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed |
| | United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not |
| | determined |
| | United States - TSCA 8(a) - Preliminary assessment report |
| | (PAIR): Listed Poly(dimethylsiloxane) |
| | United States - TSCA 8(c) - Significant adverse reaction (SAR): |



MB3092 Plastisol (M3334 improved wetout)

| Version Number 1.0 | Page 13 of 15 |
|--------------------------|-----------------------|
| Revision Date 02/23/2018 | Print Date 02/24/2018 |

| | | Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc Vinyl chloride monomer |
|---|---|---|
| | | United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed |
| Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) | : | Listed |
| Clean Air Act Section 602 Class I Substances | : | Not listed |
| Clean Air Act Section 602 Class II Substances | : | Not listed |
| DEA List I Chemicals (Precursor | : | Not listed |
| Chemicals) DEA List II Chemicals (Essential Chemicals) | : | Not listed |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Immediate (acute) health hazard

Composition/information on ingredients

| Name | % | Classification |
|---|---------|----------------|
| 1,2-Benzenedicarboxylic acid, di- C8-10-branched alkyl esters, C9- | 25 - 50 | АН |
| rich | | |

<u>SARA 313</u>

Not applicable.

| <u>State regulations</u> Massachusetts | : | None of the components are listed. |
|---|---|------------------------------------|
| New York | : | None of the components are listed. |
| | | 13/15 |



MB3092 Plastisol (M3334 improved wetout)

| Version Number 1.0 Revision Date 02/23/2018 | | Page 14 of 15 Print Date 02/24/2018 |
|--|---|--|
| | | |
| New Jersey | : | The following components are listed: Calcium carbonate |
| Pennsylvania | : | The following components are listed: Calcium carbonate |
| | | cal known to the State of California to cause cancer., WARNING: This I known to the State of California to cause birth defects or other |
| United States inventory (TSCA 8b) | : | All components are listed or exempted. |
| Canada inventory | : | At least one component is not listed in DSL but all such components are listed in NDSL. |
| International regulations | | |
| Inventory list | | |
| Australia | : | Not determined. |
| Canada | : | At least one component is not listed in DSL but all such components are listed in NDSL. |
| China | : | Not determined. |
| Europe inventory | : | All components are listed or exempted. |
| Japan | | Not determined. |
| New Zealand | : | Not determined. |
| Philippines | : | Not determined. |
| | : | Not determined. |
| Republic of Korea | | Not determined. |
| Republic of Korea Taiwan | : | Not determined. |
| | : | Not determined. |

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | / | 1 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them.

MB3092 Plastisol (M3334 improved wetout)

| Version Number 1.0 | Page 15 of 15 |
|--------------------------|-----------------------|
| Revision Date 02/23/2018 | Print Date 02/24/2018 |

HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

| Date of printing | : | 02/24/2018 |
|--------------------------------|---|--|
| Date of issue/Date of revision | : | 02/23/2018 |
| Date of previous issue | : | 00/00/0000 |
| Version | : | 1.0 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| · | | BCF = Bioconcentration Factor |
| | | GHS = Globally Harmonized System of Classification and Labelling of |
| | | Chemicals |
| | | IATA = International Air Transport Association |
| | | IBC = Intermediate Bulk Container |
| | | IMDG = International Maritime Dangerous Goods |
| | | LogPow = logarithm of the octanol/water partition coefficient |
| | | MARPOL = International Convention for the Prevention of Pollution From |
| | | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine |
| | | pollution) |
| | | UN = United Nations |
| References | : | Not available. |
| | | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.