### MATERIAL SAFETY DATA SHEET GEON M2110TRANS9455

Version Number 1.2 Revision Date 03/04/2005

Page 1 of 7 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON M2110TRANS9455
Product code	:	M211000B9455
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
8-Oxa-3,5-dithia-4-stannatetradecanoic acid,	57583-35-4	1 - 5
10-ethyl-4,4-dimethyl-7-oxo-, 2-ethylhexyl		
ester		

### **3. HAZARDS IDENTIFICATION**

#### EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

## MATERIAL SAFETY DATA SHEET **GEON M2110TRANS9455**

Version Number 1.2 Revision Date 03/04/2005 Page 2 of 7 Print Date 11/17/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

PolyOne.

## MATERIAL SAFETY DATA SHEET **GEON M2110TRANS9455**

lectrostatic charge. Heat ilation. Processing fume inimize accumulation of void moisture absorption ice. TION ent normally required.
ilation. Processing fume inimize accumulation of void moisture absorption ice. TION ent normally required.
rice. FION ent normally required. hygiene and safety practic f workday. This product
ent normally required. hygiene and safety practic f workday. This product
hygiene and safety practic f workday. This product
f workday. This product
f workday. This product
f workday. This product
f workday. This product
f workday. This product
her (VCM) (CAS number unlikely, under normal on, that the exposure limit yer, the user should take t titilation, local exhaust tection, etc.) to ensure CM or dusts that may be elow regulated levels.
t ventilation. Provide
, ;

## MATERIAL SAFETY DATA SHEET **GEON M2110TRANS9455**

Version Number 1.2

Revision Date 03/04/2005

Page 4 of 7 Print Date 11/17/2011

Components	Value	Exposure time	<b>.</b>	Exposure type	a –	List:
8-Oxa-3,5-dithia-4-sta nnatetradecanoic acid, 10-ethyl-4,4-dimethyl- 7-oxo-, 2-ethylhexyl	0.1 mg/m3	PEL:	<u></u>	as Sn	<u> </u>	OSHA Z1
ester	0.1 mg/m3	Time Weighted Av (TWA):	erage	as Sn		ACGIH
	0.2 mg/m3	Short Term Exposur (STEL):	e Limit	as Sn		ACGIH
	9. PHYSIC	CAL AND CHEMIC	AL PRO	PERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: TRA : Very : Not o	ts, powder NSPARENT faint determined applicable	Specifi Bulk de Vapor	ration rate : c Gravity: : ensity : pressure : r density :	Not o Not o Not a Not a	applicable determined established applicable applicable applicable
	10. 8	STABILITY AND RI	EACTIV	ITY		
Stability Hazardous Polymerizatio		table. /ill not occur.				

: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.

Incompatible Materials : Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.

Hazardous decomposition products
 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

Conditions to avoid

This product contains the following components which in their pure form have the following characteristics:

	CAS-No.	Chemical Name	Effect	Target Organ
--	---------	---------------	--------	--------------

PolyOne.

## MATERIAL SAFETY DATA SHEET **GEON M2110TRANS9455**

Version Number 1.2 Revision Date 03/04/2005 Page 5 of 7 Print Date 11/17/2011

etradeca 10-ethyl		-dithia-4-stannat bic acid, -,4-dimethyl-7-o ylhexyl ester	Irritant	Eyes, Skin.
	1	2. ECOLOGICA	L INFORMA	TION
Persistence and degrad	lability :	Not readily bio	legradable.	
Environmental Toxici	ty :	Adverse ecolog	ical impact is n	ot known or expected under normal use
Bioaccumulation Pote	ntial :	No data availab	le	
Additional advice	:	Not applicable		
	1	3. DISPOSAL C	ONSIDERAT	IONS
Product Contaminated packagi	: ng :	possible recycli generator of wa classification, tr applicable feder Recycling is pre- has the responsi	ng is preferred ste material has cansportation ar cal, state/provin eferred when po- bility for prope- accordance wit	cs the product can be recycled. Where to disposal or incineration. The s the responsibility for proper waste ad disposal in accordance with use and local regulations. ossible. The generator of waste materia er waste classification, transportation h applicable federal, state/provincial
		14. TRANSPOR	Г INFORMAT	TION
U.S. DOT Classificati	<b>n</b> .	Not regulated for	or transportatio	n.
		-	-	
ICAO/IATA (air)	•	Not regulated for	-	
IMO / IMDG (maritin		Not regulated for	-	
	1	5. REGULATOR	RY INFORMA	TION
US Regulations:				
OSHA Status	:	Classified as ha	zardous based	on components.
TSCA Status	:	All component Inventory.	s of this produc	t are listed on or exempt from the TSCA
US. EPA CERCLA H	azardous Suł	ostances (40 CFR	302)	
	able			

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET **GEON M2110TRANS9455**

Version Number 1.2 Revision Date 03/04/2005 Page 6 of 7 Print Date 11/17/2011

California Proposition 65	: WARNING! This product contains a chemical known to the State of California to cause cancer., WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
SARA Title III Section 302 E Not applicable	xtremely Hazardous Substance
SARA Title III Section 313 T	oxic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Rele	ease Inventory (NPRI)
Not applicable	
WHMIS Classification	n : D2B
WHMIS Ingredient Di	sclosure List
CAS-No. 57583-35-4	
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Not determined
China IECS	: Listed
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.

PolyOne.

# MATERIAL SAFETY DATA SHEET **GEON M2110TRANS9455**

Version Number 1.2 Revision Date 03/04/2005 Page 7 of 7 Print Date 11/17/2011