### MATERIAL SAFETY DATA SHEET GEON EXP DB 15021304902 WHITE 1587

Version Number 1.0 Revision Date 05/19/2005 Page 1 of 6 Print Date 11/18/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON EXP DB 15021304902 WHITE 1587
Product code	:	VC10003511
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	471-34-1	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne

## MATERIAL SAFETY DATA SHEET GEON EXP DB 15021304902 WHITE 1587

#### Version Number 1.0 Revision Date 05/19/2005

Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume



## MATERIAL SAFETY DATA SHEET GEON EXP DB 15021304902 WHITE 1587

Version Number 1.0				
Revision Date 05/19/2005				

Page 3 of 6 Print Date 11/18/2011

	a	Leep containers dry and tightly nd contamination. Keep in a d		absorption
	OSURE		ry, coor place.	
Designed		CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shields.		
Hand protection	: F	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations	V n 7 v v v n v a r	Iandle in accordance with good Vash hands before breaks and a nay contain residual vinyl chlor 5-01-4) below 8.5 ppm (0.0008 vorking conditions with adequa vill be exceeded for residual VC ecessary precautions (e.g. mecl entilation, air-monitoring, resp irborne levels of any vapors in eleased during heating or proce	at the end of workday. The ride monomer (VCM) (C 85%). It is unlikely, unde the ventilation, that the ex CM. However, the user sh hanical ventilation, local iratory protection, etc.) the cluding VCM or dusts the essing are below regulated	his product AS number or normal posure limits nould take the exhaust o ensure at may be d levels.
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
	mg/m3	PEL:	Respirable fraction.	OSHA Z1

Calcium carbonate	5  mg/m	PEL:	Respirable fraction.	OSHA ZI
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : Solid: Pellets, powder

Evaporation rate Specific Gravity: Not applicableNot determined



### MATERIAL SAFETY DATA SHEET GEON EXP DB 15021304902 WHITE 1587

Version Number 1.0 Revision Date 05/19/2005

Page 4 of 6 Print Date 11/18/2011

Color Odor Melting point/range Boiling Point: Water solubility	: V : N : N	HITE ery faint ot determined ot applicable soluble	Bulk density Vapor pressure Vapour density pH	:	Not established Not applicable Not applicable Not applicable	
	1(	). STABILITY AND RE	EACTIVITY			Γ
Stability	:	Stable.				
Hazardous Polymerization	:	Will not occur.				
Conditions to avoid	:	Keep away from oxidiz decomposition, do not o		ame.	To avoid thermal	
Incompatible Materials	:	Incompatible with stron with acetal homopolym				
Hazardous decomposition products	:	Carbon dioxide (CO2), (NOx), other hazardous Prolonged heating (appr (200 °C) or short term h decomposition and evol chloride.	materials, and smoke roximately 30 minutes eating at 482 °F (250 °	are a or n C) n	all possible. nore) above 392 °F nay result in product	
	11. 7	FOXICOLOGICAL IN	FORMATION			F

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	
471-34-1	Calcium carbonate	Irritant	Eyes, Skin.	

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
471-34-1	Calcium carbonate	Oral LD50	6,450 mg/kg	rat

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Adverse ecological impact is not known or expected under normal use.
<b>Bioaccumulation Potential</b>	:	No data available



## MATERIAL SAFETY DATA SHEET GEON EXP DB 15021304902 WHITE 1587

Version Number 1.0 Revision Date 05/19/2005 Page 5 of 6 Print Date 11/18/2011

Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Not regulated for transportation.
IMO / IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	is Substances (40 CFR 302)
Not applicable	
California Propositior 65	n : Not applicable
SARA Title III Section 302 E Not applicable	Extremely Hazardous Substance
SARA Title III Section 313 T	'oxic Chemicals:
Not applicable	

PolvOne

## MATERIAL SAFETY DATA SHEET GEON EXP DB 15021304902 WHITE 1587

Version Number 1.0 Revision Date 05/19/2005 Page 6 of 6 Print Date 11/18/2011

Canadian Regulations:		
National Pollutant Release Inventory (NPRI)		
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.