lvOne.

Version Number 1.0 Revision Date 07/24/2014 Page 1 of 15 Print Date 07/25/2014

SAFETY DATA SHEET

114757-01 NATURAL

| Section 1. Identification | n | | | |
|---|---|--|--|--|
| | | | | |
| GHS product identifier | : | 114757-01 NATURAL | | |
| Chemical name | : | Mixture | | |
| CAS number | : | Mixture | | |
| Other means of identification | : | VC10010134 | | |
| Product type | : | solid | | |
| | | | | |
| Relevant identified uses of the substa | Relevant identified uses of the substance or mixture and uses advised against | | | |
| Product use | : | Industrial applications. Plastics. | | |
| | | | | |
| Supplier's details | : | POLYONE CORPORATION | | |
| | | 33587 Walker Road, Avon Lake, OH 44012 | | |
| | | | | |
| | | 1 (440) 930-1000 or 1 (866) POLYONE | | |
| | | | | |
| Emergency telephone number (with hours of operation) | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). | | |

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
|--|---|--|
| Classification of the substance or mixture | : | Not classified. |

Version Number 1.0 Revision Date 07/24/2014 Page 2 of 15 Print Date 07/25/2014

Supplemental label elements:Not applicable.Hazards not otherwise classified:None known.

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | VC10010134 |

CAS number/other identifiers

| 1 - 5 | 471-34-1 |
|---------|------------|
| | T/1-JT-1 |
| | |
| | |
| 1 - 5 | 14807-96-6 |
| | |
| | |
| 0.1 - 1 | 1309-64-4 |
| | |
| | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
|--------------|---|---|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |



Version Number 1.0Page 3 of 15Revision Date 07/24/2014Print Date 07/25/2014

Ingestion

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

| Eye contact | : No known significant effects or critical hazards. |
|--------------|---|
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| | |

:

Over-exposure signs/symptoms

| Eye contact | : | No specific data. |
|--------------|---|-------------------|
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |

Indication of immediate medical attention and special treatment needed, if necessary

| Notes to physician Specific treatments | : | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment. |
|---|---|--|
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known. |
|--|---|--|
| Specific hazards arising from the chemical | : | No specific fire or explosion hazard. |
| Hazardous thermal decomposition products | : | May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: |



Version Number 1.0 Revision Date 07/24/2014 Page 4 of 15 Print Date 07/25/2014

| | | carbon dioxide carbon monoxide halogenated compounds |
|--|---|---|
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel For emergency responders | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|--|------------|---|
| Environmental precautions Methods and materials for containme | : ent a | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methous and materials for containine | int al | iu cicaning up |

| Small spill | : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
|-------------|---|
| Large spill | : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8).

POLYONE CORPORATION



SAFETY DATA SHEET 114757-01 NATURAL

| Version Number 1.0 Revision Date 07/24/2014 | | Page 5 of 15 Print Date 07/25/2014 |
|---|---|--|
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|-------------------|---|
| Calcium carbonate | OSHA PEL (1993-06-30) |
| | PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust |
| | PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable |
| | fraction |
| | |
| Talc | OSHA PEL 1989 (1989-03-01) |
| | PEL: Permissible Exposure Level 2 mg/m3 Form: Respirable dust |
| | NIOSH REL (1994-06-01) |
| | Time Weighted Average (TWA) 2 mg/m3 Form: Respirable fraction |
| | OSHA - PEL Z3 (1997-09-03) |
| | Time Weighted Average (TWA) Form: not/asb |
| | Short Term Exposure Limit Form: not/asb |
| | Time Weighted Average (TWA) Form: con/asb |
| | Short Term Exposure Limit Form: con/asb |
| | ACGIH TLV (1996-05-18) |
| | TLV-TWA: Threshold Limit Value - Time weighted average PEL: |
| | Permissible Exposure Level 2 mg/m3 Form: Respirable fraction |
| | |
| Antimony trioxide | ACGIH TLV (1994-09-01) |
| | |
| | OSHA PEL (1993-06-30) Calculated as Sb |
| | PEL: Permissible Exposure Level 0.5 mg/m3 |
| | NIOSH REL (1994-06-01) Calculated as Sb |



Version Number 1.0 Revision Date 07/24/2014

Page 6 of 15 Print Date 07/25/2014

| | | Time Weighted Average (TWA) 0.5 mg/m3 OSHA PEL 1989 (1989-03-01) Calculated as Sb PEL: Permissible Exposure Level 0.5 mg/m3 |
|----------------------------------|---|--|
| Appropriate engineering controls | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
| Environmental exposure controls | : | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | | |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |

<u>PolyOne</u>

Version Number 1.0 Revision Date 07/24/2014 Page 7 of 15 Print Date 07/25/2014

Section 9. Physical and chemical properties

Appearance

| Physical state | : | solid [Pellets.] |
|--|---|--|
| Color | : | NO PIGMENT |
| Odor | : | Not available. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| | • | |
| (flammable) limits | | Upper: Not available. |
| | : | Upper: Not available. Not available. |
| (flammable) limits | : | |
| (flammable) limits Vapor pressure | : | Not available. |
| (flammable) limits Vapor pressure Vapor density | : | Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density | : | Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility | | Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water | : | Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- | | Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water | | Not available. Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature | | Not available. Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature | | Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. |

Section 10. Stability and reactivity

| Chemical stability : Stable under recommended storage and handling conditions (s Section 7). |
|---|
| |
| Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reaction not occur. |
| Conditions to avoid : Keep away from extreme heat and oxidizing agents. |
| Incompatible materials : Avoid contact with acetal homopolymers and acetyl homopoly during processing. |
| Hazardous decomposition products:Under normal conditions of storage and use, hazardous decom products should not be produced. |



Version Number 1.0 Revision Date 07/24/2014

Page 8 of 15 Print Date 07/25/2014

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------|----------------------|--------------|----------|
| Calcium carbonate | | | | |
| | LD50 Oral | Rat | 6,450 mg/kg | - |
| Talc | | | | |
| Antimony trioxide | | | | |
| | LD50 Oral | Rat | 34,000 mg/kg | - |
| Conclusion/Summarv | : Mixtu | re.Not fully tested. | | |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---|---------------------------|--|------------|----------|-------------|
| Calcium carbonate | Eyes - Severe irritant | Rabbit | | 24 hrs | - |
| | Skin - | Rabbit | | 24 hrs | - |
| | Moderate | | | | |
| | irritant | | | | |
| Talc | Skin - Mild irritant | Human | | 72 hrs | - |
| Antimony trioxide | Eyes - Mild irritant | Rabbit | | | - |
| Skin Eyes Respiratory <u>Sensitization</u> | : M | ixture.Not ful ixture.Not ful ixture.Not ful | ly tested. | | |
| Conclusion/Summary Skin Respiratory | | lixture.Not ful lixture.Not ful | | | |
| Mutagenicity | | | | | |
| Conclusion/Summary | : M | ixture.Not ful | ly tested. | | |
| | | 8/15 | 5 | | |



Version Number 1.0 Revision Date 07/24/2014 Page 9 of 15 Print Date 07/25/2014

Carcinogenicity

| Conclusion/Summary Classification | : Mi | xture.Not fully tested. | | | |
|--|---------------|--|--|--|--|
| Product/ingredient name C | DSHA | IARC | NTP | | |
| Talc | | 132B | | | |
| Antimony trioxide | | 2B | | | |
| <u>Reproductive toxicity</u> Conclusion/Summary | : Mi | xture.Not fully tested. | | | |
| Teratogenicity | | | | | |
| Conclusion/Summary | : Mi | xture.Not fully tested. | | | |
| Specific target organ toxicity (single exposure) Not available. | | | | | |
| Specific target organ toxicity (Not available. | repeated expo | <u>sure)</u> | | | |
| Aspiration hazard Not available. | | | | | |
| Information on the likely routes exposure | s of : No | t available. | | | |
| Potential acute health effects | | | | | |
| Eye contact Inhalation Skin contact Ingestion | No No | known significant effects of known significant effects of known significant effects of known significant effects of | or critical hazards. or critical hazards. | | |
| Symptoms related to the physic | | - | | | |
| Eye contact Inhalation | | specific data. specific data. | | | |
| Skin contact | | specific data. | | | |
| Ingestion | | | | | |
| | | | | | |

Delayed and immediate effects and also chronic effects from short and long term exposure



Version Number 1.0 Revision Date 07/24/2014

Short term exposure

Page 10 of 15 Print Date 07/25/2014

| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
|--|---|---|
| Long term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Potential chronic health effects | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| General | : | No known significant effects or critical hazards. |
| Carcinogenicity | : | No known significant effects or critical hazards. |
| Mutagenicity | : | No known significant effects or critical hazards. |
| Teratogenicity | : | No known significant effects or critical hazards. |
| Developmental effects | : | No known significant effects or critical hazards. |
| Fertility effects | : | No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|----------------------------------|-----------------------|----------|
| Calcium carbonate | | | |
| | Acute LC50 56,000 mg/l Fresh | Fish - Western | 96 h |
| | water | mosquitofish | |
| | Chronic NOEC 61,000 mg/l Fresh | Fish - Rainbow | 42 d |
| | water | trout,donaldson trout | |
| Antimony trioxide | | | |
| | Acute LC50 80,000 µg/l Fresh | Fish - Fathead minnow | 96 h |
| | water | | |
| | Acute LC50 530 mg/l Fresh water | Fish - Bluegill | 96 h |
| | Acute LC50 1,000,000 µg/l Marine | Fish - Mummichog | 96 h |



Version Number 1.0 Revision Date 07/24/2014 Page 11 of 15 Print Date 07/25/2014

| | water | | |
|--|-------------------------------------|---|-------------------|
| | Acute EC50 423,450 µg/l Fr water | resh Aquatic invertebrates. Water flea | 48 h |
| | Acute EC50 730 µg/l Fresh | water Aquatic plants - Green algae | 72 h |
| | Acute EC50 4.15 mg/l Marin water | ne Aquatic plants - Diatom | 96 h |
| 114757-01 NATURAL | | • | |
| Remarks - Acute - Aquatic invertebrates.: | Chemicals are not readily av | ailable as they are bound within the | e polymer matrix. |
| Conclusion/Summary | : Chemicals are n polymer matrix. | ot readily available as they are bou | nd within the |
| Persistence and degradability | | | |
| Conclusion/Summary | : Chemicals are n polymer matrix. | not readily available as they are bou | ind within the |
| Conclusion/Summary | : Chemicals are n polymer matrix. | not readily available as they are bou | ind within the |
| Bioaccumulative potential <u>Mobility in soil</u> | | | |
| Soil/water partition coefficie (KOC) | nt : Not available. | | |
| Other adverse effects | : No known signi | ficant effects or critical hazards. | |

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Version Number 1.0 Revision Date 07/24/2014 Page 12 of 15 Print Date 07/25/2014

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S. DOT Classification | : | Not regulated for transportation. |
|-------------------------|---|---------------------------------------|
| ICAO/IATA | : | Consult mode specific transport rules |
| IMO/IMDG (maritime) | : | Consult mode specific transport rules |

Section 15. Regulatory information

| U.S. Federal regulations | : United States - TSCA 12(b) - Chemical export notification: None of the components are listed. |
|--------------------------|--|
| | United States - TSCA 4(a) - ITC Priority list: Not listed |
| | United States - TSCA 4(f) - Priority risk review: Not listed |
| | United States - TSCA 5(a)2 - Final significant new use rules: Not listed |
| | United States - TSCA 5(e) - Substances consent order: Not listed |
| | United States - TSCA 6 - Final risk management: Not listed |
| | United States - TSCA 6 - Proposed risk management: Listed |
| | Lead |
| | United States - TSCA 8(a) - Chemical risk rules: Not listed |
| | United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed |
| | United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined |
| | United States - TSCA 8(c) - Significant adverse reaction (SAR): |
| | Not listed |
| | United States - TSCA 8(d) - Health and safety studies: Not listed |
| | United States - TSCA 4(a) - Final Test Rules: Listed 1,2- |
| | Benzenedicarboxylic acid, dinonyl ester, branched and linear |
| | United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed |
| | United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed |
| | United States - TSCA 4(a) - Proposed test rules: Not listed |
| | United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Antimony trioxide |
| | Zinc borate |



Version Number 1.0 Revision Date 07/24/2014 Page 13 of 15 Print Date 07/25/2014

Miscellaneous Zinc Compounds Benzoic acid, zinc salt (2:1) Arsenic Lead Vinyl chloride monomer

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

| Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) | : | Not listed |
|---|---|------------|
| Clean Air Act Section 602 Class I | : | Not listed |
| Substances Clean Air Act Section 602 Class II | : | Not listed |
| Substances DEA List I Chemicals (Precursor | : | Not listed |
| Chemicals) | | |
| DEA List II Chemicals (Essential Chemicals) | : | Not listed |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

| Name | % | Classification |
|-------------------|---------|----------------|
| Calcium carbonate | 1 - 5 | AH |
| | | |
| Talc | 1 - 5 | F, CH |
| | | |
| Antimony trioxide | 0.1 - 1 | AH, CH |
| - | | |

<u>SARA 313</u>

| Product name | CAS number | % |
|--------------|------------|---|
| | | |
| 10/15 | | |



Version Number 1.0 Revision Date 07/24/2014

Page 14 of 15 Print Date 07/25/2014

| Form R - Reporting requirements | Antimony trioxide | 1309-64-4 | 0 | |
|------------------------------------|-------------------|-----------|---|--|
| Supplier notification | Antimony trioxide | 1309-64-4 | 0 | |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

| State regulations | | |
|-------------------|---|---|
| Massachusetts | : | The following components are listed: Bis (2-ethylhexyl) adipate Talc |
| New York | : | The following components are listed: Antimony trioxide |
| New Jersey | : | The following components are listed: Ethene, chloro-, homopolymer Bis (2-ethylhexyl) adipate Talc Antimony trioxide |
| Pennsylvania | : | The following components are listed: Bis (2-ethylhexyl) adipate Talc |

Antimony trioxide

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

| United States inventory (TSCA 8b) | : | All components are listed or exempted. |
|-----------------------------------|---|--|
| Canada inventory | : | At least one component is not listed in DSL but all such components are listed in NDSL. |
| International regulations | | |
| International lists | : | Australia inventory (AICS): Not determined. Taiwan inventory (CSNN): Not determined. Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): Not determined. Korea inventory: Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. |



Version Number 1.0 Revision Date 07/24/2014 Page 15 of 15 Print Date 07/25/2014

Philippines inventory (PICCS): Not determined.

| Chemical Weapons Convention | : | Not listed |
|------------------------------------|---|------------|
| List Schedule I Chemicals | | |
| Chemical Weapons Convention | : | Not listed |
| List Schedule II Chemicals | | |
| Chemical Weapons Convention | : | Not listed |
| List Schedule III Chemicals | | |

Section 16. Other information

| History | | |
|--------------------------------|---|---|
| Date of printing | : | 07/25/2014 |
| Date of issue/Date of revision | : | 07/24/2014 |
| Date of previous issue | : | 00/00/0000 |
| Version | : | 1.0 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations |
| References | : | Not available. |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.