GEON E6951 WHITE

Version Number 1.1 Revision Date 05/09/2017 PolyOne.

Page 1 of 16 Print Date 05/10/2017

SAFETY DATA SHEET

GEON E6951 WHITE

| Section 1. Identification | on | |
|--|-------------|--|
| | | |
| GHS product identifier | : | GEON E6951 WHITE |
| Chemical name | : | Mixture |
| CAS number | : | Mixture |
| Other means of identification | : | VC10011868 |
| Product type | : | solid |
| <u>Relevant identified uses of the subs</u> Product use | stance : | or mixture and uses advised against Industrial applications. Plastics. |
| Supplier's details | : | POLYONE CORPORATION |
| | | 33587 Walker Road, Avon Lake, OH 44012 |
| | | 1 (440) 930-1000 or 1 (866) POLYONE |
| Emergency telephone number (with hours of operation) | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|---|---|
| Classification of the substance or mixture | : | COMBUSTIBLE DUSTS |
| GHS label elements | | |
| Signal word Hazard statements | : | Warning May form combustible dust concentrations in air. |
| | | 1/16 |

PolyOne

GEON E6951 WHITE

Version Number 1.1 Revision Date 05/09/2017

Page 2 of 16 Print Date 05/10/2017

Precautionary statements

| General | : | Not applicable. |
|----------------------------------|---|---|
| Prevention | : | Not applicable. |
| Response | : | Not applicable. |
| Storage | : | Not applicable. |
| Disposal | : | Not applicable. |
| Supplemental label elements | : | Keep container tightly closed. |
| Hazards not otherwise classified | : | Handling and/or processing of this material may generate a dust which |
| | | can cause mechanical irritation of the eyes, skin, nose and throat. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | VC10011868 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|------------------|--------|------------|
| Titanium dioxide | 5 - 10 | 13463-67-7 |
| | | |
| | | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if |
|-------------|---|---|
| Inhalation | : | irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable |

GEON E6951 WHITE



| Version Number 1.1 | Page 3 of 16 |
|--------------------------|-----------------------|
| Revision Date 05/09/2017 | Print Date 05/10/2017 |
| | |

| | | for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
|--------------|---|--|
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

| Potential acute health effects | |
|--------------------------------|--|
| Eye contact | : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. |
| Inhalation | : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Over-exposure signs/symptoms | |
| Eye contact | : Adverse symptoms may include the following: irritation redness |
| Inhalation | Adverse symptoms may include the following: respiratory tract irritation coughing |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |



GEON E6951 WHITE

Version Number 1.1 Revision Date 05/09/2017

Page 4 of 16 Print Date 05/10/2017

Indication of immediate medical attention and special treatment needed, if necessary

| Notes to physician Specific treatments | : | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment. |
|---|---|--|
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | Use dry chemical powder. Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture. |
|--|---|---|
| Specific hazards arising from the chemical | : | May form explosible dust-air mixture if dispersed. |
| Hazardous thermal decomposition products | : | May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides |
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire- exposed containers cool. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

<u>PolyOne</u>

GEON E6951 WHITE

| Version Number 1.1 Revision Date 05/09/2017 | Page 5 of 16 Print Date 05/10/2017 |
|--|--|
| For emergency responders | suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containmen | t and cleaning up |
| Small spill | : Move containers from spill area. Use spark-proof tools and explosion- proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large spill | Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

Precautions for safe handling

Protective measures
 Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding

GEON E6951 WHITE



| Version Number 1.1 Revision Date 05/09/2017 | Page 6 of 16 Print Date 05/10/2017 |
|---|--|
| Advice on general occupational hygiene | and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|------------------------------------|--|
| Titanium dioxide | OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01) |
| | ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3 |
| Appropriate engineering controls : | Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment. |

GEON E6951 WHITE



| OLON LUGGT WINTL | |
|--|--|
| Version Number 1.1 Revision Date 05/09/2017 | Page 7 of 16 Print Date 05/10/2017 |
| | |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | |
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be |
| Other skin protection | approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

GEON E6951 WHITE

Version Number 1.1 Revision Date 05/09/2017



Page 8 of 16 Print Date 05/10/2017

Section 9. Physical and chemical properties

Appearance

| Physical state | : | solid [Powder.] |
|--|---|--|
| Color | : | WHITE |
| Odor | : | Not available. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| | | |
| (flammable) limits | | Upper: Not available. |
| | : | Upper: Not available. Not available. |
| (flammable) limits | : | |
| (flammable) limits Vapor pressure | : | Not available. |
| (flammable) limits Vapor pressure Vapor density | : | Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density | : | Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility | : | Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water | • | Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- | • | Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water | : | Not available. Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature | : | Not available. Not available. Not available. Not available. Not available. Not available. |
| (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature | : | Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. |

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|---|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : | Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust |



GEON E6951 WHITE

| Version Number 1.1 | Page 9 of 16 |
|--------------------------|-----------------------|
| Revision Date 05/09/2017 | Print Date 05/10/2017 |

| Incompatible materials | : | accumulation. Avoid contact with acetal homopolymers and acetyl homopolymers during processing. Reactive or incompatible with the following materials: oxidizing materials |
|----------------------------------|---|--|
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------|----------------|---------------|----------|
| Titanium dioxide | | | | |
| | LC50 Inhalation | Rat - Male | 6.82 Mg/l | 4 h |
| | LD50 Dermal | Rabbit | > 5,000 mg/kg | - |
| 0 1 1 10 | М . (| NI . (C. 11 1 | | |

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---|-------------|------------------------------------|------------|----------|-------------|
| Titanium dioxide | Skin - Mild | Human | | 72 hrs | - |
| | irritant | | | | |
| Conclusion/Summary | | | | | |
| Skin | | lixture.Not ful | • | | |
| Eyes | | lixture.Not ful | • | | |
| Respiratory | : M | lixture.Not ful | ly tested. | | |
| <u>Sensitization</u> Conclusion/Summary Skin Respiratory | | lixture.Not ful lixture.Not ful | | | |
| Mutagenicity | | | | | |
| Conclusion/Summary | : M | lixture.Not ful | ly tested. | | |
| Carcinogenicity | | | | | |

PolyOne

GEON E6951 WHITE

| Version Number 1.1 | | | |
|--------------------------|--|--|--|
| Revision Date 05/09/2017 | | | |

Page 10 of 16 Print Date 05/10/2017

| Conclusion/Summary | : | Mixture.Not fully tested. |
|---|--------|--|
| <u>Reproductive toxicity</u> | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| <u>Teratogenicity</u> | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| Specific target organ toxicity (single Not available. | e exp | osure) |
| Specific target organ toxicity (repeared Not available. | ated | exposure) |
| Aspiration hazard Not available. | | |
| Information on likely routes of exposure | : | Not available. |
| Potential acute health effects | | |
| Eye contact | : | Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. |
| Inhalation | : | Exposure to airborne concentrations above statutory or recommended |
| | | exposure limits may cause irritation of the nose, throat and lungs. |
| Skin contact Ingestion | : | No known significant effects or critical hazards. No known significant effects or critical hazards. |
| ingestion | • | To known signmean encers of enrical hazards. |
| Symptoms related to the physical, c | hemi | cal and toxicological characteristics |
| Eye contact | : | Adverse symptoms may include the following: irritation |
| Inhalation | : | redness Adverse symptoms may include the following: |
| | | respiratory tract irritation |
| | | coughing No served for held |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |
| Delayed and immediate effects as w | ell as | chronic effects from short and long-term exposure |

Short term exposure

GEON E6951 WHITE

Version Number 1.1 Revision Date 05/09/2017

PolyOne

Page 11 of 16

Print Date 05/10/2017

| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
|--|---|--|
| Long term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Potential chronic health effects | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| General | : | Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. |
| Carcinogenicity | : | No known significant effects or critical hazards. |
| Mutagenicity | : | No known significant effects or critical hazards. |
| Teratogenicity | : | No known significant effects or critical hazards. |

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Developmental effects

Fertility effects

Not available.

Section 12. Ecological information

:

:

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|---------------------------------|------------------------|----------|
| Titanium dioxide | | | |
| | Acute LC50 > 1,000,000 μg/l | Fish - Fish | 96 h |
| | Marine water | | |
| | Acute LC50 > 1,000 mg/l Fresh | Fish - Fish | 96 h |
| | water | | |
| | Acute LC50 13 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | | Daphnia | |
| | Acute LC50 6.5 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | | Daphnia | |
| | Acute LC50 3 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | | Crustaceans | |
| | 11/16 | | |



GEON E6951 WHITE

Version Number 1.1 Revision Date 05/09/2017

Page 12 of 16 Print Date 05/10/2017

| | Acute LC50 15.9 mg/l Fresh water | Aquatic invertebrates. | 48 h |
|--------------------|----------------------------------|------------------------|------|
| | | Crustaceans | |
| | Acute LC50 3.6 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | | Crustaceans | |
| | Acute LC50 11 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | | Crustaceans | |
| | Acute LC50 13.4 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | | Crustaceans | |
| | Acute EC50 27.8 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | | Daphnia | |
| | Acute EC50 19.3 mg/l Fresh water | Aquatic invertebrates. | 48 h |
| | | Daphnia | |
| | Acute EC50 35.306 mg/l Fresh | Aquatic invertebrates. | 48 h |
| | water | Daphnia | |
| Conclusion/Summary | Not available. | | |

Persistence and degradability

Conclusion/Summary

Not available. :

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-----|-----------|
| Titanium dioxide | | - | low |

Mobility in soil

| Soil/water partition coefficient | : | Not available. |
|----------------------------------|---|---|
| (KOC) | | |
| Other adverse effects | : | No known significant effects or critical hazards. |

Section 13. Disposal considerations

| requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling | should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the | Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products |
|--|--|---|
|--|--|---|

12/16



GEON E6951 WHITE

Version Number 1.1 Revision Date 05/09/2017 Page 13 of 16 Print Date 05/10/2017

emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : | Not regulated for transportation. |
|-----------------------------------|---|---------------------------------------|
| International Air ICAO/IATA | : | Consult mode specific transport rules |
| International Water IMO/IMDG | : | Consult mode specific transport rules |

Section 15. Regulatory information

| U.S. Federal regulations | : | United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed |
|--------------------------|---|--|
| | | |

GEON E6951 WHITE

| P | bly | One | ~ |
|---|-----|-----|---|
| | - | | |

| Version Number 1.1 | Page 14 of 16 |
|--------------------------|-----------------------|
| Revision Date 05/09/2017 | Print Date 05/10/2017 |

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer Nickel antimony yellow rutile (C.I. Pigment Yellow 53) United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

| : | Listed |
|---|------------|
| : | Not listed |
| : | Not listed |
| | Not listed |
| : | Not fisted |
| : | Not listed |
| | : |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Fire hazard

:

Composition/information on ingredients

| Name | % | Classification |
|------------------|--------|----------------|
| Titanium dioxide | 5 - 10 | СН |

SARA 313

Not applicable.

| State regulations | |
|-------------------|--|
| Massachusetts | : None of the components are listed. |
| New York | : None of the components are listed. |
| New Jersey | : The following components are listed: |
| | 14/16 |

GEON E6951 WHITE

| P | blyOne | 2 |
|---|--------|---|
| _ | | |

Version Number 1.1Page 15 of 16Revision Date 05/09/2017Print Date 05/10/2017

| Pennsylvania | : | Ethene, chloro-, homopolymer Titanium dioxide The following components are listed: Titanium dioxide | | |
|--|---|--|--|--|
| California Prop. 65 WARNING: This product contains a chemical known to the State of California to cause cancer. | | | | |
| United States inventory (TSCA 8b) | : | All components are listed or exempted. | | |
| Canada inventory | | All components are listed or exempted. | | |
| International regulations | | | | |
| <u>Inventory list</u> | | | | |
| Australia | : | All components are listed or exempted. | | |
| Canada | : | All components are listed or exempted. | | |
| China | : | All components are listed or exempted. | | |
| Europe inventory | : | Not determined. | | |
| Japan | : | Not determined. | | |
| New Zealand | : | Not determined. | | |
| Philippines | : | All components are listed or exempted. | | |
| Republic of Korea | : | All components are listed or exempted. | | |
| Taiwan | : | Not determined. | | |
| Turkey | : | Not determined. | | |
| United States | : | All components are listed or exempted. | | |

Section 16. Other information

Hazardous Material Information System (U.S.A.) :

| Health | * | 1 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

History

Date of printing

05/10/2017

:

<u>PolyOne</u>

GEON E6951 WHITE

Version Number 1.1 Revision Date 05/09/2017

Page 16 of 16 Print Date 05/10/2017

| Date of issue/Date of revision Date of previous issue Version | : | 05/09/2017 05/05/2017 1.1 |
|---|---|---|
| Key to abbreviations | : | ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations |
| References | : | Not available. |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.