GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0 Revision Date 09/11/2018 Page 1 of 17 Print Date 11/26/2018

SAFETY DATA SHEET

GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Section 1. Identification	on	
GHS product identifier Chemical name CAS number Other means of identification Product type	:	GEON HTX ULTRA LA426G LHB BROWN 3741-PRI Mixture Mixture VC10012501 solid
	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.

GHS label elements



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0 Revision Date 09/11/2018 Page 2 of 17 Print Date 11/26/2018

Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	VC10012501

CAS number/other identifiers

Ingredient name	%	CAS number
Dibutyltin mercaptide	1 - 3	10584-98-2
Titanium dioxide	0.3 - 1	13463-67-7
Styrene	0 - 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0	Page 3 of 17
Revision Date 09/11/2018	Print Date 11/26/2018

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	: : :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical at	tentio	on and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0	Page 4 of 17
Revision Date 09/11/2018	Print Date 11/26/2018

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self-
fire-fighters		contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water
		4/17



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0 Revision Date 09/11/2018 Page 5 of 17 Print Date 11/26/2018

courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Styrene	OSHA PEL 1989 (1989-03-01)	
	TWA 215 mg/m3 50 ppm	
	STEL 425 mg/m3 100 ppm	
	OSHA PEL Z2 (1993-06-30)	
	TWA 100 ppm	
	CEIL 200 ppm	
	CEIL 600 ppm	
	NIOSH REL (1994-06-01)	
	TWA 215 mg/m3 50 ppm	
	STEL 425 mg/m3 100 ppm	



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0 Revision Date 09/11/2018 Page 6 of 17 Print Date 11/26/2018

		ACGIH TLV (1997-05-21) TWA 85 mg/m3 20 ppm
Titanium dioxide		STEL 170 mg/m3 40 ppm OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Dibutyltin mercaptide		OSHA PEL (1993-06-30) TWA 0.1 mg/m3 (as Sn) NIOSH REL (1994-06-01) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) OSHA PEL 1989 (1989-03-01) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) Form: Organic. ACGIH TLV (1996-05-18) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) ACGIH TLV (1994-09-01) Absorbed through skin. STEL 0.2 mg/m3 (as Sn)
Appropriate engineering controls Environmental exposure controls Individual protection measures	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a
Skin protection		higher degree of protection: safety glasses with side-shields.



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0	Page 7 of 17
Revision Date 09/11/2018	Print Date 11/26/2018

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

		1'-1_(D-11-41
Physical state	:	solid [Pellets.]
Color	:	BROWN
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
(flammable) limits Vapor pressure	:	Upper: Not available. Not available.
	:	
Vapor pressure	:	Not available.
Vapor pressure Vapor density	:	Not available. Not available.
Vapor pressure Vapor density Relative density	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	:::::::::::::::::::::::::::::::::::::::	Not available. Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	:::::::::::::::::::::::::::::::::::::::	Not available. Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature SADT	:::::::::::::::::::::::::::::::::::::::	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature		Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0 Revision Date 09/11/2018 Page 8 of 17 Print Date 11/26/2018

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Styrene						
	LD50 Oral	Rat	2,650 mg/kg	-		
	LC50 Inhalation	Rat	2,770 ppm	4 h		
	LC50 Inhalation	Rat	11.8 Mg/l	4 h		
Remarks - Dermal:	No applicable toxic	city data				
Titanium dioxide						
Remarks - Oral:	No applicable toxic	No applicable toxicity data				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
Dibutyltin mercaptide						
	LD50 Oral	Rat	510 mg/kg	-		
Remarks - Inhalation:	No applicable toxicity data					
Remarks - Dermal:	No applicable toxi	city data				
Conclusion/Summary	: Mixtu	re.Not fully tested.				

Irritation/Corrosion

	Product/ingredient name	Result	Species	Score	Exposure	Observation
--	-------------------------	--------	---------	-------	----------	-------------



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0 Revision Date 09/11/2018 Page 9 of 17 Print Date 11/26/2018

Styrene	Eyes - Mild	Human			-
	irritant	D 11.4			
	Skin - Mild irritant	Rabbit			-
	Skin -	Rabbit			-
	Moderate	nuoon			
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Eyes -	Rabbit		24 hrs	-
	Moderate irritant				
Titanium dioxide	Skin - Mild	Human		72 hrs	_
Thainum dioxide	irritant	Human		72 113	
Conclusion/Summary		I			
Skin	: M	ixture.Not fully	tested.		
Eyes		ixture.Not fully			
Respiratory	: M	ixture.Not fully	tested.		
<u>Sensitization</u>					
Conclusion/Summary					
Skin	: M	ixture.Not fully	tested.		
Respiratory		ixture.Not fully			
Mutagenicity					
Conclusion/Summary	: M	ixture.Not fully	tested.		
Carcinogenicity					
Conclusion/Summary Classification	: M	ixture.Not fully	tested.		
Product/ingredient name	OSHA	IARC	NTP		
Styrene		2B	Reasonabl	y anticipated to be	a human carcinogen.
Titanium dioxide		2B			
<u>Reproductive toxicity</u>					
Conclusion/Summary	: M	ixture.Not fully	tested.		
Teratogenicity					
Conclusion/Summary	: M	ixture.Not fully	tested.		



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0	Page 10 of 17
Revision Date 09/11/2018	Print Date 11/26/2018

Specific target organ toxicity (sing Not available.	le exp	<u>oosure)</u>
Specific target organ toxicity (rependent) Not available.	ated	exposure)
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical, c	hemi	cal and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects as w	ell as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0 Revision Date 09/11/2018

Page 11 of 17 Print Date 11/26/2018

Mutagenicity Teratogenicity **Developmental effects Fertility effects**

No known significant effects or critical hazards. :

No known significant effects or critical hazards. : :

No known significant effects or critical hazards. :

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Styrene		·	· -
	Acute LC50 4.02 Mg/l Fresh water	Fish - Fish	96 h
Remarks - Acute - Fish:	Acute		
	Acute EC50 0.0047 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic invertebrates.:	Acute		
	Acute LC50 52 Mg/l Marine water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic invertebrates.:	Acute		
	Acute EC50 1.4 Mg/l Fresh water	Aquatic plants - Algae	72 h
Remarks - Acute - Aquatic plants:	Acute	· · · ·	
F	Acute EC50 0.72 Mg/l Fresh water	Aquatic plants - Algae	96 h
Remarks - Acute - Aquatic plants:	Acute	· · · · · ·	
	Acute NOEC 0.063 Mg/l Fresh water	Aquatic plants - Algae	96 h
Remarks - Acute - Aquatic plants:	Chronic		
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide			
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0 Revision Date 09/11/2018 Page 12 of 17 Print Date 11/26/2018

	water			
Remarks - Acute - Fish:	Acute			
Kemarks - Acute - Fish.	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h	
	Acute LC50 5 Mg/I Flesh water	Crustaceans	40 11	
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h	
Remarks - Acute - Aquatic	Acute		•	
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:	TT STATES			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:	TT STATES			
Dibutyltin mercaptide				
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
GEON HTX ULTRA LA426G	LHB BROWN 3741-PRI			
Remarks - Acute - Aquatic	Chemicals are not readily available	as they are bound within the	e polymer matrix.	
invertebrates.:				
Conclusion/Summary		ily available as they are bou	nd within the	
	polymer matrix.			
Densistance and desme debilit				
Persistence and degradability	<u>v</u>			
Conclusion/Summary	: Chemicals are not read	ily available as they are bou	nd within the	
	polymer matrix.	,		
Conclusion/Summary		ily available as they are bou	nd within the	
	polymer matrix.			

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Styrene	0.35	13.49	low
Dibutyltin mercaptide	3.4	-	low



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0 Revision Date 09/11/2018 Page 13 of 17 Print Date 11/26/2018

Mobility in soil

Soil/water partition coefficient (KOC) Other adverse effects

: No known significant effects or critical hazards.

Not available.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

:

Section 15. Regulatory information

U.S. Federal regulations

United States - TSCA 12(b) - Chemical export notification: None



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0 Revision Date 09/11/2018

Substances

Substances

Chemicals)

Page 14 of 17 Print Date 11/26/2018

of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Cyclohexene, 4-ethenyl-United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer Acrylonitrile Ethvl benzene **Phthalocyanine Blue** Chromium (III) oxide United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed **United States - Department of commerce - Precursor chemical:** Not listed Clean Air Act Section 112(b) • Listed Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Not listed : Clean Air Act Section 602 Class II Not listed • **DEA List I Chemicals (Precursor** Not listed



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0 Revision Date 09/11/2018 Page 15 of 17 Print Date 11/26/2018

DEA List II Chemicals (Essential : Not listed **Chemicals**)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

Name	%	Classification
Styrene	0 - 0.3	F, AH, CH
Titanium dioxide	0.3 - 1	СН
Dibutyltin mercaptide	1 - 3	АН

SARA 313

	Product name	CAS number	%
Form R - Reporting	Styrene	100-42-5	0 - 0.3
requirements			
Supplier notification	Styrene	100-42-5	0 - 0.3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Styrene
New Jersey	:	The following components are listed: Styrene Titanium dioxide White mineral oil (petroleum) Ethene, chloro-, homopolymer
Pennsylvania	:	The following components are listed: Styrene
		Titanium dioxide

15/17



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0	Page 16 of 17
Revision Date 09/11/2018	Print Date 11/26/2018

<u>California Prop. 65</u>	
WARNING: This product contains a chemical known to the State of California to cause cancer.	

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	At least one component is not listed in EINECS but all such components are listed in ELINCS. Please contact your supplier for information on the inventory status of this material.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History 11/26/2018

Date of printing :



GEON HTX ULTRA LA426G LHB BROWN 3741-PRI

Version Number 1.0 Revision Date 09/11/2018 Page 17 of 17 Print Date 11/26/2018

Date of issue/Date of revision Date of previous issue Version	:	09/11/2018 00/00/0000 1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.